District I 1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

District III	1220 South St. Fran			
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 8'	7505 For	r permanent pits and exceptions submit to the Santa Fe vironmental Bureau office and provide a copy to the	
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 8750	05		propriate NMOCD District Office.	
	Pit, Closed-Loop System, E	Below-Grade T	ank, or	
Proposed Alternative Method Permit or Closure Plan Application				
Type of action:	Permit of a pit, closed-loop system,	, below-grade tank, o	or proposed alternative method	
,,	X Closure of a pit, closed-loop system	-		
	Modification to an existing permit			
			or non-permitted pit, closed-loop system,	
	below-grade tank, or proposed alter			
	e application (Form C-144) per individual al of this request does not relieve the operator of liability		stem, below-grade tank or alternative request	
	relieve the operator of its responsibility to comply with	· ·	-	
1 Operator: Burlington Resources	Oil & Gas Company, LP	OG	RID#: 14538	
Address: PO Box 4289, Farming				
Facility or well name: Cornell Co	om 500S			
API Number:	30-045-33573 OC	CD Permit Number:		
U/L or Qtr/Qtr: P(SE/SE) Se	ction: 2 Township: 29N	Range: 12W	County: San Juan	
Center of Proposed Design: Latitu			8.001049 °W NAD: X 1927 1983	
Surface Owner: Federal	State X Private Triba	l Trust or Indian All	otment	
Pit: Subsection F or G of 19.15	5.17.11 NMAC		RCVD FEB 15'13	
Temporary: Drilling V	Vorkover		OIL CONS. DIV.	
Permanent Emergency	Cavitation P&A			
Lined Unlined	Liner type: Thickness mil	LLDPE HDP	PE PVC Other	
String-Reinforced	_			
Liner Seams: Welded	Factory Other V	Volume:bb	Dimensions Lx Wx D	
3				
X Closed-loop System: Subs	section H of 19.15.17.11 NMAC	rilling (Applies to activ	ities which require prior approval of a permit or	
Type of Operation.	notice of intent)	ining (Applies to activ	ines which require prior approval of a perior of	
Drying Pad X Above G		Other		
, L L	_ 	LLDPE HDPE	E PVD Other	
Liner Seams: Welded	Factory Other			
4 D D1 1 1 1 S 1 S 1 S 1	L. 610 15 17 11 NIMAC			
Below-grade tank: Subsection Volume:	bbl Type of fluid:			
Tank Construction material:	Type of Italia.			
Secondary containment with leak	detection Visible sidewalls, liner, 6-	— -inch lift and automatic	overflow shut-off	
Visible sidewalls and liner Visible sidewalls only Other				
Liner Type: Thickness	mil HDPE PVC	Other		
5				
Alternative Method:				
Submittal of an exception request is	required. Exceptions must be submitted to the S	Santa Fe Environmenta	d Bureau office for consideration of approval.	

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes No			
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes No			
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) 	Yes No			
- Visual inspection (certification) of the proposed site; Acrial photo; Satellite image Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No			
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area.	Yes No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 				
Within a 100-year floodplain - FEMA map	Yes No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Neport (Below-grade Failss) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9				
NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached. Destroyle and Procedures, based when the composite requirements of 10.15.17.13 NIMAC.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) 				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Ab	pove Ground Steel Tanks or Haut-off Bins Only: (19.15.17.13.D NMAC)				
Instructions: Please identify the facility or facilities for the disposal of facilities are required.	of liquids, drilling fluids and drill cuttings. Use attachment if more than two)			
Disposal Facility Name: Disposal Facility Permit #:					
Disposal Facility Name: Disposal Facility Permit #:					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each string criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain string criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the burie - NM Office of the State Engineer - iWATERS database search;		Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		Yes No			
Ground water is more than 100 feet below the bottom of the bu - NM Office of the State Engineer - iWATERS database search;		Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).		Yes No			
- Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		Yes No			
- Visual inspection (certification) of the proposed site; Aerial pho		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.		Yes No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland		Yes No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.		Yes No			
 Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; 		Yes No			
Topographic map Within a 100-year floodplain. - FEMA map		Yes No			
18					
i		ure plan. Please indicate,			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) ☐ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ☐ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:						
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.						
Name (Print): Title:						
Signature: Date:						
e-mail address: Telephone:						
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only)- OCD Conditions (see attachment)						
OCD Representative Signature: Approval Date: 2/27/2013						
Approval Date: Approval Date:						
Title: Complique VOIFice OCD Permit Number:						
21						
Closure Report (required within 60 days of closure completion); Subsection K of 19.15.17.13 NMAC						
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure						
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.						
X Closure Completion Date: 1/23/2013						
22 Closure Method:						
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)						
If different from approved plan, please explain.						
23						
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:						
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.						
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B						
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005						
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?						
Yes (If yes, please demonstrate complilane to the items below)						
Required for impacted areas which will not be used for future service and operations:						
Site Reclamation (Photo Documentation)						
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique						
Consider the regulation Application Rates and Seeding Technique						
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in						
the box, that the documents are attached.						
Proof of Closure Notice (surface owner and division)						
Proof of Deed Notice (required for on-site closure)						
Plot Plan (for on-site closures and temporary pits)						
Confirmation Sampling Analytical Results (if applicable)						
Waste Material Sampling Analytical Results (if applicable)						
Disposal Facility Name and Permit Number						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD 1927 1983						
On-site Closure Location: Latitude: Longitude: NAD 1927 1983						
25						
Operator Closure Certification:						
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that						
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. Name (Bright)						
Name (Print): Dollie). Busse Title: Staff Regulatory Technician						
Signature: Date: 2/14/13						
e-mail address: dollie.l.busse@conocophillips.com Telephone: (505) 324-6104						