

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.  
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

11008

- Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  
 Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  
 Modification to an existing permit  
 Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

**Instructions:** Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank, or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations, or ordinances.

Operator: XTO Energy, Inc. OGRID #: 5380  
 Address: 382 Road 3100, Aztec, New Mexico 87410  
 Facility or well name: Federal #30 CDP  
 API Number: Non-Production Facility OCD Permit Number: \_\_\_\_\_  
 U/L or Qtr/Qtr A Section 30 Township 27N Range 11W County: San Juan  
 Center of Proposed Design: Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD:  1927  1983  
 Surface Owner:  Federal  State  Private  Tribal Trust or Indian Allotment

RCVD MAR 6 '13  
OIL CONS. DIV.  
DIST. 3

2.  
 **Pit:** Subsection F or G of 19.15.17.11 NMAC  
 Temporary:  Drilling  Workover  
 Permanent  Emergency  Cavitation  P&A  
 Lined  Unlined Liner type: Thickness \_\_\_\_\_ mil  LLDPE  HDPE  PVC  Other \_\_\_\_\_  
 String-Reinforced  
 Liner Seams:  Welded  Factory  Other \_\_\_\_\_ Volume: \_\_\_\_\_ bbl Dimensions: L \_\_\_\_\_ x W \_\_\_\_\_ x D \_\_\_\_\_

RCVD FEB 22 '13  
OIL CONS. DIV.  
DIST. 3

3.  
 **Closed-loop System:** Subsection H of 19.15.17.11 NMAC  
 Type of Operation:  P&A  Drilling a new well  Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  
 Drying Pad  Above Ground Steel Tanks  Haul-off Bins  Other \_\_\_\_\_  
 Lined  Unlined Liner type: Thickness \_\_\_\_\_ mil  LLDPE  HDPE  PVC  Other \_\_\_\_\_  
 Liner Seams:  Welded  Factory  Other \_\_\_\_\_

4.  
 **Below-grade tank:** Subsection I of 19.15.17.11 NMAC  
 Volume: 65 bbl Type of fluid: Produced Water  
 Tank Construction material: Fiberglass  
 Secondary containment with leak detection  Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  
 Visible sidewalls and liner  Visible sidewalls only  Not labeled  
 Liner type: Thickness \_\_\_\_\_ mil  HDPE  PVC  Other \_\_\_\_\_

5.  
 **Alternative Method:**  
 Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

6.  
**Fencing:** Subsection D of 19.15.17.11 NMAC (*Applies to permanent pits, temporary pits, and below-grade tanks*)  
 Chain link, six feet in height, two strands of barbed wire at top (*Required if located within 1000 feet of a permanent residence, school, hospital, institution or church*)  
 Four foot height, four strands of barbed wire evenly spaced between one and four feet  
 Alternate. Please specify \_\_\_\_\_

7.  
**Netting:** Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)  
 Screen  Netting  Other \_\_\_\_\_  
 Monthly inspections (If netting or screening is not physically feasible)

8.  
**Signs:** Subsection C of 19.15.17.11 NMAC  
 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  
 Signed in compliance with 19.15.3.103 NMAC

9.  
**Administrative Approvals and Exceptions:**  
 Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  
**Please check a box if one or more of the following is requested, if not leave blank:**  
 Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.  
 Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10.  
**Siting Criteria (regarding permitting):** 19.15.17.10 NMAC  
*Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.*

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland.	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

11.  
**Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  
 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  
 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  
 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
 Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  
 Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_ or Permit Number: \_\_\_\_\_

12.  
**Closed-loop Systems Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  
 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  
 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
 Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  
 Previously Approved Design (attach copy of design) API Number: \_\_\_\_\_  
 Previously Approved Operating and Maintenance Plan API Number: \_\_\_\_\_ (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

13.  
**Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC  
*Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.*

Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC  
 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  
 Climatological Factors Assessment  
 Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Quality Control/Quality Assurance Construction and Installation Plan  
 Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  
 Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Nuisance or Hazardous Odors, including H<sub>2</sub>S, Prevention Plan  
 Emergency Response Plan  
 Oil Field Waste Stream Characterization  
 Monitoring and Inspection Plan  
 Erosion Control Plan  
 Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

14.  
**Proposed Closure:** 19.15.17.13 NMAC  
*Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.*

Type:  Drilling  Workover  Emergency  Cavitation  P&A  Permanent Pit  Below-grade Tank  Closed-loop System  
 Alternative

Proposed Closure Method:  Waste Excavation and Removal  
 Waste Removal (Closed-loop systems only)  
 On-site Closure Method (Only for temporary pits and closed-loop systems)  
 In-place Burial  On-site Trench Burial  
 Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)

15.  
**Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  
 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  
 Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16. **Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:** (19.15.17.13.D NMAC)  
**Instructions:** Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.

Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_  
 Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_

Will any of the proposed closed-loop system operations and associated activities occur on or in areas that *will not* be used for future service and operations?  
 Yes (If yes, please provide the information below)  No

Required for impacted areas which will not be used for future service and operations:  
 Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

17. **Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC  
**Instructions:** Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input type="checkbox"/> No

18. **On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  
 Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  
 Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  
 Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  
 Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  
 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  
 Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  
 Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19. **Operator Application Certification:**  
 I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.  
 Name (Print): Logan Hixon Title: EH&S Technician  
 Signature: Logan Hixon Date: 2/20/13  
 E-mail address: Logan\_Hixon@xtoenergy.com Telephone: 505-333-3683

20. **OCD Approval:**  Permit Application (including closure plan)  Closure Plan (only)  OCD Conditions (see attachment)  
 OCD Representative Signature: Jonathan D. Kelly Approval Date: 2/27/2013  
 Title: Compliance Officer OCD Permit Number: 3/07/2013

21. **Closure Report (required within 60 days of closure completion):** Subsection K of 19.15.17.13 NMAC  
*Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.*  
 Closure Completion Date: 2-28-13

22. **Closure Method:**  
 Waste Excavation and Removal  On-Site Closure Method  Alternative Closure Method  Waste Removal (Closed-loop systems only)  
 If different from approved plan, please explain.

23. **Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:**  
*Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.*  
 Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_  
 Disposal Facility Name: \_\_\_\_\_ Disposal Facility Permit Number: \_\_\_\_\_  
 Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  
 Yes (If yes, please demonstrate compliance to the items below)  No  
*Required for impacted areas which will not be used for future service and operations:*  
 Site Reclamation (Photo Documentation)  
 Soil Backfilling and Cover Installation  
 Re-vegetation Application Rates and Seeding Technique

24. **Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*  
 Proof of Closure Notice (surface owner and division)  
 Proof of Deed Notice (required for on-site closure)  
 Plot Plan (for on-site closures and temporary pits)  
 Confirmation Sampling Analytical Results (if applicable)  
 Waste Material Sampling Analytical Results (required for on-site closure)  
 Disposal Facility Name and Permit Number  
 Soil Backfilling and Cover Installation  
 Re-vegetation Application Rates and Seeding Technique  
 Site Reclamation (Photo Documentation)  
 On-site Closure Location: Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD:  1927  1983

25. **Operator Closure Certification:**  
 I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.  
 Name (Print): Logan Hixon Title: EH&S Technician  
 Signature: Logan Hixon Date: 2-1-13  
 E-mail address: Logan\_Hixon@xtoenergy.com Telephone: 505 333-3683

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised October 10, 2003

Submit 2 Copies to appropriate  
District Office in accordance  
with Rule 116 on back  
side of form

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report

Name of Company: XTO Energy, Inc.	Contact: Logan Hixon
Address: 382 Road 3100, Aztec, New Mexico 87410	Telephone No.: (505) 333-3683
Facility Name: Federal #30 CDP	Facility Type: CDP
Surface Owner: Federal	Mineral Owner:
Lease No.: NMSF-078895	

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
A	30	27 N	11 W					San Juan County

Latitude: Longitude:

**NATURE OF RELEASE**

Type of Release: Produced Water	Volume of Release: Unknown	Volume Recovered: None
Source of Release: BGT	Date and Hour of Occurrence: Historical	Date and Hour of Discovery: 2-20-2013
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour:	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.\*

Describe Cause of Problem and Remedial Action Taken.\*

The below grade tank was taken out of service at the Federal #30 CDP well site due to upgrades being made to this site. A composite sample was collected beneath the location of the on-site BGT, and submitted for laboratory analysis for TPH via USEPA Method 418.1 and 8015, Benzene and BTEX via USEPA Method 8021, and for total chlorides. The sample returned results below the 'Pit Rule' spill confirmation standards for Benzene and Total BTEX, but above the 'pit rule' standards for TPH and Chlorides, confirming that a release had occurred at this location.

Describe Area Affected and Cleanup Action Taken.\*

Based on chloride results of 5600 PPM and TPH results of 600 PPM via USEPA Method 418.1, it has been confirmed that a release had occurred at this location.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: <i>Logan Hixon</i>	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Logan Hixon	Approved by District Supervisor:	
Title: Environmental Technician	Approval Date:	Expiration Date:
E-mail Address: Logan_Hixon@xtoenergy.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 3-1-13	Phone: 505-333-3683	

# **XTO Energy Inc. San Juan Basin Below Grade Tank Closure Report**

**Lease Name: Federal #30 CDP (non-production facility)**

**Description: Unit A, Section 30, Township 27N, Range 10W, San Juan County**

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure requirements of below-grade tanks on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all below-grade tanks. A separate plan will be submitted for any below-grade tank which does not conform to this plan.

## **General Plan**

1. XTO will close below-grade tanks within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment.  
**Closure Date is February 28, 2013**
2. XTO will close a below-grade tank that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC.  
**Closure Date is February 28, 2013**
3. XTO will close a permitted below-grade tank within 60 days of cessation of the below-grade tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on form C-144.  
**Required C-144 Form is attached to this document.**
4. XTO will remove liquids and sludge from below-grade tanks prior to implementing a closure method and will dispose of the liquids and sludge in a division-approved facility. Approved facilities and waste streams include:
  - Envirotech Permit No. NM01-0011 and IEI Permit No. NM 01-0010B
  - Soil contaminated by exempt petroleum hydrocarbons
  - Produced sand, pit sludge and contaminated bottoms from storage of exempt wastes
  - Basin Disposal Permit No. NM01-005
  - Produced water**All liquids and sludge were removed from the tank prior to closure activities.**
5. XTO will remove the below-grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.  
**XTO has removed the below grade tank, and will dispose of it at a division approved facility, or recycle, reclaim or reuse it in a manner that is approved by the division.**

6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.

**The equipment at this site will remain for continued operations at the Federal #30 CDP.**

7. XTO will test the soils beneath the below-grade tank to determine whether a release has occurred. At a minimum 5 point composite sample will be collected along with individual grab samples from any area that is wet, discolored or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

**A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)( 1 )(b). (Sample results attached).**

Components	Test Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	< 0.030mg/kg
BTEX	EPA SW-846 8021B or 8260B	50	< 0.45mg/kg
TPH	EPA SW-846 418.1	100	600 mg/kg
Chlorides	EPA 300.1	250 or background	5600 mg/kg
TPH	EPA SW-846 8015M	100	426

8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116 NMAC and 19.15.1.19NMAC as appropriate.

**Due to TPH results of 600 PPM via USEPA 418.1 and chloride results of 5600 PPM, a release has been confirmed at this site. A C-141 Release Notification form will be sent outlining any remediation activities taken regarding this release.**

9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site.

**The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.**

10. Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally.

The notification will include the following:

- i. Operator's name
- ii. Well Name and API Number
- iii. Location by Unit Letter, Section, Township, and Range

**Notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on February 20, 2013; see attached email printout.**

The surface owner shall be notified of XTO's proposal to close the BGT as per the approved closure plan using certified mail, return receipt requested.

**The surface owner was notified on February 20, 2013 via email. Email has been approved as a means of surface owner notification to the BLM by Brandon Powell, NMOCD Aztec Office.**

11. Re-contouring of location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.  
**The location will not be re-contoured at this time for the use of continued operations.**
12. A minimum of 4 feet of cover shall be achieved and the cover shall include 1 foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.  
**The site will not be re-contoured at this time for the use of continued operations.**
13. XTO will seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.  
**Site has not been reclaimed at this time for the use of continued operations.**
14. All closure activities will include proper documentation and be available for review upon request and will be submitted in closure report form to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on form C-144 and incorporate the following:
  - i. Proof of closure notice to division and surface owner; **attached**
  - ii. Details on capping and covering, where applicable; **per OCD Specifications**
  - iii. Inspection reports; **attached**
  - iv. Confirmation sampling analytical results; **attached**
  - v. Disposal facility name(s) and permit number(s); **see above**
  - vi. Soil backfilling and cover installation; **per OCD Specifications**
  - vii. Re-vegetation application rates and seeding techniques, (or approved alternative to re-vegetation requirements if applicable); **Will be completed at P&A'ing of the well site.**
  - viii. Photo documentation of the site reclamation. **Attached**
15. There were no pit inspections completed on this BGT, but the site is periodically checked on. This issue has been resolved to help protect it from happening in the future.



12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859  
  
Tax I.D. 62-0814289  
  
Est. 1970

Logan Hixon  
XTO Energy - San Juan Division  
382 County Road 3100  
Aztec, NM 87410

### Report Summary

Monday February 25, 2013

Report Number: L621098

Samples Received: 02/20/13

Client Project:

Description: Federal 30 #11 CDP

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

#### Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - 01157CA, CT - PH-0197,  
FL - E87487, GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016,  
NC - ENV375/DW21704/BIO041, ND - R-140. NJ - TN002, NJ NELAP - TN002,  
SC - 84004, TN - 2006, VA - 460132, WV - 233, AZ - 0612,  
MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032011-1,  
TX - T104704245-11-3, OK - 9915, PA - 68-02979, IA Lab #364

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859  
 Tax I.D. 62-0814289  
 Est. 1970

REPORT OF ANALYSIS

February 25, 2013

Logan Hixon  
 XTO Energy - San Juan Division  
 382 County Road 3100  
 Aztec, NM 87410

Date Received : February 20, 2013  
 Description : Federal 30 #11 CDP  
 Sample ID : BGT COMPOSITE  
 Collected By : Logan Hixon  
 Collection Date : 02/18/13 17:00

ESC Sample # : L621098-01  
 Site ID : FEDERAL 30 #11 CDP  
 Project # :

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride	5600	120	mg/kg	9056	02/21/13	10
Total Solids	83.7	0.100	%	2540 G-2011	02/21/13	1
Benzene	BDL	0.030	mg/kg	8021/8015	02/22/13	50
Toluene	BDL	0.30	mg/kg	8021/8015	02/22/13	50
Ethylbenzene	BDL	0.030	mg/kg	8021/8015	02/22/13	50
Total Xylene	BDL	0.090	mg/kg	8021/8015	02/22/13	50
TPH (GC/FID) Low Fraction	16.	6.0	mg/kg	GRO	02/22/13	50
Surrogate Recovery-%						
a,a,a-Trifluorotoluene (FID)	94.6		% Rec.	8021/8015	02/22/13	50
a,a,a-Trifluorotoluene (PID)	99.6		% Rec.	8021/8015	02/22/13	50
TPH (GC/FID) High Fraction	410	4.8	mg/kg	3546/DRO	02/25/13	1
Surrogate recovery(%)						
o-Terphenyl	53.3		% Rec.	3546/DRO	02/25/13	1

Results listed are dry weight basis.  
 BDL - Below Detection Limit  
 Det. Limit - Practical Quantitation Limit (PQL)  
 Note:  
 This report shall not be reproduced, except in full, without the written approval from ESC.  
 The reported analytical results relate only to the sample submitted  
 Reported: 02/25/13 15:38 Printed: 02/25/13 15:38

Summary of Remarks For Samples Printed  
02/25/13 at 15:38:38

TSR Signing Reports: 288  
R5 - Desired TAT

Domestic Water Well Sampling-see L609759 Lobato for tests

Sample: L621098-01 Account: XTORNM Received: 02/20/13 09:00 Due Date: 02/27/13 00:00 RPT Date: 02/25/13 15:38



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
 Logan Hixon  
 382 County Road 3100

Aztec, NM 87410

Quality Assurance Report  
 Level II

L621098

12065 Lebanon Rd.  
 Mt. Juliet, TN 37122  
 (615) 758-5858  
 1-800-767-5859  
 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

February 25, 2013

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Total Solids	< .1	%			WG637777	02/21/13 09:52
Chloride	< 10	mg/kg			WG637822	02/21/13 10:57
Benzene	< .0005	mg/kg			WG637769	02/21/13 15:07
Ethylbenzene	< .0005	mg/kg			WG637769	02/21/13 15:07
Toluene	< .005	mg/kg			WG637769	02/21/13 15:07
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG637769	02/21/13 15:07
Total Xylene	< .0015	mg/kg			WG637769	02/21/13 15:07
a,a,a-Trifluorotoluene (FID)		% Rec.	94.17	59-128	WG637769	02/21/13 15:07
a,a,a-Trifluorotoluene (PID)		% Rec.	100.0	54-144	WG637769	02/21/13 15:07
TPH (GC/FID) High Fraction	< 4	mg/kg			WG637729	02/24/13 14:23
o-Terphenyl		% Rec.	76.50	50-150	WG637729	02/24/13 14:23

Analyte	Units	Result	Duplicate		Limit	Ref Samp	Batch
			Duplicate	RPD			
Total Solids	%	87.0	86.5	0.853	5	L621087-02	WG637777
Chloride	mg/kg	74.0	72.0	2.74	20	L621072-01	WG637822

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Total Solids	%	50	50.2	100.	85-115	WG637777
Chloride	mg/kg	200	204.	102.	80-120	WG637822
Benzene	mg/kg	.05	0.0477	95.5	76-113	WG637769
Ethylbenzene	mg/kg	.05	0.0521	104.	78-115	WG637769
Toluene	mg/kg	.05	0.0502	100.	76-114	WG637769
Total Xylene	mg/kg	.15	0.162	108.	81-118	WG637769
a,a,a-Trifluorotoluene (PID)				99.41	54-144	WG637769
TPH (GC/FID) Low Fraction	mg/kg	5.5	4.20	76.3	67-135	WG637769
a,a,a-Trifluorotoluene (FID)				98.11	59-128	WG637769
TPH (GC/FID) High Fraction	mg/kg	60	46.8	78.1	50-150	WG637729
o-Terphenyl				78.50	50-150	WG637729

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
Chloride	mg/kg	205.	204.	102.	80-120	0.489	20	WG637822
Benzene	mg/kg	0.0477	0.0477	95.0	76-113	0.140	20	WG637769
Ethylbenzene	mg/kg	0.0514	0.0521	103.	78-115	1.44	20	WG637769
Toluene	mg/kg	0.0495	0.0502	99.0	76-114	1.33	20	WG637769
Total Xylene	mg/kg	0.159	0.162	106.	81-118	1.79	20	WG637769
a,a,a-Trifluorotoluene (PID)				99.02	54-144			WG637769
TPH (GC/FID) Low Fraction	mg/kg	4.20	4.20	76.0	67-135	0.0400	20	WG637769

\* Performance of this Analyte is outside of established criteria.  
 For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
Logan Hixon  
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L621098

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

February 25, 2013

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
a,a,a-Trifluorotoluene (FID)				98.15	59-128			
TPH (GC/FID) High Fraction	mg/kg	48.0	46.8	80.0	50-150	2.46	20	WG637729
o-Terphenyl				80.40	50-150			WG637729

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
Chloride	mg/kg	551.	64.0	500	97.4	80-120	L621075-01	WG637822
Benzene	mg/kg	0.234	0.000350	.05	93.4	32-137	L621101-01	WG637769
Ethylbenzene	mg/kg	0.253	0.000362	.05	101.	10-150	L621101-01	WG637769
Toluene	mg/kg	0.248	0.000819	.05	98.7	20-142	L621101-01	WG637769
Total Xylene	mg/kg	0.791	0.00139	.15	105.	16-141	L621101-01	WG637769
a,a,a-Trifluorotoluene (PID)					98.18	54-144		WG637769
TPH (GC/FID) Low Fraction	mg/kg	18.2	0	5.5	66.0	55-109	L621101-01	WG637769
a,a,a-Trifluorotoluene (FID)					94.60	59-128		WG637769
TPH (GC/FID) Low Fraction	mg/kg	18.1	0	5.5	65.9	55-109	L621101-01	WG637769
a,a,a-Trifluorotoluene (FID)					94.50	59-128		WG637769
TPH (GC/FID) High Fraction	mg/kg	85.4	25.4	60	100.	50-150	L621087-01	WG637729
o-Terphenyl					64.00	50-150		WG637729

Analyte	Units	Matrix Spike Duplicate			Limit	RPD	Limit	Ref Samp	Batch
		MSD	Ref	%Rec					
Chloride	mg/kg	569.	551.	101.	80-120	3.21	20	L621075-01	WG637822
Benzene	mg/kg	0.221	0.234	88.1	32-137	5.90	39	L621101-01	WG637769
Ethylbenzene	mg/kg	0.222	0.253	88.7	10-150	12.9	44	L621101-01	WG637769
Toluene	mg/kg	0.222	0.248	88.6	20-142	10.8	42	L621101-01	WG637769
Total Xylene	mg/kg	0.689	0.791	91.7	16-141	13.8	46	L621101-01	WG637769
a,a,a-Trifluorotoluene (FID)				92.56	59-128				WG637769
TPH (GC/FID) High Fraction	mg/kg	132.	85.4	178.*	50-150	43.0*	20	L621087-01	WG637729
o-Terphenyl				53.00	50-150				WG637729

Batch number / Run number / Sample number cross reference

WG637777: R2551398: L621098-01  
WG637822: R2552677: L621098-01  
WG637769: R2554457: L621098-01  
WG637729: R2556037: L621098-01

\* \* Calculations are performed prior to rounding of reported values.  
\* Performance of this Analyte is outside of established criteria.  
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



**YOUR LAB OF CHOICE**

XTO Energy - San Juan Division  
Logan Hixon  
382 County Road 3100

Aztec, NM 87410

Quality Assurance Report  
Level II

L621098

12065 Lebanon Rd.  
Mt. Juliet, TN 37122  
(615) 758-5858  
1-800-767-5859  
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970


February 25, 2013

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.



Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Company Name/Address: <b>XTO Energy - San Juan Division</b>  382 County Road 3100 Aztec, NM 87410		Billing Information: XTO Energy Inc Accounts Payable PO Box 6501  Englewood, CO 80155		Analysis/Container/Preservative				Chain of Custody Page ___ of ___									
Report to: Logan Hixon		Email to: Logan.Hixon@xtoenergy.co		1029 + 02005108 1205 Smp Chlorides				 L.A.B S.C.I.E.N.C.E.S 12065 Lebanon Road Mt. Juliet, TN 37122  Phone: (800) 767-5859 Phone: (615) 758-5858 Fax: (615) 758-5859  <b>F159</b>									
Project Description: Federal 30#11 COP		City/State Collected: NM						CoCode: XTORNM (lab use only) Template/Prelogin Shipped Via									
Phone: (505) 333-3100 FAX:		Client Project #:						ESC Key:									
Collected by: (print) Logan Hixon		Site/Facility ID#: Federal 30#11 COP						P.O.#:									
Collected by: (signature) 		<input checked="" type="checkbox"/> <b>Rush?</b> (Lab MUST Be Notified)						Date Results Needed:									
Immediately Packed on Ice N <input checked="" type="checkbox"/>		<input type="checkbox"/> Same Day . . . . . 200% <input type="checkbox"/> Next Day . . . . . 100% <input type="checkbox"/> Two Day . . . . . 50% <input type="checkbox"/> Three Day . . . . . 25%						Email? <input type="checkbox"/> No <input type="checkbox"/> Yes FAX? <input type="checkbox"/> No <input type="checkbox"/> Yes									
No. of Cntrs		Sample ID						Comp/Grab		Matrix*		Depth		Date		Time	
1-40		Bgt Composite						Comp		SS		2-18-13		17:00		1-40	
Remarks/Contaminant		Sample # (lab only)						1621098-01									

\*Matrix: **SS** - Soil/Solid **GW** - Groundwater **WW** - WasteWater **DW** - Drinking Water **OT** - Other \_\_\_\_\_

Remarks: \_\_\_\_\_

pH \_\_\_\_\_ Temp \_\_\_\_\_  
Flow \_\_\_\_\_ Other \_\_\_\_\_

Relinquished by: (Signature) 		Date: 2-18-13 Time: 20:30		Received by: (Signature) 		Samples returned via: <input type="checkbox"/> UPS <input checked="" type="checkbox"/> FedEx <input type="checkbox"/> Courier		Condition: JR (lab use only) 	
Relinquished by: (Signature) 		Date: _____ Time: _____		Received by: (Signature) 		Temp: 3.7 Bottles Received: 1-402		CoC Seals Intact: Y N NA	
Relinquished by: (Signature) 		Date: _____ Time: _____		Received for lab by: (Signature) 		Date: 2/20/13 Time: 0900		pH Checked: _____ NCF: _____	



## Analytical Report

### Report Summary

Client: XTO Energy Inc.

Chain Of Custody Number: 15209

Samples Received: 2/19/2013 11:30:00AM

Job Number: 98031-0528

Work Order: P302086

Project Name/Location: Federal 30 #11 CDP

Entire Report Reviewed By:

A handwritten signature in black ink, appearing to read "Tim Cain", is written over a horizontal line.

Date: 2/20/13

Tim Cain, Laboratory Manager

The results in this report apply to the samples submitted to Envirotech's Analytical Laboratory and were analyzed in accordance with the chain of custody document supplied by you, the client, and as such are for your exclusive use only. The results in this report are based on the sample as received unless otherwise noted. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. If you have any questions regarding this analytical report, please don't hesitate to contact Envirotech's Laboratory Staff.





XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Federal 30 #11 CDP Project Number: 98031-0528 Project Manager: Logan Hixon	Reported: 20-Feb-13 14:12
---	--	------------------------------

**Analytical Report for Samples**

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Bgt Composite	P302086-01A	Soil	02/18/13	02/19/13	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.


5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





# envirotech

Analytical Laboratory

XTO Energy Inc.	Project Name:	Federal 30 #11 CDP	
382 CR 3100	Project Number:	98031-0528	<b>Reported:</b>
Aztec NM, 87410	Project Manager:	Logan Hixon	20-Feb-13 14:12

**Bgt Composite**  
**P302086-01 (Solid)**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						

**Total Petroleum Hydrocarbons by 418.1**

<b>Total Petroleum Hydrocarbons</b>	600	20.0	mg/kg	3.999	1308021	20-Feb-13	20-Feb-13	EPA 418.1	
-------------------------------------	-----	------	-------	-------	---------	-----------	-----------	-----------	--

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Federal 30 #11 CDP Project Number: 98031-0528 Project Manager: Logan Hixon	Reported: 20-Feb-13 14:12
---	--	------------------------------

**Total Petroleum Hydrocarbons by 418.1 - Quality Control**  
**Envirotech Analytical Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
<b>Batch 1308021 - 418 Freon Extraction</b>										
<b>Blank (1308021-BLK1)</b>				Prepared & Analyzed: 20-Feb-13						
Total Petroleum Hydrocarbons	ND	20.0	mg/kg							
<b>Duplicate (1308021-DUP1)</b>				Source: P302085-01 Prepared & Analyzed: 20-Feb-13						
Total Petroleum Hydrocarbons	1270	20.0	mg/kg		1160			8.77	30	
<b>Matrix Spike (1308021-MS1)</b>				Source: P302085-01 Prepared & Analyzed: 20-Feb-13						
Total Petroleum Hydrocarbons	2800	20.0	mg/kg	2000	1160	82.0	80-120			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879





XTO Energy Inc. 382 CR 3100 Aztec NM, 87410	Project Name: Federal 30 #11 CDP Project Number: 98031-0528 Project Manager: Logan Hixon	Reported: 20-Feb-13 14:12
---	--	------------------------------

**Notes and Definitions**

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (970) 259-0615 Fr (800) 362-1879



# CHAIN OF CUSTODY RECORD

15209

Client: <b>XTO</b>	Project Name / Location: <b>Federal 30 #11 COP</b>	ANALYSIS / PARAMETERS											
Email results to: <b>Logan Hixon @xtocoregy.com</b>	Sampler Name: <b>Logan Hixon</b>	TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE	Sample Cool	Sample Intact
Client Phone No.: <b>(505) 386-8010</b>	Client No.: <b>98031-0528</b>												

Sample No./ Identification	Sample Date	Sample Time	Lab No.	No./Volume of Containers	Preservative		TPH (Method 8015)	BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion	RCI	TCLP with H/P	CO Table 910-1	TPH (418.1)	CHLORIDE	Sample Cool	Sample Intact	
					HgCl <sub>2</sub>	HCl													
B/T composite	2-18-13	17:00	P302086-01A												X			Y	Y

Relinquished by: (Signature) <i>Logan Hixon</i>	Date 2-19-13	Time 11:30	Received by: (Signature) <i>[Signature]</i>	Date 2/19/13	Time 11:30
--	-----------------	---------------	--	-----------------	---------------

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
------------------------------	------	------	--------------------------	------	------

Sample Matrix  
 Soil  Solid  Sludge  Aqueous  Other  \_\_\_\_\_

Sample(s) dropped off after hours to secure drop off area.



## Hixon, Logan

---

**From:** Hixon, Logan  
**Sent:** Wednesday, February 20, 2013 11:52 AM  
**To:** BRANDON POWELL (brandon.powell@state.nm.us); MARK KELLY (mark\_kelly@blm.gov)  
**Cc:** McDaniel, James; Hoekstra, Kurt  
**Subject:** BGT Closure Notification-Federal #30 CDP (non-production facility)

Brandon & Mark,  
Please accept this email as the required notification for the BGT closure activities at the following non-production facility:

*Federal #30 CDP (non-production facility) Located in Section 30, Township 27N, Range 11W, San Juan County New Mexico*

This below grade tank is being closed due upgrades being made to this site. Thank you for your time in regards to this matter.



*Thank You!*  
*Logan Hixon*  
*Western Division*  
*382 CR 3100*  
*Aztec NM 87410*  
*Office (505) 333-3683*  
*Cell (505) 386-8018*  
*Logan\_Hixon@xtoenergy.com*

XTO Energy, Inc.  
Federal #30 CDP (non-production facility)  
Section 30 (A), Township 27N, Range 11W  
Closure Date 2-28-2013




Photo 1: Federal #30 CDP after Reconfigure.




Photo 2: Federal #30 CDP after Reconfigure.

XTO Energy, Inc.  
Federal #30 CDP (non-production facility)  
Section 30 (A), Township 27N, Range 11W  
Closure Date 2-28-2013




Photo 3: Federal #30 CDP after Reconfigure.




Photo 4: Federal #30 CDP after Reconfigure.