1-	District 1	State of New	Mexico			Form C-144
	1625 N. French Dr., Hobbs, NM 88240	Energy Minerals and N				July 21, 2008
	District II	Departm Oil Concernatio			, closed-loop sytems, appropriate NMOCD	-
	1301 W. Grand Ave., Artesia, NM 88210 District III	Oil Conservatio 1220 South St. J				
	1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM		•	and exceptions sub-	
	District IV			Environmental Burea appropriate NMOCE	au office and provide D District Office.	a copy to the
	1220 S. St. Francis Dr., Santa Fe, NM 87505	Pit, Closed-Loop System	Below Grad	e Tank or		
	. A . Prop	osed Alternative Method			lication	
1	Type of action:	Permit of a pit, closed-loop sys	-			
		X Closure of a pit, closed-loop sy	-	ank, or proposed a	Iternative method	đ
Modification to an existing permit						
		Closure plan only submitted for below-grade tank, or proposed	• .	ted or non-permitte	ed pit, closed-loop	p system,
	Instructions: Please submit one a	oplication (Form C-144) per indivi		n system, helow-g	rade tank or alte	rnative request
	-	f this request does not relieve the operator of lis				-
		eve the operator of its responsibility to comply		-	=	
	1 Operatory ConceePhilling Company	·····		OCDID#: 2179		
	Operator: <u>ConocoPhillips Company</u> Address: PO Box 4289, Farmingto		<u>_</u>	OGRID#: <u>2178</u>		
	Facility or well name: AXI Apache					
	· · · · · · · · · · · · · · · · · · ·					<u></u>
	····)-039-22949	OCD Permit Number			
	U/L or Qtr/Qtr: E(SW/NW) Section	· · · ·	Ŭ		Rio Arriba	1007 1000
	Center of Proposed Design: Latitude		Longitude:	107.2245	•W NAD:	X 1927 1983
	Surface Owner: Federal	State Private XT	ribal Trust or Indian			,,,
	2					<i>J</i> D MAR 7 '13
	Pit: Subsection F or G of 19.15.17	.11 NMAC				CONS. DIV.
	Temporary: Drilling Wor	kover				DIST. S
	Permanent Emergency C	avitation P&A			_	
	Lincd Unlined Li	ner type: Thickness mil		HDPE PVC	Other	
	String-Reinforced					
	Liner Seams: 🔲 Welded 🗌 Fa	ictory 🗌 Other	Volume:	_bbl Dimensions	L	x D
	3				······································	
		ion H of 19.15.17.11 NMAC				
	Type of Operation: X P&A		or Drilling (Applies to a	activities which requ	ire prior approval c	of a permit or
		notice of in				
		nd Steel Tanks Haul-off Bins	Other			
		r type: Thickness mil actoryOther	LLDPE H	DPE PVD	JOther	
	Below-grade tank: Subsection I					
	Volume:b	bl Type of fluid:				
ĺ	Tank Construction material:			antia di alta	<i>c</i> r	
	Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other					
	Visible sidewalls and liner					
	Liner Type: Thickness	milHDPEPVC	C Other _			
	5 Alternative Methods					
	<u>Alternative Method:</u>					
	Submittal of an exception request is requ	aired. Exceptions must be submitted to	the Santa Fe Environm	nental Bureau office	for consideration o	f approval.
		<u></u>				

5

6 • Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify					
	_				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other					
Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
I12 X 2 2 reacting, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC					
9 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	Νο			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended ~ Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

1 11			······		
Temporary Pits, Em			ent Checklist: Subsection B of 19.15.17.9 NMAC		
		-	heck mark in the box, that the documents are attached.		
		ow-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
	geologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
	01 19.13.17.10 NMAC				
 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 					
					AC and 19.15.17.13 NMAC
Previously Approv	ved Design (attach copy of design)	API	or Permit		
	s Permit Application Attachment Check the following items must be attached to the app		9 NMAC eck mark in the box, that the documents are attached.		
			ents of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and	Maintenance Plan - based upon the appro-	ropriate requirements of 19.15.1	7.12 NMAC		
	Please complete Boxes 14 through 18, if 0.15.17.13 NMAC	`applicable) - based upon the ap	propriate requirements of Subsection C of 19.15.17.9		
	ved Design (attach copy of design)	API			
	ved Operating and Maintenance Plan	API			
Siting Criteria Climatological Certified Engir Dike Protection Leak Detection Liner Specifica Quality Contro Operating and Freeboard and Nuisance or Ha Oil Field Waste Oil Field Waste Closure Plan -	te Stream Characterization d Inspection Plan	on the appropriate requirements ppropriate requirements of 19.12 upon the appropriate requireme equirements of 19.15.17.11 NM/ assed upon the appropriate require installation Plan ropriate requirements of 19.15.1 pon the appropriate requirements tion Plan	of 19.15.17.10 NMAC 5.17.11 NMAC mts of 19.15.17.11 NMAC AC rements of 19.15.17.11 NMAC 7.12 NMAC		
14		ts of Subsection C of 19.15.17.9	NMAC and 19.15.17.13 NMAC		
Proposed Closure: Instructions: Please co.	omplete the applicable boxes, Boxes 14 thron Workover Emergency Cavitat ve	ough 18, in regards to the proposed			
Proposed Closure: Instructions: Please con Type: Drilling Alternative	Description Description Workover Emergency Cavitation Workover Emergency Cavitation ve State State thod: Waste Waste State Waste Removal Closed-loop s	bugh 18, in regards to the proposed tion P&A P&A Permanent al systems only)	<i>d closure plan.</i> Pit Below-grade Tank Closed-loop System		
Proposed Closure: Instructions: Please con Type: Drilling Alternative	Description Description Description Description Workover Emergency Cavitation Workover Emergency Cavitation ve Description Description Waste Excavation and Removal Waste Removal Closed-loop s On-site Closure Method (only from the second	bugh 18, in regards to the proposed ttion P&A P&A Permanent al systems only) for temporary pits and closed-loop	<i>d closure plan.</i> Pit Below-grade Tank Closed-loop System		
Proposed Closure: Instructions: Please con Type: Drilling Alternative	Description Description Image: State Sta	bugh 18, in regards to the proposed tion P&A Permanent al systems only) for temporary pits and closed-lood On-site Trench	d closure plan. Pit Below-grade Tank Closed-loop System		
Proposed Closure: Instructions: Please con Type: Drilling Alternative	Description Description Image: State Sta	bugh 18, in regards to the proposed tion P&A Permanent al systems only) for temporary pits and closed-lood On-site Trench	<i>d closure plan.</i> Pit Below-grade Tank Closed-loop System		
Proposed Closure: Instructions: Please col Type: Drilling	mplete the applicable boxes, Boxes 14 throw Workover Emergency Cavitation Workover Emergency Cavitation Waste Excavation and Removal Waste Excavation and Removal Waste Removal (Closed-loop s On-site Closure Method (only the second constrained only the second constrained only the second constrained on the second constrained constrained constrained on the second constrained on the second constrained constraine	bugh 18, in regards to the proposed ation P&A al systems only) for temporary pits and closed-lood On-site Trench Exceptions must be submitted to to (19.15.17.13 NMAC) Instructions:	d closure plan. Pit Below-grade Tank Closed-loop System op systems) the Santa Fe Environmental Bureau for consideration)		
Proposed Closure: Instructions: Please col Type: Drilling	pomplete the applicable boxes, Boxes 14 throw Workover Emergency Cavitation Workover Emergency Cavitation We Waste Excavation and Removal Waste Removal (Closed-loop s Waste Removal (Closure Method (only the second of the	bugh 18, in regards to the proposed ttion P&A al systems only) for temporary pits and closed-loo On-site Trench Exceptions must be submitted to t (19.15.17.13 NMAC) Instructions: tre attached.	d closure plan. Pit Below-grade Tank Closed-loop System op systems) the Santa Fe Environmental Bureau for consideration) Each of the following items must be attached to the closure		
Proposed Closure: Instructions: Please col Type: Drilling [Alternativ Proposed Closure Meth 15 Waste Excavation an Please indicate, by a ch Protocols and F	pomplete the applicable boxes, Boxes 14 throw Workover Emergency Cavitat we Waste Excavation and Removal Waste Removal (Closed-loop s On-site Closure Method (only b In-place Burial Alternative Closure Method (E and Removal Closure Plan Checklist: (Intercharting the box, that the documents and Procedures - based upon the appropriate	ough 18, in regards to the proposed ition P&A Permanent al systems only) for temporary pits and closed-lood On-site Trench Exceptions must be submitted to to (19.15.17.13 NMAC) Instructions: irre attached. requirements of 19.15.17.13 NI	d closure plan. Pit Below-grade Tank Closed-loop System op systems) the Santa Fe Environmental Bureau for consideration) Each of the following items must be attached to the closure MAC		
Proposed Closure: Instructions: Please col Type: Drilling [Alternativ Proposed Closure Meth 15 Waste Excavation and Please indicate, by a ch Protocols and F Confirmation S	mplete the applicable boxes, Boxes 14 throw Workover Emergency Cavitat we Waste Excavation and Removal Waste Removal (Closed-loop s On-site Closure Method (only f In-place Burial Alternative Closure Method (E md Removal Closure Plan Checklist: (heck mark in the box, that the documents appropriate Sampling Plan (if applicable) - based upon	nugh 18, in regards to the proposed ition P&A Permanent al systems only) for temporary pits and closed-lood On-site Trench Exceptions must be submitted to to (19.15.17.13 NMAC) Instructions: irre attached. requirements of 19.15.17.13 NI on the appropriate requirements	d closure plan. Pit Below-grade Tank Dp systems) the Santa Fe Environmental Bureau for consideration) Each of the following items must be attached to the closure MAC of Subsection F of 19.15.17.13 NMAC		
Proposed Closure: Instructions: Please col Type: Drilling [Alternativ Proposed Closure Meth Proposed Closure Meth 15 Waste Excavation and Please indicate, by a ch Protocols and F Confirmation S Disposal Facilit	mplete the applicable boxes, Boxes 14 throw Workover Emergency Cavitat we Waste Excavation and Removal Waste Excavation and Removal Waste Removal (Closed-loop s Workover In-place Burial In-place Burial Alternative Closure Method (E Maternative Closure Method (E Maternative C <td>nugh 18, in regards to the proposed ition P&A Permanent al systems only) for temporary pits and closed-lood On-site Trench Exceptions must be submitted to to (19.15.17.13 NMAC) Instructions: tre attached. requirements of 19.15.17.13 NI on the appropriate requirements ls, drilling fluids and drill cutting</td> <th>d closure plan. Pit Below-grade Tank Dp systems) the Santa Fe Environmental Bureau for consideration) Each of the following items must be attached to the closure MAC of Subsection F of 19.15.17.13 NMAC gs)</th>	nugh 18, in regards to the proposed ition P&A Permanent al systems only) for temporary pits and closed-lood On-site Trench Exceptions must be submitted to to (19.15.17.13 NMAC) Instructions: tre attached. requirements of 19.15.17.13 NI on the appropriate requirements ls, drilling fluids and drill cutting	d closure plan. Pit Below-grade Tank Dp systems) the Santa Fe Environmental Bureau for consideration) Each of the following items must be attached to the closure MAC of Subsection F of 19.15.17.13 NMAC gs)		
Proposed Closure: Instructions: Please col Type: Drilling [Alternativ Proposed Closure Meth Proposed Closure Meth 15 Waste Excavation and Please indicate, by a ch Protocols and F Confirmation S Disposal Facili Soil Backfill and	mplete the applicable boxes, Boxes 14 throw Workover Emergency Cavitat we Waste Excavation and Removal Waste Excavation and Removal Waste Removal (Closed-loop s Workover In-place Burial In-place Burial Alternative Closure Method (E Maternative Closure Method (E Maternative C <td>bugh 18, in regards to the proposed ition P&A Permanent al systems only) for temporary pits and closed-lood On-site Trench Exceptions must be submitted to t (19.15.17.13 NMAC) Instructions: tre attached. requirements of 19.15.17.13 NI on the appropriate requirements ls, drilling fluids and drill cutting upon the appropriate requirement</td> <th>d closure plan. Pit Below-grade Tank Dp systems) the Santa Fe Environmental Bureau for consideration) Each of the following items must be attached to the closure MAC of Subsection F of 19.15.17.13 NMAC gs) nts of Subsection H of 19.15.17.13 NMAC</th>	bugh 18, in regards to the proposed ition P&A Permanent al systems only) for temporary pits and closed-lood On-site Trench Exceptions must be submitted to t (19.15.17.13 NMAC) Instructions: tre attached. requirements of 19.15.17.13 NI on the appropriate requirements ls, drilling fluids and drill cutting upon the appropriate requirement	d closure plan. Pit Below-grade Tank Dp systems) the Santa Fe Environmental Bureau for consideration) Each of the following items must be attached to the closure MAC of Subsection F of 19.15.17.13 NMAC gs) nts of Subsection H of 19.15.17.13 NMAC		

16				
16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.				
Disposal Facility Name: Disposal Facili	ity Permit #:			
	ity Permit #:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby	y wells			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby	y wells			
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby	y wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse (measured from the ordinary high-water mark).	or lakebed, sinkhole, or playa lake			
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the tin - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	ime of initial application.			
	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.				
 Written confirmation or verification from the municipality; Written approval obtained from the mu Within 500 feet of a wetland 				
 US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) 				
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	Ycs No			
- written commandon of vernication of map from the NM EMINCO-Mining and Mineral Division Within an unstable area.				
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; Topographic map 				
Within a 100-year floodplain. - FEMA map	Ycs No			
¹⁸ On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate r	requirements of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

•

•-

, *	
19	
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate a	and complete to the best of my knowledge and ballef
	D (
Signature:	
e-mail address:	Telephone:
20	
	Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date: <u>207/2013</u>
	Approval Date:
Title: Compliance Officer	\u00f3 OCD Permit Number:
21 Classes Durant (complete durith in CO days of a large source letting), 2 days	
Closure Report (required within 60 days of closure completion): Subsection Instructions: Operators are required to obtain an approved closure plan prior to im	
report is required to be submitted to the division within 60 days of the completion of	
approved closure plan has been obtained and the closure activities have been comp	
	X Closure Completion Date: 2/21/2013
22	
Closure Method:	
Waste Excavation and Removal On-site Closure Method	Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.	
23	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Th	nat Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling j	fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.	Dimensi Facility Demuit Muscley, NIM At 0011 (NIM A1 0010D
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit Number: <u>NM-01-005</u>
Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliant to the items below) X	•
Required for impacted areas which will not be used for future service and operat Site Reclamation (Photo Documentation)	ions:
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24	
	g items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.	
Proof of Closure Notice (surface owner and division)	
Proof of Decd Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	· · ·
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Tcchnique Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude:	Longitude: NAD 1927 1983
25	
25 <u>Operator Closure Certification:</u>	
-	ort is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specific	ed in the approved closure plan.
Name (Print): Dolligh. Busse	Title: Staff Regulatory Technician
Naul 115	
Signature:	Date: 3/4/13
e-mail address: dollie.l.busse@conocophillips.com	Telephone: (505) 324-6104

•94