<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240	State of New Mexico	Form C-144			
District II 1301 W. Grand Ave., Artesia, NM 88210 District III	Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.	July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.			
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.			
1220 S. St. Francis Dr., Santa Fe, NM 87505	Dit Cloged Loop System Delaw Cred				
A Dron	Pit, Closed-Loop System, Below-Grad				
Proposed Alternative Method Permit or Closure Plan Application					
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method					
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
	Modification to an existing permit				
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method				
Instructions: Please submit one a	pplication (Form C-144) per individual pit, closed-loo	p system, below-grade tank or alternative request			
	of this request does not relieve the operator of liability should operations r ieve the operator of its responsibility to comply with any other applicable				
1 Operator: Conces Philling Compose		OGRID#: 21 .7 8 17			
Operator: <u>ConocoPhillips Compan</u> Address: PO Box 4289, Farmingt		UNID#. 21/01/			
Facility or well name: Lindrith B U		· · · · · · · · · · · · · · · · · · ·			
	0-039-22555 OCD Permit Number				
U/L or Qtr/Qtr: O(SW/SE) Secti		3W County: Rio Arriba			
Center of Proposed Design: Latitude		-107.16024 •W NAD: 1927 X 1983			
Surface Owner: Federal	State Private Tribal Trust or India	n Allotment			
2 Pit: Subsection F or G of 19.15.1	7.11 NMAC	RCVD MAR 13 '1 3			
Temporary: Drilling Wo	rkover				
Permanent Emergency	Cavitation P&A				
Lined Unlined L	iner type: Thickness mil LLDPE	HDPE PVC Other			
String-Reinforced					
	actory Other Volume:	bbl Dimensions L x W x D			
3 X Closed-loop System: Subset Type of Operation: P&A [tion H of 19.15.17.11 NMAC Drilling a new well X Workover or Drilling (Applies to notice of intent)	activities which require prior approval of a permit or			
Drying Pad X Above Grou	und Steel Tanks 🔲 Haul-off Bins 🗌 Other				
		HDPE PVD Other			
Liner Seams: Welded	actory Other				
Below-grade tank: Subsection	I of 19.15.17.11 NMAC				
Volume:	bbl Type of fluid:				
Tank Construction material:		······			
Secondary containment with leak d	etection Visible sidewalls, liner, 6-inch lift and auto	omatic overflow shut-off			
Visible sidewalls and liner	Visible sidewalls only Other				
Liner Type: Thickness	mil HDPE PVC Other				
5 <u>Alternative Method:</u>					
Submittal of an exception request is re	guired. Exceptions must be submitted to the Santa Fe Environ	mental Bureau office for consideration of approval.			
	Oil Concernation Division	Daga 1 of 5			

6

÷

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify					
7 <u>Netting:</u> Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		-			
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)	Monthly inspections (If netting or screening is not physically feasible)				
8					
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15.3.103 NMAC					
9 Administrative Approvals and Exceptions					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.					
(Fencing/BGT Liner)	defation of ap	provai.			
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10 Siting Criteria (reporting compitting): 10.15.17.10.NMAC					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable	-	-			
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for					
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□ NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		—			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)		No			
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
 Written approval obtained from the municipanty, written approval obtained from the municipanty Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	No			
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division 	Yes	No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological 	Yes	No			
Society; Topographic map Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
 Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13 Permagent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

.

.

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel T						
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling flu facilities are required.		-				
		NM-01-0011 / NM-01-001	10B			
Disposal Facility Name: Basin Disposal Facility Dis	sposal Facility Permit #:	NM-01-005				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No						
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsectio Site Reclamation Plan - based upon the appropriate requirements of Subsection	n I of 19.15.17.13 NMA	2	c			
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.						
Ground water is less than 50 feet below the bottom of the buried waste.			Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtaine	d from nearby wells		N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste			Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained	d from nearby wells					
Ground water is more than 100 feet below the bottom of the buried waste.			TYes No			
 NM Office of the State Engineer - iWATERS database search; USGS; Data obtained 	d from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark).	·	khole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in exist - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	tence at the time of initial ap	plication.	Yes No			
			Yes No			
Within 500 horizontal feet of a private, donnestic fresh water well or spring that less than fi purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office of the State Engineer - iWATERS database; Visual inspection (certification - NM Office)	e at the time of the initial ap	-				
Within incorporated municipal boundaries or within a defined municipal fresh water well fi pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained		pal ordinance adopted	Yes No			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection		posed site	Ycs No			
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 			Yes No			
Within an unstable area.			Yes No			
 Engineering measures incorporated into the design; NM Bureau of Geology & Miner. Topographic map 	al Resources; USGS; NM C	Geological Society;				
Within a 100-year floodplain. - FEMA map			Yes No			
18		······				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	the following items mus	t bee attached to the closu	re plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate re	equirements of 19.15.17.1	I0 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements	of Subsection F of 19.15	.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the a	appropriate requirements	of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying	pad) - based upon the ap	propriate requirements of 1	9.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.	15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 						

Form C-144

 \square

 \square

Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19					
Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print): DENISE JOURNEY Title: Regulatory Technetian					
Signature: Date: Date: 3/13/2013					
e-mail address:Denise.Journey@conocophillips.comTelephone:(505) 326-9556					
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)					
OCD Representative Signature: 000000000000000000000000000000000000					
Title: Complance Office () OCD Permit Number:					
21					
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure					
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an					
approved closure plan has been obtained and the closure activities have been completed.					
Closure Completion Date:					
22					
Closure Method:					
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)					
If different from approved plan, please explain.					
23					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:					
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities					
were utilized.					
Disposal Facility Name: Disposal Facility Permit Number:					
Disposal Facility Name: Disposal Facility Permit Number:					
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and opeartions? Yes (If yes, please demonstrate compliane to the items below)					
Required for impacted areas which will not be used for future service and operations:					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
24					
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in					
the box, that the documents are attached.					
Proof of Closure Notice (surface owner and division)					
Proof of Deed Notice (required for on-site closure)					
Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location: Latitude: Longitude: NAD 1927 1983					
25					
Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that					
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print): Title:					
Signature: Date:					
e-mail address: Telephone:					

Form C-144

.

.

Oil Conservation Division

.

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.