District 1 1625 N. French Dr., Hobbs, NM 88	State of Ne		Form C-14	
District II 1301 W. Grand Ave., Artesia, NM District III	Depart	tment tion Division	July 21, 200 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.	
1000 Rio Brazos Rd., Aztec, NM 8 District IV 1220 S. St. Francis Dr., Santa Fe, N	Sana i C, i	IM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.	
	Pit, Closed-Loop Syste	em Below-Grad	e Tank or	
10	Proposed Alternative Metho			
0 <sup>10</sup> Type of a				
Type of a			ank, or proposed alternative method	
•			tank, or proposed alternative method	
	Modification to an existing	permit		
	Closure plan only submitted below-grade tank, or propos		tted or non-permitted pit, closed-loop system,	
Instructions: Please subr	nit one application (Form C-144) per ind	lividual pit, closed-loo	p system, below-grade tank or alternative request	
	t approval of this request does not relieve the operator of pproval relieve the operator of its responsibility to comp		sult in pollution of surface water, ground water or the overnmental authority's rules, regulations or ordinances.	
	ources Oil & Gas Company, LP		OGRID#: <u>14538</u>	
Address: <b>PO Box 4289, F</b> a			· · · · · · · · · · · · · · · · · · ·	
Facility or well name: <b>SAN</b>				
API Number:	30-039-31095	OCD Permit Numbe		
U/L or Qtr/Qtr: H(SE/NE)	Section: <u>16</u> Township: <u>29</u>	N Range:	7W County: RIO ARRIBA	
Center of Proposed Design:	Latitude: <u>36.727244</u> °N	Longitude:	<b>107.569464 °W</b> NAD: 1927 X 1983	
Surface Owner: Fe	ederal X State Private	Tribal Trust or India	n Allotment	
Pit: Subsection F or G of Temporary: Drilling     Demonstrate Emory			RCVD MAR 11 '1 OIL CONS. DIV DIST. 3	
		mil 🔲 LLDPE	HDPE PVC Other	
Liner Seams: Welded	I Factory Other	Volume:	_bbl Dimensions Lx Wx D	
3     .       X     Closed-loop System:       Type of Operation:     P	Subsection H of 19.15.17.11 NMAC &A X Drilling a new well Workov notice o	• • • •	activities which require prior approval of a permit or	
X       Drying Pad       X       A         X       Lined       Unlined         Liner Seams:       X       Welded		s Other nil XLLDPE I	HDPE PVD Other	
Below-grade tank: S     Volume:     Tank Construction material:	ubsection I of 19.15.17.11 NMAC bbl Type of fluid:			
Secondary containment w Visible sidewalls and li Liner Type: Thickness	ner Visible sidewalls only	, liner, 6-inch lift and auto ]Other VCOther	omatic overflow shut-off	
5 Alternative Method: Submittal of an exception rea		ed to the Santa Fe Enviror	nmental Bureau office for consideration of approval.	
1			••	

۲.

6				
7       Netting:       Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Screen       Netting       Other         Monthly inspections (If netting or screening is not physically feasible)				
8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
9         Administrative Approvals and Exceptions:         Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.         Please check a box if one or more of the following is requested, if not leave blank:         Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.         (Fencing/BGT Liner)         Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10 <u>Siting Criteria (regarding permitting)</u> 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes No			
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
<ul> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No			
Within a 100-year floodplain     Yes       - FEMA map     Yes				

۰.

Temporary Pits Instructions: Each	<b>Emergency Pits and Below-grade Tanks Per</b> of the following items must be attached to the applicat	<b>rmit Application Attachment Checklis</b> tSubsection B of 19.15.17.9 NMAC attorn. <i>Please indicate, by a check mark in the box, that the documents are attached.</i>
Hydrogeo	ogic Report (Below-grade Tanks) - based upon	the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeo	ogic Data (Temporary and Emergency Pits) - ba	ased upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Cri	eria Compliance Demonstrations - based upon t	the appropriate requirements of 19.15.17.10 NMAC
	an - based upon the appropriate requirements of	
	and Maintenance Plan - based upon the appropr	
		pplicable) - based upon the appropriate requirements of Subsection C of
	NMAC and 19.15.17.13 NMAC	Ferrers'
Previously A	pproved Design (attach copy of design) A	API or Permit
Instructions: Each Geologic	and Hydrogeologic Data (only for on-site closure	ation. Please indicate, by a check mark in the box, that the documents are attached. re) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
		site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
=	an - based upon the appropriate requirements of	
=	and Maintenance Plan - based upon the appropr	-
	lan (Please complete Boxes 14 through 18, if applied to the second s	oplicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
Previously A	pproved Design (attach copy of design)	API
Previously A	oproved Operating and Maintenance Plan	API
<sup>13</sup> Permanent Pits	Permit Application Checklist: Subsection B of	of 19.15.17.9 NMAC
Instructions: Eac.	of the following items must be attached to the applied	ication. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeo	logic Report - based upon the requirements of Pa	Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Cri	teria Compliance Demonstrations - based upon t	the appropriate requirements of 19.15.17.10 NMAC
Climatolo	gical Factors Assessment	
Certified	Engineering Design Plans - based upon the appro	ropriate requirements of 19.15.17.11 NMAC
Dike Prot	ection and Structural Integrity Design: based upo	oon the appropriate requirements of 19.15.17.11 NMAC
Leak Det	ction Design - based upon the appropriate requi	irements of 19.15.17.11 NMAC
		ed upon the appropriate requirements of 19.15.17.11 NMAC
<u> </u>	ontrol/Quality Assurance Construction and Insta	
	and Maintenance Plan - based upon the appropr	
		n the appropriate requirements of 19.15.17.11 NMAC
lange and	or Hazardous Odors, including H2S, Prevention	n Plan
	y Response Plan	
	Waste Stream Characterization	
	g and Inspection Plan	
	ontrol Plan	- Colored
	an - based upon the appropriate requirements of	of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
	re: 19.15.17.13 NMAC	
	se complete the applicable boxes, Boxes 14 through	
Type: Drill	ng Workover Emergency Cavitation	P&A Permanent Pit Below-grade Tank Closed-loop System
	mative	
Proposed Closure		
	Waste Removal (Closed-loop syste	
		temporary pits and closed-loop systems)
		On-site Trench
	Alternative Closure Method (Excep	eptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15		
		5.17.13 NMAC) Instructions: Each of the following items must be attached to the closure p
	y a check mark in the box, that the documents are att	
	and Procedures - based upon the appropriate rec	
		the appropriate requirements of Subsection F of 19.15.17.13 NMAC
	Facility Name and Permit Number (for liquids, d	
		bon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-veget	ation Plan - based upon the appropriate requirem	
=		irements of Subsection G of 19.15.17.13 NMAC

•

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S</u> Instructions: Please identify the facility or facilities for the disposal of liquids, drillin facilities are required.	teel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) ig fluids and drill cuttings. Use attachment if more than two			
Disposal Facility Name:	Disposal Facility Permit #			
Disposal Facility Name:		service and		
Yes (If yes, please provide the information         No           Required for impacted areas which will not be used for future service and operation	<i>s</i> :			
Soil Backfill and Cover Design Specification - based upon the approx	priate requirements of Subsection H of 19.15.17.13 N	MAC		
Re-vegetation Plan - based upon the appropriate requirements of Subs				
Site Reclamation Plan - based upon the appropriate requirements of S	ubsection G of 19.15.17.13 NMAC			
17	······	·····		
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in the closure plan, certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval. Justifications and/or demonstrations of equivalency are r	Recommendations of acceptable source material are provided below or may be considered an exception which must be submitted to the Su			
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data of	btained from nearby wells			
Ground water is between 50 and 100 feet below the bottom of the buried w	aste	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data of	ptained from nearby wells			
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data of	ptained from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark).	ificant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church		Yes No		
- Visual inspection (certification) of the proposed site; Aerial photo: satellite image	age	TYes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less t purposes, or within 1000 horizontal fee of any other fresh water well or spring, in ex - NM Office of the State Engineer - iWATERS database; Visual inspection (cert	istence at the time of the initial application.			
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978. Section 3-27-3, as amended.	well field covered under a municipal ordinance adopted	Yes No		
- Written confirmation or verification from the municipality; Written approval of	btained from the municipality			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual in	spection (certification) of the proposed site	Yes No		
Within the area overlying a subsurface mine.	Mineral Division	Yes No		
<ul> <li>Written confiration or verification or map from the NM EMNRD-Mining and Within an unstable area.</li> </ul>	I WINCLAI DIVISION			
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Topographic map</li> </ul>	Mineral Resources; USGS; NM Geological Society;	Yes No		
Within a 100-year floodplain.		Yes No		
- FEMA map				
<sup>18</sup> On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Ea by a check mark in the box, that the documents are attached.	ch of the following items must bee attached to the clo	sure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the approp	•			
Proof of Surface Owner Notice - based upon the appropriate require	ements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upo	on the appropriate requirements of 19.15.17.11 NMAC	, ,		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				

Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20
OCD Approval: Permit Application (including closure plan) Closure Plan (only)- OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 3/26/2013
THE CONSTRACT OFFICE AND
Title: <u>GMPlance</u> Office OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed.
X   Closure Completion Date:   10/16/2012
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
<sup>24</sup> Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
$\sim$ in closing completes with an applicable closing requirements and conditions specified in the approved closing path.
Name (Print): Jamie Goodwin Title: Regulatory Technician

	$\sim$	e. •••••••	Z-V-			
Signature:	Ì	ame (	roodwu	_ Date:	3/11/13	
e-mail address:	]	jamie.l.goodwin@c	-	Telephone:	505-326-9784	

e

**a**.

.

## BURLINGTON RESOURCES OIL & GAS COMPANY, LP San Juan Basin Modification for a temporary pit Drilling/Completion and Workover SAN JUAN 29-7 UNIT 102C API# 30-039-31095

The San Juan 29-7 UNIT 102C had an approved C-144 for a temporary Pit and BGT dated 10/24/2011, Permit # 9039. Due to change in plans Burlington Resources drill and complete as a Closed Loop.