				E 0.14
<u>District I</u> 1625 N. French	Dr., Hobbs, NM 88240	State of New Mex Energy Minerals and Natura		Form C-14 July 21, 200
District II		Department		For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.
1301 W. Grand . District III	Ave., Artesia, NM 88210	Oil Conservation Div 1220 South St. Franc	lsion	tanks, subline to the appropriate two OCD District Office.
	s Rd., Aztec, NM 87410	Santa Fe, NM 875	505	For permanent pits and exceptions submit to the Santa Fe
<u>District IV</u> 1220 S. St. Fran	ncis Dr., Santa Fe, NM 87505			Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
		Pit, Closed-Loop System, Be	low-Grade	Tank, or
. 65	Prop	osed Alternative Method Perm	<u>nit or Closu</u>	re Plan Application
10165	Type of action:	Permit of a pit, closed-loop system, b	elow-grade tanl	k, or proposed alternative method
•		X Closure of a pit, closed-loop system,	below-grade tar	nk, or proposed alternative method
		Modification to an existing permit		
		Closure plan only submitted for an ex below-grade tank, or proposed alterna	- ·	d or non-permitted pit, closed-loop system,
Instructio	ons: Please submit one	pplication (Form C-144) per individual p	oit, closed-loop	system, below-grade tank or alternative request
	-	of this request does not relieve the operator of liability sl lieve the operator of its responsibility to comply with any	-	
¹ Operator: B	Burlington Resources C	il & Gas Company, LP	(OGRID#: 14538
	O Box 4289, Farming			
Facility or w	ell name: San Juan 2	8-6 Unit 136		
API Number	r:	0-039-20038 OCD	Permit Number:	
U/L or Qtr/Q	(tr: P(SE/SE) Sect	ion: <u>11</u> Township: <u>28N</u>	Range: 6	W County: Rio Arriba
Center of Pro	oposed Design: Latitud	e: <u>36.67133</u> °N Lor	ngitude:	107.43065 °W NAD: X 1927 1983
Surface Own	ner: X Federal	State Private Tribal	Frust or Indian /	Allotment
2		· · · · · · · · · · · · · · · · · · ·		RCVD APR 3 '13
Pit: Su	ubsection F or G of 19.15.1	7.11 NMAC		KUVUHEKO LU
		7.11 NMAC rkover		
Temporary:	Drilling Wo			OIL CONS. DIV. DIST. 3
Temporary:	ent Emergency	rkover] LLDPE 🗌 H	OIL CONS. DIV
Temporary:	ent Emergency	rkover Cavitation P&A] LLDPE 🗌 H	OIL CONS. DIV DIST. 3
Temporary:	E Drilling Wo ent Emergency Unlined I Reinforced	rkover Cavitation P&A .iner type: Thickness mil [OIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Scam:	E Drilling Wo ent Emergency Unlined I Reinforced is: Welded	rkover Cavitation P&A .iner type: Thickness mil [Factory] Other Vol		DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Scam:		rkover Cavitation P&A Liner type: Thickness mil Factory Other Vol Linen H of 19.15.17.11 NMAC	lume:	OIL CONS. DIV DIST. 3 DPE PVC Other
Temporary: Permane Lined String-R Liner Scam:	ent Emergency Configuration of the second se	rkover Cavitation P&A Liner type: Thickness mil Factory Other Vol Lition H of 19.15.17.11 NMAC	lume:	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Scam: <u>X</u> Close Type of Ope		rkover Cavitation P&Ainer type: Thickness mil [Factory Other Vol	lume:	OIL CONS. DIV DIST. 3 DPE PVC Other
Temporary: Permane Lined String-R Liner Seam: 3 X Close Type of Opt Dryin Lined		rkover Cavitation P&A Liner type: Thickness mil Factory Other Vol Stion H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins O	lume:	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Seam: 3 X Close Type of Opt		rkover Cavitation P&A Liner type: Thickness mil Factory Other Vol Stion H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Other	ing (Applies to ac	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Seam: X Close Type of Opd Dryin Lined Liner Seam: 4		rkover Cavitation P&A Liner type: Thickness mil Factory Other Vol Stion H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Ot er type: Thickness mil Factory Other	ing (Applies to ac	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Seam: 3 X Close Type of Ope Dryin Lined Liner Seam: 4 Below		rkover Cavitation P&A .iner type: Thickness mil .actory Other Vol .actory Other Vol .action H of 19.15.17.11 NMAC .action H of 19.15.17.11 NMAC .action H of Interty Difference Interty Otheractory Other 1 of 19.15.17.11 NMAC	ing (Applies to ac	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Scam: X Close Type of Opd Dryin Liner Seam: 4 Below Volume:		rkover Cavitation P&A Liner type: Thickness mil Factory Other Vol Stion H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Ot er type: Thickness mil Factory Other	ing (Applies to ac	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Seam: 3 X Close Type of Ope Dryin Liner Seam: 4 Below Volume: Tank Const		rkover Cavitation P&A Liner type: Thickness mil Factory Other Vol Cation H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Ot er type: Thickness mil Factory Other I of 19.15.17.11 NMAC bbl Type of fluid:	lume:	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Seam: 3 X Close Type of Opc Dryin Liner Seam: 4 Below Volume: Tank Const Seconda		rkover Cavitation P&A .iner type: Thickness mil .actory Other Vol .actory Other Vol .action H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Ot er type: Thickness mil .actory Other I of 19.15.17.11 NMAC bbl Type of fluid: etection Visible sidewalls, liner, 6-in	lume:	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Seam: X Close Type of Opd Dryin Liner Seam: 4 Below Volume: Tank Const Seconda Visibl		rkover Cavitation P&A Liner type: Thickness mil Factory Other Vol Stion H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Ot er type: Thickness mil Factory Other I of 19.15.17.11 NMAC bbl Type of fluid: etection Visible sidewalls, liner, 6-in Visible sidewalls onlyOther	ing (Applies to ac ther]LLDPE]HE	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Seam: X Close Type of Opd Dryin Liner Seam: Image: Construction of the seconda Volume: Tank Const Seconda Usible Liner Type:		rkover Cavitation P&A .iner type: Thickness mil .actory Other Vol .actory Other Vol .action H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Ot er type: Thickness mil .actory Other I of 19.15.17.11 NMAC bbl Type of fluid: etection Visible sidewalls, liner, 6-in	lume:	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Seam: X Close Type of Opd Dryin Liner Seam: 4 Below Volume: Tank Const Seconda Visibl Liner Type:		rkover Cavitation P&A Liner type: Thickness mil Factory Other Vol Stion H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Ot er type: Thickness mil Factory Other I of 19.15.17.11 NMAC bbl Type of fluid: etection Visible sidewalls, liner, 6-in Visible sidewalls onlyOther	ing (Applies to ac ther]LLDPE]HE	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Seam: X Close Type of Opd Dryin Liner Seam: 4 Below Volume: Tank Const Seconda Visibl Liner Type:	Drilling We ent Emergency Unlined I Reinforced is: Welded ed-loop System: Subsection eration: X P&A ing Pad X Above Group Unlined Lin is: Welded is: Welded is	rkover Cavitation P&A .iner type: Thickness mil [Factory Other Vol ction H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Ot er type: Thickness mil [Factory Other Tof 19.15.17.11 NMAC bbl Type of fluid: etection Visible sidewalls, liner, 6-in Visible sidewalls only Other	lume: ing (Applies to ac ther LLDPEHE HE	DIL CONS. DIV DIST. 3
Temporary: Permane Lined String-R Liner Scam: X Close Type of Ope Dryin Liner Seam: 4 Below Volume: Tank Const Seconda Visibl Liner Type: 5 Altern Submittal or	Drilling We ent Emergency Unlined I Reinforced is: Welded ed-loop System: Subsection eration: X P&A ing Pad X Above Group Unlined Lin is: Welded is: Welded is	rkover Cavitation P&A .iner type: Thickness mil [Factory Other Vol ction H of 19.15.17.11 NMAC Drilling a new well Workover or Drill notice of intent) und Steel Tanks Haul-off Bins Ot er type: Thickness mil [Factory Other Tof 19.15.17.11 NMAC bbl Type of fluid: etection Visible sidewalls, liner, 6-in Visible sidewalls only Other	Iume: ing (Applies to ac ther LLDPE HE LLDPE HE nch lift and automa Other nta Fe Environme	DIL CONS. DIV DIST. 3

6 Y Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (<i>Required if located within 1000 feet of a permanent residence, school, hospital, institution or church</i>) Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify 7 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)					
 8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC 					
9 Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	deration of ap _l	proval.			
10					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
 Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	Yes	No			
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes	∏No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Acrial photo; Satellite image	NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

11 Temporary Pits. Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API
13 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stre
14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

٠

...

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel 7	Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)				
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fly facilities are required.	uids and drill cuttings. Use attachment if more than two				
Disposal Facility Name: Di	Disposal Facility Permit #:				
Disposal Facility Name: Disposal Facility Permit #: Disposal Facility Name: Disposal Facility Permit #:					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	on I of 19.15.17.13 NMAC	AC			
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Re certain siting criteria may require administrative approval from the appropriate district office on office for consideration of approval. Justifications and/or demonstrations of equivalency are ready office for consideration of approval.	r may be considered an exception which must be submitted to				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data obtain	ed from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		Ycs No			
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	t watercourse or lakebed, sinkhole, or playa lake	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in exis - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	stence at the time of initial application.	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than f purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existenc - NM Office of the State Engineer - iWATERS database; Visual inspection (certificati	e at the time of the initial application.	Yes No			
Within incorporated municipal boundaries or within a defined municipal fresh water well f pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained	ield covered under a municipal ordinance adopted	Yes No			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspect		Yes No			
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Mining and Mine	eral Division	Yes No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Miner Topographic map	ral Resources; USGS; NM Geological Society;	Yes No			
Within a 100-year floodplain. - FEMA map		Yes No			
¹⁸ <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	the following items must bee attached to the close	ure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate r Proof of Surface Owner Notice - based upon the appropriate requirements Construction/Design Plan of Burial Trench (if applicable) based upon the	of Subsection F of 19.15.17.13 NMAC				
 Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC 					
 Waste Material Sampling Plan - based upon the appropriate requirements Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection 	drill cuttings or in case on-site closure standards c	annot be achieved)			

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

•

...

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20
OCD Approval: Permit Application (including glosure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: 44/2013Approval Date: 44/2013
Approval Date: // // ADA
Title: (<u>OMPl'auce</u>) Office () OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: 3/12/2013
22 Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
23
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below) X No
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
25 Operator Cleance Continent
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Dollie L. Busse Title: Staff Regulatory Technician
Signature: Allie Sum, Date: #13/13
Signature: Allue Ausse Date: 4/3/13
e-mail address: dollie.l.busse@conocophillips.com Telephone: (505) 324-6104

٠

.....