District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

environment. Nor does approval relieve the operator of its responsibility t 1.		
Operator: Black Hills Gas Resources		
Address: 3200 North 1st Street / P.O. Box 249 Blo	omfield, NM 87413	
Facility or well name: Jicarilla 464-29 #10		
API Number: 30-039-25761	OCD Permit Number:	
U/L or Qtr/Qtr J Section 29 Township		
Center of Proposed Design: Latitude 36.77979° N		
Surface Owner: Federal State Private Tribal Trust or In		
2.		
✓ Closed-loop System: Subsection H of 19.15.17.11 NMAC		
Operation: Drilling a new well Workover or Drilling (Applie	es to activities which require prior approval of a	permit or notice of intent) 🔽 P&A
✓ Above Ground Steel Tanks or ✓ Haul-off Bins		, ,
3.		RCVD APR 1 '13
Signs: Subsection C of 19.15.17.11 NMAC		
12"x 24", 2" lettering, providing Operator's name, site location, a	and emergency telephone numbers	OIL COMS. DIV.
Signed in compliance with 19.15.3.103 NMAC		DIST. 3
Design Plan - based upon the appropriate requirements of 19.1		
✓ Operating and Maintenance Plan - based upon the appropriate ✓ Closure Plan (Please complete Box 5) - based upon the appropriate ☐ Previously Approved Design (attach copy of design) API N ☐ Previously Approved Operating and Maintenance Plan API N	requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 (umber:	7.9 NMAC and 19.15.17.13 NMAC
✓ Operating and Maintenance Plan - based upon the appropriate ✓ Closure Plan (Please complete Box 5) - based upon the appropriate ✓ Previously Approved Design (attach copy of design) ✓ Previously Approved Operating and Maintenance Plan 5. Waste Removal Closure For Closed-loop Systems That Utilize All Plane Plane Waste Note: The property of the propriate of	requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 lumber:	nly: (19.15.17.13.D NMAC)
✓ Operating and Maintenance Plan - based upon the appropriate ✓ Closure Plan (Please complete Box 5) - based upon the appropriate ✓ Previously Approved Design (attach copy of design) API N ✓ Previously Approved Operating and Maintenance Plan API N 5. Waste Removal Closure For Closed-loop Systems That Utilize A Instructions: Please indentify the facility or facilities for the disposa	requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 lumber:	nly: (19.15.17.13.D NMAC)
✓ Operating and Maintenance Plan - based upon the appropriate ✓ Closure Plan (Please complete Box 5) - based upon the appropriate ✓ Previously Approved Design (attach copy of design) API N ☐ Previously Approved Operating and Maintenance Plan API N 5. Waste Removal Closure For Closed-loop Systems That Utilize A Instructions: Please indentify the facility or facilities for the disposit facilities are required.	e requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 number: Sumber: bove Ground Steel Tanks or Haul-off Bins O sal of liquids, drilling fluids and drill cuttings.	nly: (19.15.17.13,D NMAC) Use attachment if more than two
✓ Operating and Maintenance Plan - based upon the appropriate ✓ Closure Plan (Please complete Box 5) - based upon the appropriate ✓ Previously Approved Design (attach copy of design) API N ☐ Previously Approved Operating and Maintenance Plan API N 5. Waste Removal Closure For Closed-loop Systems That Utilize A Instructions: Please indentify the facility or facilities for the disposation facilities are required. Disposal Facility Name: JFJ Landfarm	requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 fumber: Sumber: bove Ground Steel Tanks or Haul-off Bins O sal of liquids, drilling fluids and drill cuttings. Disposal Facility Permit Numbe	nly: (19.15.17.13.D NMAC) Use attachment if more than two r: _NM 01-001B
✓ Operating and Maintenance Plan - based upon the appropriate ✓ Closure Plan (Please complete Box 5) - based upon the appropriate ✓ Previously Approved Design (attach copy of design) API N ☐ Previously Approved Operating and Maintenance Plan API N 5. Waste Removal Closure For Closed-loop Systems That Utilize A Instructions: Please indentify the facility or facilities for the disposit facilities are required.	priate requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 Jumber:	nly: (19.15.17.13.D NMAC) Use attachment if more than two r: NM 01-001B r: SWD-665
✓ Operating and Maintenance Plan - based upon the appropriate ✓ Closure Plan (Please complete Box 5) - based upon the appropriate ✓ Previously Approved Design (attach copy of design) API N ☐ Previously Approved Operating and Maintenance Plan API N 5. Waste Removal Closure For Closed-loop Systems That Utilize A Instructions: Please indentify the facility or facilities for the disposit facilities are required. Disposal Facility Name: JFJ Landfarm Disposal Facility Name: Simms Federal SWD Will any of the proposed closed-loop system operations and associated.	priate requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 Jumber:	nly: (19.15.17.13.D NMAC) Use attachment if more than two r: NM 01-001B r: SWD-665 c used for future service and operations?
 ✓ Operating and Maintenance Plan - based upon the appropriate ✓ Closure Plan (Please complete Box 5) - based upon the appropriate ✓ Previously Approved Design (attach copy of design) ✓ Previously Approved Operating and Maintenance Plan ✓ API N S. ✓ Waste Removal Closure For Closed-loop Systems That Utilize Al Instructions: Please indentify the facility or facilities for the dispositacilities are required. ✓ Disposal Facility Name: JFJ Landfarm ✓ Disposal Facility Name: Simms Federal SWD Will any of the proposed closed-loop system operations and associat Yes (If yes, please provide the information below) No ✓ No Required for impacted areas which will not be used for future service Soil Backfill and Cover Design Specifications based upon the appropriate requirements ✓ Site Reclamation Plan - based upon the appropriate requirements ✓ Site Reclamation Plan - based upon the appropriate requirements 	priate requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 Jumber:	nly: (19.15.17.13.D NMAC) Use attachment if more than two r: NM 01-001B r: SWD-665 c used for future service and operations?
☐ Operating and Maintenance Plan - based upon the appropriate ☐ Closure Plan (Please complete Box 5) - based upon the appropriate ☐ Previously Approved Design (attach copy of design) API N ☐ Previously Approved Operating and Maintenance Plan API N 5. Waste Removal Closure For Closed-loop Systems That Utilize Al Instructions: Please indentify the facility or facilities for the disposacilities are required. Disposal Facility Name: JFJ Landfarm Disposal Facility Name: Simms Federal SWD Will any of the proposed closed-loop system operations and associate Yes (If yes, please provide the information below) ☑ No Required for impacted areas which will not be used for future service ☐ Soil Backfill and Cover Design Specifications based upon to Re-vegetation Plan - based upon the appropriate requirements ☐ Site Reclamation Plan - based upon the appropriate requirements	priate requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 Jumber:	nly: (19.15.17.13.D NMAC) Use attachment if more than two r: NM 01-001B r: SWD-665 e used for future service and operations?
☐ Operating and Maintenance Plan - based upon the appropriate ☐ Closure Plan (Please complete Box 5) - based upon the appropriate ☐ Previously Approved Design (attach copy of design) API N ☐ Previously Approved Operating and Maintenance Plan API N 5. Waste Removal Closure For Closed-loop Systems That Utilize Al Instructions: Please indentify the facility or facilities for the disposacilities are required. Disposal Facility Name: JFJ Landfarm Disposal Facility Name: Simms Federal SWD Will any of the proposed closed-loop system operations and associat ☐ Yes (If yes, please provide the information below) ☑ No Required for impacted areas which will not be used for future service ☐ Soil Backfill and Cover Design Specifications based upon to Re-vegetation Plan - based upon the appropriate requirements ☐ Site Reclamation Plan - based upon the appropriate requirements 6. Operator Application Certification:	priate requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 Jumber:	nly: (19.15.17.13.D NMAC) Use attachment if more than two r: NM 01-001B r: SWD-665 cused for future service and operations? f 19.15.17.13 NMAC knowledge and belief.
☐ Operating and Maintenance Plan - based upon the appropriate ☐ Closure Plan (Please complete Box 5) - based upon the appropriate ☐ Previously Approved Design (attach copy of design) API N ☐ Previously Approved Operating and Maintenance Plan API N S. Waste Removal Closure For Closed-loop Systems That Utilize A Instructions: Please indentify the facility or facilities for the disposifacilities are required. Disposal Facility Name: JFJ Landfarm Disposal Facility Name: Simms Federal SWD Will any of the proposed closed-loop system operations and associat ☐ Yes (If yes, please provide the information below) ☑ No Required for impacted areas which will not be used for future service ☐ Soil Backfill and Cover Design Specifications based upon to Re-vegetation Plan - based upon the appropriate requirements ☐ Site Reclamation Plan - based upon the appropriate requirements ☐ Site Reclamation Plan - based upon the appropriate requirements ☐ Site Reclamation Certification: I hereby certify that the information submitted with this application	priate requirements of 19.15.17.12 NMAC priate requirements of Subsection C of 19.15.17 Jumber:	nly: (19.15.17.13.D NMAC) Use attachment if more than two r: NM 01-001B r: SWD-665 cused for future service and operations? f 19.15.17.13 NMAC knowledge and belief.

OCD Approval: Permit Application (including closure plan) Closure F			
OCD Representative Signature:	Approval Date: 4/02/2013		
Title: Comphance Office	OCD Permit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:			
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.			
Disposal Facility Name:	Disposal Facility Permit Number:		
Disposal Facility Name:	Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No			
Required for impacted areas which will not be used for future service and operated Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print):	Title:		
Signature:	Date:		
e-mail address:	Telephone:		



Jicarilla 464-29 #10Rio Arriba County, New Mexico

Close-loop design plan for the Jicarilla 464-29 #10

In accordance with Rule 19.15.17 NMAC the following information describes the design of a close-looped system for Black Hills Gas Resources (BHGR). The following describes BHGR standard procedures for a close-looped system, a separate plan will be submitted for any close-looped system which does not conform to this plan.

BHGR closed-loop system will not require a drying pad, temporary pit, below grade tank or a sump. It will include an above ground steel tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from the rig operations.

- Fencing is not required for an above ground closed-loop system.
- BHGR will post a well sign in compliance with 19.15.3.103 NMAC.
- BHGR will place frac tank on location to store fresh water.

Operation and Maintenance Plan (O&M)

BHGR's closed-loop system will be operated and maintained to contain liquids and solids to prevent contamination of fresh water sources, to protect public health and the environment. BHGR O&M plan will include the following steps:

- BHGR will vacuum out the liquids, which will be disposed of at BHGR Simms Federal SWD #1 facility (Permit# SWD-665). Solids in the closed-loop tank will be vacuumed out and disposed of at JFJ Landfarm facility (Permit# NM 01-0010B), T-N-T Landfarm facility (Permit# NM1-8-0), Envirotech Landfarm #1 facility (Permit# NM1-7-0), or Envirotech Landfarm #2 (Permit# NM1-11) on a periodic basis to prevent over flow.
- No Hazardous waste, miscellaneous solid waste, or debris will be stored in the tank. Only fluids or cuttings, used or generate by rig operations, will be placed or stored in the tank.
- BHGR will notify the Aztec district office within 48 hours, if a discovery of the closed-loop system's integrity is compromised in any way. Upon a discovery of a compromised tank, repairs will be made immediately.

During rig operations a daily inspection will be conducted, which will be logged, signed, and dated.

Closure Plan

The closed-loop system will be closed within 60 days of completion, and in accordance with Subsection D of 19.15.17.13. This will be done by transporting the cuttings, remaining sludge to one of the listed landfarms, and all remaining liquid to BHGR Simms Federal SWD #1 (Permit# SWD-665). The tank will be removed from the location as part of the rig mob. If any equipment is set off location, BHGR will re-seed the disturbed area. Also as part of the drilling of the well, the location will be re-contoured and re-vegetated to BLM interim reclamation recommendation.