<u>District, 1</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District III</u> 1301 W. Grund Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rise Brazos Rood, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Same Fig. Mg87505 4 38	Form C-144 July 21, 2008 For temporary pits, clused-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
Pit, Cl Proposed Alter Type of action: Existing BGT Modifie Closure below-grade tank, or propose Instructions: Plenge submit one applicat Please be advised that approval of this request does not environment. Nor does approval relieve the operator of below-from the submit one operator of the second s	osed-Loop System, Below-Grade T mative Method Permit or Closure P of a pit, closed-loop system, below-grade tank, or cof a pit, closed-loop system, below-grade tank, or cation to an existing permit e plan only submitted for an existing permitted or ed alternative method ion (Form C-144) per individual pit, closed-loop system relieve the operator of liability should operations result in of its responsibility to comply with any other applicable go	Fank, or Plan Application r proposed alternative method or proposed alternative method mon-permitted pit, closed-loop system, em, below-grade tank or alternative request n pollotion of surface water, ground water or the overnmental authority's rules, regulations or ordinances.
Operator: <u>NTO Energy, Inc.</u> Address: <u>#382 County Road 3100, Aztec. N</u> Facility: or ovell n2000: <u>UTE INDIAN A # 41</u> API Number: <u>30-045-33280</u> U/L or Qtr/Qtr <u>A</u> Section Center of Proposed Design: Latitude Surface Owner: Pederal	OGRID #:OGRID #: OCD Permit Number: hip32NRange14WCounty: 89Longitude08.2988889N] Tribal Trust or Indian Alloument	
Pit: Subsection F or G of 19.15.17.11 NMA Temporary: Diffing Workover Permanent Fintergeney Cavitation I Lined Unlined Liner type: Thickness Saring-Reinforced Liner Seams: Welded Factory Other	C P&A mitLLDPEHDPEPVCO Volume:bbl	RCVD APR 10 '13 OIL CONS. DIV. OIL CONS. DIV. DIST. 3 ther
J. Closed-loop System: Subsection H of 19.15 Type of Operation: P&A Drilling a new wintent) Drying Pad Above Ground Steet Tanks Lined Unlined Liner type: Thickness Liner Senms: Welded Factory Other 	. 17.11 NMAC velt Workover of Driffing (Applies to activities wh Haul-off Bins Other	ich require prior approval of a permit or police of
Belaw-grade tank: Subsection 1 of 19.15.15 Volume: <u>120</u> bbl Type of i Tank Construction meterial: <u>Steel</u> Secondary containment with leak detection [Visible sidewalls and liner Visible sidew Liner aype: Thickness	1.1 NMAC luid:	verflow shui-off natic high-levet shut off, no liner

ι-

....

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of berbod wire at 10p (Required of located within 1600 feet of a permanent residence, school, hospital, institution or church) D Four foot height, four strands of barbed wire evenly specied between one and four feel 🐼 Alternate. Please specify <u>Four footheight, steel mesh field fence (hogwire) with pipe use railing</u> <u>Netting</u>: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen 🗌 Notting 🕺 Other <u>Expanded Instal or solid vanited top</u> Monthly inspections (If netting or screening is not physically feasible). Signs: Subsection C of 19,15,17,11 NMAC D 12"s 24", 2" lenering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a bax if one or more of the following is requested, if not loave blank: 🔲 Administrative approval(s): Requests most be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Siting Criteria (regarding permitting): (9.45.17.14 NMAC Instructions: The applicant must domonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Buteau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting triteria does not apply to drying pads or above-grade tanks associated with a closed-loop system. 🗋 Yes 🖾 No Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grode tank, NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 🕅 Yes 🗌 No Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map: Visual inspection (certification) of the proposed site Yes 🛛 No Within 300 feet from a permanent residence, school, hospital, institution, or charch in existence at the time of initial application. NA (Applies to temporary, emergency, or varitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo: Satellite image 🛄 Yes 🔲 No Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. 🕅 NA (Applies to permanent plus) Visual inspection (conffication) of the proposed site; Aerial photo: Satellite image 🗋 Yes 🖾 No Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Offices of the State Engineer - IWATERS database search: Visual inspection (certification) of the proposed site Within incorporated numicipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance 🗋 Yes 🛛 No adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. 🗋 Yes 🖾 No US Fish and Wildlife Wetland Identification map; Topographic trup; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. 📋 Yes 🛛 No Written confirmation or verification or map from the NM ISMNRD-Mining and Mineral Division Within an unstable area, 1 Yes 🛛 No Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society: Topographic map Within a fOR-year floodphin. 🗍 Yes 🖾 No FEMA map

13. <u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Aphilication Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
 attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19,15,17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19,15,17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19,15,17,10 NMAC Destyn Plan - based upon the appropriate requirements of 19,15,17,10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19,15,17,12 NMAC
[2] Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (anach copy of design) API Number: or Portal Normber:
12. <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15,17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
 Geologie and Hydrogeologie Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Sting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (anach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number; (Applier only to closed-loop system that use
abase granul shul land of bus and propule 10 (molement) waste remerial for closury)
Permanent Pfts Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Clinestological Pactors Assessment Certified Engineering Design Plans - bused upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assarance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Precedend and Overtopping Prevention Plan Oil Freeboard and Overtopping Prevention Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Ensign Control Plan Dife Protection Plan Closure Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable baxes, Baxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Alternative Permanent Pit Below-grade Tank Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions mest be submitted to the Santa Fe Environmental Bureau for consideration)
 15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the elosure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

۱.

,

	1 Mar 1					
^{16.} Waste Remosal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bips Only: (19.15.17.13.1 Instructions: Please Indonify the facility or facilities for the disposal of liquids, drilling fluids and drill custings. Use attachment if a facilities are required.) NMAC) more than two					
Disposal Facility Name: Disposal Facility Permit Number:						
Disposal Facility Name: Disposal Facility Permit Number:						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) 🛄 No						
Required for Impacted areas which will not be used for future service and operations: Image: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC Image: Re-regetation Plan - based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC Image: Site Reclamation Plan - based upon the appropriate requirements of Subsection II of 19.15.17.13 NMAC	C					
17. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each sliing enteria requires a domonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain skiing criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fé Environmental Bureau office for consideration of approval. Jush demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	we material are rict office or may be fications and/or					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USQS: Data obtained from nearby wells	□ Yes □ № □ NA					
Ground water is more than 100 feet below the bottom of the buried waste, - NM Office of the State Engineer - IWATERS database sourch: USCIS; Data obtained from nearby wells	Yes No NA					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or takehed, sinkhole, or playa lake (measured from the onlinery high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	🗋 Yes 🗌 No					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. • Visual inspection (pertification) of the proposed site: Aerial photo: Satellite image	🗋 Yes 🗖 No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of inhial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed she	🗆 Yes 🗋 No					
Within Incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality: Written approval obtained from the municipality	🔲 Yes 🗌 No					
Within 500 feet of a wetland. - US Fish and Withite Wetland Identification map: Topographic map; Visual Inspection (certification) of the proposed site	🗆 Yes 🗍 N0					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🔲 Yes 🗌 No					
 Within an unstable area. Engineering measures incorporated into the design: NM Bureiu of Geology & Mineral Resources: USGS: NM Geological Society; Topographic map 	🗋 Yès 📑 No					
Within a 100-year floodplain. • FEMA map	🗌 Yes 🗌 No					
 Desite Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure play a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC. Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC. Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC. Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC. Construction/Design Plan of the appropriate requirements of 19.15.17.13 NMAC. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC. Construction Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC. 	an. Please indicate. 15.17.11 NMAC					

Weste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
 Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Site Reclanging Plan - based upon the appropriate requirements of Subsection O of 19.15.17.13 NMAC
 Site Reclanging Plan - based upon the appropriate requirements of Subsection O of 19.15.17.13 NMAC

ŧ.,

Derator Application Certification: Thereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Kim Champlin Title: Environmental Representative
Signature: Date: 11/25/08
e-mail address: kim_champlin@xtocnergy.com Telephone: (505) 323-3100
OCD Approval: D Permit Application (including closure plan Clusure)Plan(only) D OCD Conditions (see attachment)
OCD Representative Signature: ONATH Vicely 19 Approval Date: Z/Z0/13
Title: <u>Server Hydeologist</u> OCD Permit Number:
21. Clasure Report (required within 60 days of stosure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form and an approved closure plan has been obtained and the closure activities have been completed. [X] Closure Completion Date: 3-4-13
11. Classifier Method: Wiste Excevation and Removal On-Site Closure Method Wiste Excevation and Removal On-Site Closure Method If different from approved plan, please explain.
W. <u>Closure Report Regarding Waste Removal Closure For Closed-Joup Systems That Utilize Above Ground Steel Tanks or Haut-off Bins Only:</u> Instructions: Plaste indentify the facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use anachment if more that two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for implicited areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vogetation Application Rates and Soeding Technique
14. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check
mark in the box, that the documents are attached. Image: Interview of the second sec
Preof of Deed Notice (required for on-site closure)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (required for on-site closure)
Soit Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Location Locatione NAD: D1977 D 1983
Öperator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I take that the closure complete with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): KURT HOEKSTRA THE THE ENVIRONMENTAL COORDINATOR
Stanswe: hurt Hackellu Dister 4-2-13
e-mail address: KiRT_HOEKSTRACXTOENERGY.COM_ Telephone: 505-333-3100

1 4

i,

.

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Rel	ease Notification	on and Corrective Actio	on				
		OPERATOR	Initial Report	🛛 Final Report			
Name of Company: XTO Energy, Inc.		Contact: Kurt Hoekstra					
Address: 382 Road 3100, Aztec, New Mex	cico 87410	Telephone No.: (505) 333-3202					
Facility Name: Ute Indian A # 41 (30-045	-33280)	Facility Type: Gas Well (Ute Dome Dakota)					
Surface Owner: Ute Mountain Tribe	Mineral Owner	••	Lease No BIA 14	-20-604-62			

LOCATION OF RELEASE

	Unit Letter Section	Section Township	Range Feet from the	North/South Line	Feet from the	East/West Line	County	
A 34 32N 14W 1030 FNL 1745 FWL San Juan	A 34	34 32N	1 4W 1030	FNL	1745	FWL	San Juan	

Latitude: <u>36.9488889</u> Longitude: <u>-108.2988889</u>

NATURE OF RELEASE

Type of Release: N/A	Volume of Release: N/A	Volume Re	ecovered: N/A		
Source of Release: N/A	Date and Hour of Occurrence:	lour of Discovery: N/A			
	N/A				
Was Immediate Notice Given?	If YES, To Whom?				
🗌 Yes 🔲 No 🛛 Not Required	ired				
By Whom?	Date and Hour				
Was a Watercourse Reached? If YES, Volume Impacting the Watercourse.					
Yes X No					
If a Watercourse was Impacted, Describe Fully.*					
Describe Cause of Problem and Remedial Action Taken.*The below grad	e tank was removed at the Ute Indian	A # 41 wells	site due to plugging and		
abandoning of the well. The BGT cellar beneath the BGT was sampled for TPH via USEPA Method 8015 and 418.1, for BTEX via USEPA Method 8021,					
and for total chlorides. The sample returned results below the 'pit rule' standards of 100 ppm TPH, 0.2 ppm benzene, 10 ppm total BTEX and 250 ppm					
chlorides, confirming that a release has not occurred at this location.					
Describe Area Affected and Cleanup Action Taken.*					
No release has been confirmed for this location, and no further action is required.					
I hereby certify that the information given above is true and complete to the best of	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators				
are required to report and/or file certain release notifications and perform corrective	e actions for releases which may endanger	· public health o	foiled to adequately investigate		
and remediate contamination that nose a threat to ground water surface water hum	an health or the environment. In addition	NMOCD acce	entance of a C-141 report does not		
relieve the operator of responsibility for compliance with any other federal, state, o	r local laws and/or regulations.	.,			
	OIL CONSER	VATION I	DIVISION		
			1		
Signature hurt Nockellin	Approved by District Supervisor:				
Printed Name: Kurt Hoekstra					
Title: Environmental Coordinator	Approval Date:	Expiration D	ate:		
E-mail Address: Kurt_Hoekstra@xtoenergy.com	Conditions of Approval: Attach		Attached		
Date: 4-2 2012 Phone: 505 323 3100					
Date: 4-2-2015 Filone: 303-333-3100			L		

XTO Energy Inc. San Juan Basin Below Grade Tank Closure Report

Lease Name:Ute Indian A #41API No.:30-045-33280Description:Unit A, Section 34, Township 32N, Range 14W, San Juan County

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure requirements of below-grade tanks on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all below-grade tanks. A separate plan will be submitted for any below-grade tank which does not conform to this plan.

General Plan

- XTO will close below-grade tanks within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the division requires because of imminent danger to fresh water, public health or the environment.
 Closure Date is March 4, 2013
- XTO will close a below-grade tank that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofitted to comply with Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC. Closure Date is March 4, 2013
- 3. XTO will close a permitted below-grade tank within 60 days of cessation of the below-grade tank's operation or as required by the transitional provisions of Subsection B of 19.15.17.17 NMAC in accordance with a closure plan that the appropriate division district office approves. The closure report will be filed on form C-144.

Required C-144 Form is attached to this document.

4. XTO will remove liquids and sludge from below-grade tanks prior to implementing a closure method and will dispose of the liquids and sludge in a division-approved facility. Approved facilities and waste streams include:

Envirotech Permit No. NM01-0011 and IEI Permit No. NM 01-0010B

Soil contaminated by exempt petroleum hydrocarbons

Produced sand, pit sludge and contaminated bottoms from storage of exempt wastes

Basin Disposal Permit No. NM01-005

Produced water

All liquids and sludge were removed from the tank prior to closure activities.

XTO will remove the below-grade tank and dispose of it in a division approved facility or recycle, reuse, or reclaim it in a manner that the appropriate division district office approves.
 XTO has removed the below grade tank, and will dispose of it at a division approved facility, or recycle, reclaim or reuse it in a manner that is approved by the division.

6. XTO will remove any on-site equipment associated with a below-grade tank unless the equipment is required for some other purpose.

All Equipment will be removed due to the plugging and abandoning of Ute Indian A # 41 well.

7. XTO will test the soils beneath the below-grade tank to determine whether a release has occurred. At a minimum 5 point composite sample will be collected along with individual grab samples from any area that is wet, discolored or showing other evidence of a release. Samples will be analyzed for BTEX, TPH and chlorides to demonstrate that the benzene concentration, as determined by EPA SW-846 methods 8021B or 8260B or EPA method that the division approves, does not exceed 0.2 mg/kg; total BTEX concentration, as determined by EPA SW-846 methods 8021B or 8260B or other EPA method that the division approves, does not exceed 50 mg/kg; the TPH concentration, as determined by EPA method 418.1 or other EPA method that the division approves, does not exceed 100mg/kg; and the chloride concentration, as determined by EPA method 300.1 or other EPA method that the division approves, does not exceed 250 mg/kg, or the background concentration, whichever is greater. XTO will notify the division of its results on form C-141.

A composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Test Method	Limit (mg/Kg)	Results (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2	< 0.0028 mg/kg
BTEX	EPA SW-846 8021B or 8260B	50	< 0.0421 mg/kg
ТРН	EPA SW-846 418.1	100	25.4 mg/kg
Chlorides	EPA 300.1	250 or background	72 mg/kg

- 8. If XTO or the division determines that a release has occurred, XTO will comply with 19.15.3.116 NMAC and 19.15.1.19NMAC as appropriate.
 No release has been confirmed at this site.
- 9. If the sampling program demonstrates that a release has not occurred or that any release does not exceed the concentrations specified in Paragraph (4) of Subsection E of 19.15.17.13 NMAC, XTO will backfill the excavation with compacted, non-waste containing, earthen material; construct a division prescribed soil cover; recontour and re-vegetate the site. The pit cellar was backfilled using compacted, non-waste containing earthen material, with a division prescribed soil cover.
- Notice of Closure operations will be given to the Aztec Division District III office between 72 hours and one week prior to the start of closure activities via email or verbally. The notification will include the following:
 - i. Operator's name
 - ii. Well Name and API Number
 - iii. Location by Unit Letter, Section, Township, and Range

Notification was provided to Mr. Brandon Powell with the Aztec office of the OCD via email on March 1st, 2013; see attached email printout.

The surface owner shall be notified of XTO's proposal to close the BGT as per the approved closure plan using certified mail, return receipt requested.

The surface owner was notified on March 1st, 2013 via email. Email has been approved as a means of surface owner notification to the Ute Mountain Ute Tribe by Brandon Powell, NMOCD Aztec Office.

11. Re-contouring of location will match fit, shape, line, form and texture of the surrounding area. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be placed in areas where needed to prevent erosion on a large scale. Final re-contour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The location will be recontoured to match the above specifications after the well has been P & A'd.

12. A minimum of 4 feet of cover shall be achieved and the cover shall include 1 foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater.

The site has been backfilled to match these specifications.

- 13. XTO will seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other divisionapproved methods. BLM or Forest Service stipulated seed mixes will be used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs. The location will be reclaimed pursuant to the BLM MOU
- 14. All closure activities will include proper documentation and be available for review upon request and will be submitted in closure report form to OCD within 60 days of closure of the below-grade tank. Closure report will be filed on form C-144 and incorporate the following:
 - i. Proof of closure notice to division and surface owner; attached
 - ii. Details on capping and covering, where applicable; per OCD Specifications
 - iii. Inspection reports; attached
 - iv. Confirmation sampling analytical results; attached
 - v. Disposal facility name(s) and permit number(s); see above
 - vi. Soil backfilling and cover installation; per OCD Specifications
 - vii. Re-vegetation application rates and seeding techniques, (or approved alternative to re-vegetation requirements if applicable); **Per BLM MOU**
 - viii. Photo documentation of the site reclamation. attached

Hoekstra, Kurt

From: Sent: To: Subject: Hoekstra, Kurt Friday, March 01, 2013 10:58 AM Brandon Powell (brandon.powell@state.nm.us) BGT Closure Ute Indians A # 41

Brandon,

Please accept this email as the required notification for BGT closure activities at the Ute Indians A # 41 well site (API# 30-045-33280) located in Unit C, Section 34, Township 32N, Range 14W,

San Juan County, New Mexico. This below grade tank is being closed due to the plugging and abandoning of this well site.

1

Thank you for your time in regards to this matter.

Kurt Hoekstra EHS Coordinator XTO Energy 505-333-3202 Office 505-486-9543 Cell Kurt Hoekstra@xtoenergy.com

Hoekstra, Kurt

From:Hoekstra, KurtSent:Friday, March 01, 2013 12:00 PMTo:ghammond@utemountain.orgSubject:Notification for BGT closure at the Ute Indians A # 41

1

Mr. Hammond,

Please accept this email as the required notification for BGT closure activities at the Ute Indians A # 41 well site (API # 30-045-33280) located in Unit C, Section 34, Township 32N, Range 14W, San Juan County, New Mexico. This below grade tank is being closed due to the P & A of this well. Thank you for your time in regards to this matter .

Kurt Hoekstra EHS Coordinator XTO Energy 505-333-3202 Office 505-486-9543 Cell Kurt Hoekstra@xtoenergy.com



Analytical Report

Report Summary

Client: XTO Energy Inc. Chain Of Custody Number: 15219 Samples Received: 2/19/2013 4:25:00PM Job Number: 98031-0528 Work Order: P302092 Project Name/Location: UTE Indians A #41

Date: 2/20/13

Entire Report Reviewed By:

Tim Cain, Laboratory Manager

The results in this report apply to the samples submitted to Envirotech's Analytical Laboratory and were analyzed in accordance with the chain of custody document supplied by you, the client, and as such are for your exclusive use only. The results in this report are based on the sample as received unless otherwise noted. Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc. If you have any questions regarding this analytical report, please don't hesitate to contact Envirotech's Laboratory Staff.

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

Ph.(505) 632-0515 Fr.(505) 632-1565 Ph.(970) 259-0515 Fr.(800) 362-1879



Page 1 of 6



XTO Energy Inc.	Project Name:	UTE Indians A #41	
382 CR 3100	Project Number:	98031-0528	Reported:
Aztec NM, 87410	Project Manager:	James McDaniel	20-Feb-13 14:17

Analyical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BGT Cellar	P302092-01A	Soil	02/19/13	02/19/13	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

57%6 US liighway 64, Farmington, NB: 87401	Ph (595) 622-0615 Ex (505) 632-1865	an an ibilisi An a sub
Three Springs - 65 Mercado Sireet, Suite 115, Durango, CO 81301	Ph (970) 29)-0615 Fr (800) 362-1879	Republic and the first of

Page 2 of 6



XTO Energy Inc. 382 CR 3100	Project Name: UTE Ind Project Number: 98031-0			UTE Indians A #41 98031-0528				Reported:		
Aztec NM, 87410 Project Manager: James McDaniel								20-Feb-13 14:17		
		BG	T Cellar							
F		P30209	92-01 (Sol	id)				·····		
		Reporting	· · ·	•						
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes	
Total Petroleum Hydrocarbons by 418.1										
Total Petroleum Hydrocarbons	25.4	20.0	mg/kg	3,999	1308021	20-Feb-13	20-Feb-13	EPA 418.1		

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

57%6 US Highway 64. Cannington, NN, 87401	Ph (505) 632-0615 1	Fit (\$05) 632-1365	द्याणिदिरस्वत्रस्वत्रः
Three Springs - 65 Mercado Street, Suite 135, Durango, 10 81301	Ph (970) 259-0515 1	Fr 1800) 362-1879	(Banchorsanindag-nicca).

Page 3 of 6



à

XTO Energy Inc.		Project Name:	UTE Indians A #41	
382 CR 3100	/	Project Number:	98031-0528	Reported:
Aztec NM, 87410		Project Manager:	James McDaniel	20-Feb-13 14:17

Total Petroleum Hydrocarbons by 418.1 - Quality Control

Envirotech Analytical Laboratory

•		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 1308021 - 418 Freen Extraction										
Blank (1308021-BLK1)				Prepared &	Analyzed:	20-Feb-13				
Total Petroleum Hydrocarbons	ND	20.0	mg/kg							
Duplicate (1308021-DUP1)	Sourc	e: P302085-	01	Prepared &	Analyzed:	20-Feb-13				
Total Petroleum Hydrocarbons	1270	20.0	mg/kg		1160			8.77	30	
Matrix Spike (1308021-MS1)	Sourc	e: P302085-	01	Prepared &	Analyzed:	20-Feb-13				
Total Petroleum Hydrocarbons	2800	20.0	mg/kg	2000	1160	82.0	80-120			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5786 US Highway 64, Familington, NM, 87401	Ph (505) 602-0515 Fr (505) 632-1865.	्रमाहिडिस्ताइट्या
Three Springs - 65 Mercado Street, Suite 135, Durango, CO 81301	Ph (970) 259-0515 Fr (800) 362-1879	Bannun animier divier



XTO Energy Inc.	Project Name:	UTE Indians A #41	
382 CR 3100	Project Number:	98031-0528	Reported:
Aztec NM, 87410	Project Manager:	James McDaniel	20-Feb-13 14:17
	Notes and I	Definitions	

- DET Analyte DETECTED ND Analyte NOT DETECTED at or abo
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

57%6 US highway 64. Farmington, NN: 87401	Ph (505) 632-0615	Fx+1505) 632-1865.	•	an a
Three Springs - 65 Mercado Sirver, Suice 145, Durangn, CO 81301	Ph (970) 299-0615	Fr (80%) 362-1879		

15219

CHAIN OF CUSTODY RECORD

		CH		FC	US ⁻	ГС	D	Y	R	E(CC)F	3C)			Т	52	т.а			
Client:		Pro	ject Name / Locati	on:	t # 41								A	NALY	/SIS	/ PAI	RAMI	ETER	S			
Email results to: JAMES KNET HDEKSTRAL	MCDANIE	EL Sar NXOW	npler Name:	Ţ					8015)	d 8021)	1 8260)	sle	e		ę.							
Client Phone No.:		Clie	ent No.: 98031-1	<u> 0528</u>		-			Method	(Metho	(Methoc	A 8 Meta	n / Anioi		with H	able 910	(418.1)	DRIDE			ole Cool	ole Intac
Sample No./ Identification	Sample Date	Sample Time	Lab No.	No. of Co	Volume ontainers	Pi HiçOl ₂	resorvati HCI	ive	TPH (втех	Х С С	RCR/	Catio	RCI	TCLP	CO 1	ТРН	CHLC			Samp	Samp
BGT CELLAR	2-19	12:25	P.302092-01	1)40	2 JAK												X				Ý	Ý
·	-																					
											-											
		·					-															
Relinquished by: (Signature)	bite	 (a)		Date 2-19	1ime 4:25	Recei	ived b	y: (Si	ignati	ure)	2	È	~							2,/19/	134 134	me `.Z\$
Relinquished by: (Signature)	- , .	<u> </u>				Rece	ived b	y: (Si	gnatu	ure)												
Sample Matrix Soil Solid Sludge	Aqueous 🗌) Other 🗍														·				Ż		
Sample(s) dropped off after	r hours to see	cure drop off	area.	3 e	Anal	ir (ytico	D†(al La	e (ch atory) y	urana		- 7 813			aton	rilleon	virote	chine			



3 1

.

YOUR LABOF CHOICE

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859 Tax I.D. 62-0814289 Est. 1970

James McDaniel XTO Energy - San Juan Division 382 County Road 3100 Aztec, NM 87410

Report Summary

Monday February 25, 2013

Report Number: L621075

Samples Received: 02/20/13

Client Project:

Description: UTE Indians A #41

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Daphne Richards , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - 01157CA, CT - PH-0197, FL - E87487, GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704/BIO041, ND - R-140. NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 460132, WV - 233, AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032011-1, TX - T104704245-11-3, OK - 9915, PA - 68-02979, IA Lab #364

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

Page 1 of 5



3 a 🔸

YOUR LAB OF CHOICE

Surrogate recovery(%)

o-Terphenyl

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

James McDaniel XTO Energy - San J 382 County Road 31 Aztec, NM 87410	uan Division 00			Fet	oruary 25,2013		
Date Received : Description :	February 20, 2 UTE Indians A #	013 41		ESC	C Sample # :	L621075-01	
•				Sit	te ID :		
, Sample ID :	BGT CELLAR			Pro	viect # ·		
Collected By : Collection Date :	Kurt 02/19/13 12:25			110	Jeee .		
Parameter		Dry Result	Det. Limit	Units	Method	Date	Dil.
Chloride		72.	11.	mg/kg	9056	02/21/13	1
Total Solids		88.2	0.100	· %	2540 G-2011	02/21/13	1
Benzene		BDL	0.0028	mg/kg	8021/8015	02/21/13	5
Toluene		BDL	0.028	mg/kg	8021/8015	02/21/13	5
Ethylbenzene		BDL	0.0028	mg/kg	8021/8015	02/21/13	5
Total Xylene		BDL	0.0085	mg/kg	8021/8015	02/21/13	5
TPH (GC/FID) Low	Fraction	BDL	0.57	mg/kg	GRO	02/21/13	5
Surrogate Recovery	- %						
a,a,a-Trifluorot	oluene(FID)	100.		% Rec.	8021/8015	02/21/13	5
a,a,a-Trifluorot	oluene(PID)	99.8		% Rec.	8021/8015	02/21/13	5
TPH (GC/FID) Hig	h Fraction	BDL	4.5	mg/kg	3546/DRO	02/21/13	1

98.6

Results listed are dry weight basis. BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Note: This report shall not be reproduced, except in full, without the written approval from ESC. The reported analytical results relate only to the sample submitted Reported: 02/25/13 16:07 Printed: 02/25/13 16:08

Page 2 of 5

% Rec.

3546/DRO

02/21/13 1



YOUR LAB OF CHOICE

XTO Energy - San Juan Division James McDaniel 382 County Road 3100

Aztec, NM 87410

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report Level II

L621075

February 25, 2013

		Laboratory	Blank			
Analyte	Result	Units	% Rec	Limit	Batch	Date Analyzed
TPH (GC/FID) High Fraction	< 4	mg/kg			WG637728	02/20/13 23:27
o-Terphenyl		% Rec.	101.0	50-150	WG637728	02/20/13 23:27
Total Solids	< .1	ક			WG637776	02/21/13 09:48
Chloride .	< 10	mg/kg		N	WG637822	02/21/13 10:57
Benzene	< .0005	mg/kg			WG637951	02/21/13 18:54
Ethylbenzene	< .0005	mg/kg			WG637951	02/21/13 18:54
Toluene	< .005	mg/kg			WG637951	02/21/13 18:54
TPH (GC/FID) Low Fraction	< .1	mg/kg			WG637951	02/21/13 18:54
Total Xylene	< .0015	mg/kg			WG637951	02/21/13 18:54
a,a,a-Trifluorotoluene(FID)		% Rec.	100.5	59-128	WG637951	02/21/13 18:54
a,a,a-Trifluorotoluene(PID)		% Rec.	100.8	54-144	WG637951	02/21/13 18:54

Duplicate											
Analyte	Units	Result	Duplicate	RPD	Limit	Ref Samp	Batch				
Total Solids	8	76.0	72.5	5.05*	5	L621071-02	WG637776				
Chloride	ma/ka	74.0	72.0	2.74	20	L621072-01	WG637822				

		Laboratory Cor	trol Sample			
Analyte	Units	Known Val	Result	% Rec	Limit	Batch
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	60	43.4	72.4 88.80	50-150 50-150	WG637728 WG637728
Total Solids	ક	50	50.1	100.	85-115	WG637776
Chloride	mg/kg	200	204.	102.	80-120	WG637822
Benzene	mg/kg	.05	0.0487	97.3	76-113	WG637951
Ethylbenzene	mg/kg	.05	0.0503	101.	78-115	WG637951
Toluene	mg/kg	.05	0.0492	98.5	76-114	WG637951
Total Xylene	mg/kg	.15	0.154	103.	81-118	WG637951
a,a,a-Trifluorotoluene(PID)				99.93	54-144	WG637951
TPH (GC/FID) Low Fraction	mg/kg	5.5	4.92	89.4	67-135	WG637951
a,a,a-Trifluorotoluene(FID)				100.8	59-128	WG637951

Laboratory Control Sample Duplicate												
Analyte	Units	Result	Ref	%Rec	Limit	RPD	Limit	Batch				
TPH (GC/FID) High Fraction o-Terphenyl	mg/kg	45.9	43.4	76.0 90.10	50-150 50-150	5.62	20	WG637728 WG637728				
Chloride	mg/kg	205.	204.	102.	80-120	0.489	20	WG637822				
TPH (GC/FID) Low Fraction a,a,a-Trifluorotoluene(FID)	mg/kg	5.00	4.92	91.0 . 100.5	67-135 59-128	1.65	20	WG637951 WG637951				

* Performance of this Analyte is outside of established criteria. For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'

Page 3 of 5

SICILEINICES A · B

YOUR LAB OF CHOICE

XTO Energy - San Juan Division James McDaniel 382 County Road 3100

Aztec, NM 87410

• • •

12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report Level II

L621075

February 25, 2013

		Laborator	u Control	Sample Dup	licate				
Analyte	Units	Result	Ref	%Rec	Ticate	Limit	RPD	Limit	Batch
Benzene	ma/ka	0.0525	0.0487	105.		76-113	7.50	20	WG637951
Ethylbenzene	ma/ka	0.0527	0.0503	105.		78-115	4.50	20	WG63795:
Toluene	ma/ka	0.0520	0.0492	104.		76-114	5.54	20	WG637951
Total Xvlene	ma/ka	0.165	0.154	110.		81-118	6.50	20	WG637951
a,a,a-Trifluorotoluene(PID)				102.6		54-144			WG637951
			Matrix S	pike					
Analyte	Units	MS Res	Ref Re	s TV	% Rec	Limi	t	Ref Samp	Batch
Chloride	mg/kg	551.	64.0	500	97.4	80-1	20	L621075-01	WG637822
Benzene	mg/kg	0.239	0	.05	95.7	32-1	37	L621072-01	WG637951
Ethylbenzene	mg/kg	0.253	0	.05	101.	10-1	50	L621072-01	WG637951
Toluene	mg/kg	0.249	0	.05	99.5	20-1	42	L621072-01	WG637951
Total Xylene	mg/kg	0.775	0.0022	3.15	103.	16-1	41	L621072-01	WG637951
a,a,a-Trifluorotoluene(PID)					102.2	54-1	44.		WG637951
TPH (GC/FID) Low Fraction	mg/kg	24.0	0.0775	5.5	87.0	55-1	09	L621072-01	WG637951
a,a,a-Trifluorotoluene(FID)					99.64	59-1	28		WG637951
		Mat	rix Spike	Duplicate					
Analyte	Units	MSD	Ref	%Rec	Limit	RPD	Limit	Ref Samp	Batch
Chloride	mg/kg	569.	551.	101.	80-120	3.21	20	L621075-01	WG637822
Benzene	mg/kg	0.249	0.239	99.7	32-137	4.07	39	L621072-01	WG637951
Ethylbenzene	mg/kg	0.258	0.253	103.	10-150	2.20	44	L621072-01	WG637951
Toluene	mg/kg	0.252	0.249	101.	20-142	1.26	42	L621072-01	WG637951
Total Xylene	mg/kg	0.787	0.775	105.	16-141	1.54	46	L621072-01	WG637951
a,a,a-Trifluorotoluene(PID)				99.79	54-144				WG637951
TPH (GC/FID) Low Fraction	mg/kg	22.5	24.0	81.4	55-109	6.57	20	L621072-01	WG637951
a,a,a-Trifluorotoluene(FID)				99.94	59-128				WG637951

Batch number /Run number / Sample number cross reference

WG637728: R2551138: L621075-01 WG637776: R2551384: L621075-01 WG637822: R2552677: L621075-01 WG637951: R2552777: L621075-01

* Calculations are performed prior to rounding of reported values.
 * Performance of this Analyte is outside of established criteria. For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'

Page 4 of 5

.



YOUR LAB OF CHOICE

XTO Energy - San Juan Division
James McDaniel
382 County Road 3100

Aztec, NM 87410

• • • •

Quality Assurance Report Level II

L621075

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier. 12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

February 25, 2013

Company Name/Address:			Billing Information:				-	Analysis/Co	ntainer/P	reservative	Chain of Custody		
XTO Energy - San J 382 County Road 3100 Aztec.NM 87410	ision	XTO Energy Inc Accounts Payable PO Box 6501 Englewood,CO 80155											
Report to:	Em	Email to:								12065 Leb .Mt. Juliët	anon Road TN 37122		
Project Description: UTE INDIANS A#41			City/Sate Collected								Phone: (80 Phone: (61 Fax: (61	0) 767-5859 5) 758-5858 5) 758-5859	
Phone: (505) 333-3100 Client Project #: FAX:			ESC Key:				Ĩ				E080		
Collected by: (print)	Site/Facility ID#	¥:	P.O.#:										
Collected by (signature):	Rush? (Lab MUST Be Notified Same Day) Date Results Needed: Email?No_Yes FAX?NoYes		No.	15 825	21 DENE			CoCode XTORN	M (lab use only)	
Sample ID	Comp/Grab	Matrix*	Depth	Date	Time		\$c	E S			Remarks/Contaminant	Sample # (lab only)	
BGT CELLAR	Comp	50,1	0-6	2-19	12:25	1	K	XX				L-621075-01	
	7										·		
· · · · · · · · · · · · · · · · · · ·			-			-							
· · · · · · · · · · · · · · · · · · ·													
*Matrix: SS_Sail/Salid_CML Cause			Dial Drinking			<u> </u>							
Remarks:	uwale: vvvv - v	vasievvaler	Dvv - Dhaking	vvaler OT-	- Other			50401	06.76.7	Flow	v Ot	ner	
Relinquished by: (Signature)	Date: 2 -/	e Time:	D Receiv	ved by: (Sign	ature)			Sampl	es returne Ex □Co	urier	Condition	(lab use only)	
Refinquished by: (Signature)	Date:	Time:	Receiv	ved by: (Sign	ature)			Temo	ý	Bottles Recei	ved CoC Seals Intact	Y N NA H	
Relinquished by: (Signature)	Date:	Time:	Recei	ved for lab b	y: (Signature))* 		Date	olis	Time: (HU	pH Checked.	NCF.	







Well Below Tank Inspection Report

04/03/2013

Divisi	ion	Denver		
Dates	s	-		
		06/01/2008 - 04/01/2013		
Туре		Route Stop		
Туре	Value	U		

RouteName	:	StopName		Pumper	Foreman	WellName			APIWellNumber		Section	Range	Township
DEN NMI RUN 48		UTE INDIANS	A U41	Russell, John	Morrow, Pete	UTE INDIANS	5 A 41		3004533280		34	1477	32N
InspectorName	Inspection Date	Inspection Time	Visible LinerTears	VisibleTankLeak Overflow	Collection OfSurfaceRun	Visible LayerOil	Visible Leak	Freeboard EstFT	PitLocation	Pit⊺ype	Notes		
dr	02/21/2009	02:00	No	No	No	No	No	4	Well Water Pit	Below Gro	ound		
dr	03/13/2009	10:12	No	No	No	No	No	4	Well Water Pit	Below Gro	ound		•
dr	04/21/2009	09:10	No	No	No	No	No	4	Well Water Pit	Below Gro	ound		
dr	05/13/2009	12:45	No	No	No	No	No	4	Well Water Pit	Below Gro	ound		
dr	06/14/2009	12:22	No	No	No	No	No	4	Well Water Pit	Below Gro	ound .		
dr	06/18/2009	12:10	No	No	No	No	No	4	Well Water Pit	Below Gro	ound		
dr	07/07/2009	09:15	No	No	No	No	No	4	Well Water Pit	Below Gro	ound		
dr	08/14/2009	11:50	No	No	No	No	No	5	Well Water Pit	Below Gro	ound		
dr	09/20/2009	11:05	No	No	No	No	No	5	Well Water Pit	Below Gro	ound		
dr	10/12/2009	12:15	No	No	No	No	No	5	Well Water Pit	Below Gro	ound		
dr	11/06/2009	12:56	No	No	No	No	No	5	Well Water Pit	Below Gro	ound		
mth	12/12/2009	01:12	No	No	No	No	No	5	Well Water Pit	Below Gro	ound		
mth	01/19/2010	10:25	No	No	No	No	No	5	Well Water Pit	Below Gro	ound		
mth	02/20/2010	02:13	No	No	No	No	No	5	Well Water Pit,	Below Gro	ound		
mth	03/24/2010	02:49	No	No	No	No	No	5	Well Water Pit	Below Gro	ound		
mth `	04/22/2010	02:34	No	No	No	No	No	5	Well Water Pit	Below Gro	ound		
mth	05/10/2010	01:25	No	No	No	No	No	6	Well Water Pit	Below Gro	ound		
mth	06/19/2010	12:39	No	No	No	No	No	6	Well Water Pit	Below Gro	bund	•	
mth	07/20/2010	11:37	No	No	No	No	No	6	Well Water Pit	Below Gro	ound		
mth	08/19/2010	14:10	No	No	No	No	No	6	Well Water Pit	Below Gro	ound		
mth .	09/18/2010	14:17	No	No	No	No	No	6	Well Water Pit	Below Gre	ound		
mth	10/13/2010	10:41	No	No	No	No	No	6	Well Water Pit	Below Gro	bund		
e mth	11/15/2010	13:30	No	No	No	No	No	6	Well Water Pit	Below Gro	ound		

mth	12/14/2010	11:11	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	01/17/2011	12:28	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	02/23/2011	14:39	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	03/19/2011	13:41	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	04/29/2011	10:55	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	05/09/2011	11:48	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	6/15/2011	12:07	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	8/10/2011	9:57	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	9/15/2011	12:25	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	10/11/2011	13:59	No	No	No 、	No	No	6	Well Water Pit	Below Ground
mth	11/10/2011	14:25	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	12/1/2011	12:59	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	1/10/2012	1:37	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	2/2/2012	1:20	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	3/7/2012	9:49	No	No	No	No	No	6	Well Water Pit	Below Ground
mth	4/5/2012	11:32	No	No	No	No	No	6	Well Water Pit	Below Ground

ε....

--