District I		State of New	Mexico		Form C-144	
.r	r., Hobbs, NM 88240	Energy Minerals and N		·	July 21, 2008	
	ve., Artesia, NM 88210	Departme Oil Conservatio 1220 South St. F	ent n Division	For temporary pits, closed-l tanks, submit to the appropria	loop sytems, and below-grade ate NMOCD District Office.	
<u>District III</u> 1000 Rio Brazos R <u>District IV</u>	Rd., Aztec, NM 87410	Santa Fe, NM		Environmental Bureau office		
1220 S. St. Francis	5 Dr., Santa Fe, NM 87505			appropriate NMOCD District	Office.	
6-	Dur	Pit, Closed-Loop System				
and	Prope	osed Alternative Method I	Permit or Clos	ure Plan Applicati	lon	
$\tilde{0}$	Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method					
\backslash		\mathbf{X} Closure of a pit, closed-loop sy	stem, below-grade t	ank, or proposed alternati	ve method	
		Modification to an existing per	mit			
		Closure plan only submitted fo below-grade tank, or proposed		ed or non-permitted pit, c	elosed-loop system,	
Instructions	s: Please submit one aj	pplication (Form C-144) per indivi	dual pit, closed-loo	v system, below-grade ta	nk or alternative request	
		f this request does not relieve the operator of lia eve the operator of its responsibility to comply				
Operator: Bui	rlington Resources Oi	l & Gas Company, LP		OGRID#: <u>14538</u>		
Address: PO	Box 4289, Farmingto	n, NM 87499				
Facility or well	name: San Juan 32-	9 Unit 2018				
API Number:	3()-045-31930	OCD Permit Number			
U/L or Qtr/Qtr:	I(NE/SE) Section	on: 2 Township: 31N	Range:	W County: San J	 uan	
	osed Design: Latitude	'	Longitude:	·	NAD: X 1927 1983	
Surface Owner			ribal Trust or Indiar			
2 Pit: Subs	section F or G of 19.15.17				RCVD APR 18'13	
Pit: Subs						
Temporary:	Drilling Wor	kover			RCVD APR 18'13 OIL CONS. DIV.	
Pit: Subs	Drilling Wor	kover avitation P&A		HDPE PVC Othe	OIL CONS. DIV.	
Pit: Subs Temporary: Permanent Lined	Drilling Wor Emergency C Unlined Li	kover avitation P&A		HDPE PVC Othe	OIL CONS. DIV.	
Pit: Subs Temporary: Permanent Lined String-Rein	Drilling Wor Emergency C Unlined Li	kover avitation P&A ner type: Thickness mil			OIL CONS. DIV.	
Pit: Subs Temporary: Permanent Lined	Drilling Wor Emergency C Unlined Li	kover avitation P&A	Uolume:	HDPE PVC Othe	OIL CONS. DIV.	
Pit: Subs Temporary: Permanent Lined String-Rein Liner Scams:	Drilling Wor Emergency C Unlined Li Inforced Welded Fa Hoop System: Subsect ation: X P&A	kover P&A ner type: Thickness mil netory Other tion H of 19.15.17.11 NMAC	Volume: r Drilling (Applies to a tent) Other	bbl Dimensions L	OIL CONS. DIV.	
Pit: Substrain Temporary: Permanent Lined String-Rein Liner Seams: String-Rein X Closed- Type of Opera	Drilling Wor Emergency C Unlined Li nforced Welded Fa Hoop System: Subsect ation: X P&A Pad X Above Grou	kover avitation P&A ner type: Thickness mil actory Other ion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int	volume: r Drilling (Applies to a rent)	bbl Dimensions L	OIL CONS. DIV.	
	Drilling Wor Emergency C Unlined Li nforced Welded Fa Hoop System: Subsect ation: X P&A Pad X Above Grou Unlined Line Welded Fa Welded Fa Emergence Welded backson I Welded backson I	kover Pavitation P&A ner type: Thickness mil actory Other ion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int nd Steel Tanks Haul-off Bins r type: Thickness mil actory Other of 19.15.17.11 NMAC bl Type of fluid:	Volume: r Drilling (Applies to a ent) Other LLDPEH	bbl Dimensions L	OIL CONS. DIV.	
Pit: Subs Temporary: Permanent Lined String-Rein Liner Seams: String-Rein X Closed- Type of Opera Drying I Liner Seams: Lined [Liner Seams: Lined [Liner Seams: Liner Seams: 4 Below-gn Volume: Tank Construct Secondary Visible s Liner Type: S	Drilling Wor Emergency C Unlined Li inforced Welded Fa boop System: Subsect ation: X P&A Pad X Above Grou Unlined Line Welded Fa Welded Fa idewalls and liner Thickness tive Method:	kover avitation P&A ner type: Thickness mil actory Other ion H of 19.15.17.11 NMAC Drilling a new well Workover o notice of int nd Steel Tanks Haul-off Bins r type: Thicknessmil actory Other of 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, line Visible sidewalls only O	volume: r Drilling (Applies to a ent) Other LLDPE H	bbl Dimensions L	OIL CONS. DIV.	

5

6 <u>Fencing:</u> Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	itution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify					
7					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
8 Signs: Subsection C of 19.15.17.11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15.3.103 NMAC					
9					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC	,				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes No				
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.					
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
(Applied to permanent pits)	NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal fast of a private, demostic fract, water well or spring that less than five households use for demostic or stock watering	TYes No				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No				
Within an unstable area.	Yes No				
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain - FEMA map	Yes No				

.

11 <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
¹² <u>Closed-loop Systems Permit Application Attachment Checklist:</u> Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14 Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St	cel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)			
Instructions: Please identify the facility or facilities for the disposal of liquids, drillin facilities are required.	g fuuds and drift cuttings. Use difachment if more than two			
Disposal Facility Name:	Disposal Facility Permit #:			
Disposal Facility Name:	Disposal Facility Permit #:			
Will any of the proposed closed-loop system operations and associated activit U Yes (If yes, please provide the information No	ies occur on or in areas that will not be used for future	service and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subset Re-vegetation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset	iate requirements of Subsection H of 19.15.17.13 NMA ection I of 19.15.17.13 NMAC	AC		
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district offi office for consideration of approval. Justifications and/or demonstrations of equivalency ar	 Recommendations of acceptable source material are provided ce or may be considered an exception which must be submitted to 			
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data ob	tained from nearby wells	N/A		
Ground water is between 50 and 100 feet below the bottom of the buried wast	e	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells	N/A		
Ground water is more than 100 feet below the bottom of the buried waste.		TYes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells	□ N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signifi (measured from the ordinary high-water mark).	cant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo; satellite image		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exis - NM Office of the State Engineer - iWATERS database; Visual inspection (certif Within incorporated municipal boundaries or within a defined municipal fresh water w	tence at the time of the initial application. ication) of the proposed site	Yes No		
pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obt				
Within 500 feet of a wetland		Yes No		
 US Fish and Wildlife Wetland Identification map; Topographic map; Visual insp Within the area overlying a subsurface mine. 	pection (certification) of the proposed site	Tyes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and I	Aineral Division			
Within an unstable area.		Yes No		
- Engincering measures incorporated into the design; NM Bureau of Geology & M	fineral Resources; USGS; NM Geological Society;			
Topographic map Within a 100-year floodplain. - FEMA map		Yes No		
¹⁸ <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropria	te requirements of 19.15.17.10 NMAC	rre plan. Please indicate,		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a dry	ving pad) - based upon the appropriate requirements of	19.15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of				
Confirmation Sampling Plan (if applicable) - based upon the appropria				
Waste Material Sampling Plan - based upon the appropriate requirement				
 Disposal Facility Name and Permit Number (for liquids, drilling fluids Soil Cover Design - based upon the appropriate requirements of Subse Re-vegetation Plan - based upon the appropriate requirements of Subse 	ction H of 19.15.17.13 NMAC	annot be achieved)		

-- -

٠

•--

-

¹⁹ Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Condition Approval Date: 4/24/2013 Title: Condition Condition Condition
21
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 3/22/2013
22
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method If different from approved plan, please explain.
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate complilane to the items below) X No
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
 24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD [] 1927 [] 1983
25 <u>Operator Closure Certification:</u> I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Doffie L. Busse Title: Staff Regulatory Technician
Signature: Allie & Busse Date: 4/18/13
e-mail address: <u>dollie.1.busse@conocophillips.com</u> Telephone: (505) 324-6104

٠

.