District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

District II 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
Proposed Alter Type of action: Perm Closu Modi Closu below-grade tank, or propo Instructions: Please submit one applic Please be advised that approval of this request does new environment. Nor does approval relieve the operator	Closed-Loop System, Below-Grade T ernative Method Permit or Closure P it of a pit, closed-loop system, below-grade tank, o ure of a pit, closed-loop system, below-grade tank, o fication to an existing permit re plan only submitted for an existing permitted or used alternative method ation (Form C-144) per individual pit, closed-loop system not relieve the operator of liability should operations result in r of its responsibility to comply with any other applicable go	Plan Application r proposed alternative method or proposed alternative method non-permitted pit, closed-loop system, em, below-grade tank or alternative request n pollution of surface water, ground water or the
Address: <u>2010 Afton Place, Farmington, Ne</u> Facility or well name: <u>Jicarilla 95 2</u> API Number: <u>300390<del>6396</del> 069.36</u> U/L or Qtr/Qtr <u>A</u> Section <u>25</u>	OGRID #:	y: <u>Rio Arriba</u> .
2 Pit: Subsection F or G of 19.15.17.11 NM		RCVD APR 11'13
Temporary:  Drilling  Workover Permanent  Emergency  Cavitation	mil 🗌 LLDPE 🗌 HDPE 🗍 PVC 🗍 Ot	OIL CONS. DIV. DIST. 3
Temporary:       Drilling       Workover         Permanent       Emergency       Cavitation         Lined       Unlined       Liner type: Thickness         String-Reinforced       Liner Seams:       Welded       Factory         Closed-loop System:       Subsection H of 19.1         Type of Operation:       P&A       Drilling a new intent)         Drying Pad       Above Ground Steel Tanks	mil	DIST. 3
4.         4.         A         Below-grade tank:         Subsection I of 19.15.1         Volume:         Line         Subsection         Volume:         Volume:	mil	DIST. 3 ther

10

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify

6.

7.

8.

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other\_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

### Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acception material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appro- office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.
<ul> <li>Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.</li> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applies to temporary, emergency, or cavitation pits and below-grade tanks)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	Yes No
<ul> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applies to permanent pits)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	☐ Yes ☐ No ☐ NA
<ul> <li>Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	Yes No
<ul> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗋 Yes 🗌 No
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	🗍 Yes 🗌 No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	🗌 Yes 🗌 No
Within a 100-year floodplain.	🗌 Yes 🗌 No

FEMA map

14.       7         Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.            Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC            Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC            Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC            Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC            Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC            Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC            Previously Approved Design (attach copy of design) API Number: or Permit Number:	
12.         Closed-loop Systems Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.            Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9            Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC            Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC            Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC            Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC            Previously Approved Design (attach copy of design) API Number:	
13.         Permanent Pits Permit Application Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Climatological Factors Assessment         Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC         Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC         Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC         Quality Control/Quality Assurance Construction and Installation Plan         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan         Emergency Response Plan         Oil Field Waste Stream Characterization         Monitoring and Inspection Plan         Erosion Control Plan         Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
14.         Proposed Closure:       19.15.17.13 NMAC         Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.         Type:       Drilling         Workover       Emergency         Cavitation       P&A         Permanent Pit       Below-grade Tank         Closed-loop System         Alternative         Proposed Closure Method:       Waste Excavation and Removal         Waste Removal (Closed-loop systems only)         On-site Closure Method (Only for temporary pits and closed-loop systems)         In-place Burial       On-site Trench Burial         Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
<ul> <li>15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.</li> <li>Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)</li> <li>Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC</li> </ul>	

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.	<b>Steel Tanks or Haul-off Bins Only:</b> (19.15.17.13.1 drilling fluids and drill cuttings. Use attachment if r	) NMAC) nore than two
	Disposal Facility Permit Number:	
	Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities of Yes (If yes, please provide the information below) No	ccur on or in areas that will not be used for future served	vice and operations?
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsect	e requirements of Subsection H of 19.15.17.13 NMA I of 19.15.17.13 NMAC	С
<sup>17.</sup> Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requir considered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	e administrative approval from the appropriate dist l Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	□ Yes □ No □ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	□ Yes □ No □ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	□ Yes □ No □ NA
<ul> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	nificant watercourse or lakebed, sinkhole, or playa	🗋 Yes 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellite		🗌 Yes 🗌 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that les watering purposes, or within 1000 horizontal feet of any other fresh water well or s - NM Office of the State Engineer - iWATERS database; Visual inspection (	pring, in existence at the time of initial application.	🗌 Yes 🗍 No
Within incorporated municipal boundaries or within a defined municipal fresh wate adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approv		Yes No
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual</li> </ul>	al inspection (certification) of the proposed site	🗋 Yes 🗍 No
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining</li> </ul>	g and Mineral Division	🗌 Yes 🛄 No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map</li> </ul>	y & Mineral Resources; USGS; NM Geological	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map		🗌 Yes 🗌 No
<ul> <li>18.</li> <li>On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying p Protocols and Procedures - based upon the appropriate requirements of 19.13</li> <li>Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and c Soil Cover Design - based upon the appropriate requirements of Subsection</li> </ul>	uirements of 19.15.17.10 NMAC Subsection F of 19.15.17.13 NMAC opropriate requirements of 19.15.17.11 NMAC ad) - based upon the appropriate requirements of 19. 5.17.13 NMAC uirements of Subsection F of 19.15.17.13 NMAC Subsection F of 19.15.17.13 NMAC Irill cuttings or in case on-site closure standards cannot H of 19.15.17.13 NMAC	15.17.11 NMAC

15. '			
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.			
Name (Print): Title:			
Signature: Date:			
e-mail address: Telephone:			
20. OCD Approval: Permit Application (including closure plan) 🕅 Closure Plan (only) 🔲 OCD Conditions (see attachment)			
OCD Representative Signature: SNAH D. Kelly Approval Date:	<u>813</u>		
Title: Compliance Office Offic			
<sup>21.</sup> <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.			
Closure Completion Date: 2/21/13			
22. <u>Closure Method:</u> ⊠ Waste Excavation and Removal □ On-Site Closure Method □ Alternative Closure Method □ Waste Removal (Closed-loop □ If different from approved plan, please explain.	systems only)		
<sup>23.</sup> Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off B Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachm two facilities were utilized.			
Disposal Facility Name: Disposal Facility Permit Number:			
Disposal Facility Name: Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operat Yes (If yes, please demonstrate compliance to the items below) No	ions?		
Required for impacted areas which will not be used for future service and operations:			
Site Reclamation (Photo Documentation)			
<ul> <li>Soil Backfilling and Cover Installation</li> <li>Re-vegetation Application Rates and Seeding Technique</li> </ul>			
24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indica	tte, by a check		
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division)			
Proof of Deed Notice (required for on-site closure)			
<ul> <li>Plot Plan (for on-site closures and temporary pits)</li> <li>Confirmation Sampling Analytical Results (if applicable)</li> </ul>			
Waste Material Sampling Analytical Results (required for on-site closure)			
Disposal Facility Name and Permit Number			
<ul> <li>Soil Backfilling and Cover Installation</li> <li>Re-vegetation Application Rates and Seeding Technique</li> </ul>			
Site Reclamation (Photo Documentation)			
On-site Closure Location: Latitude Longitude NAD: 1927	1983		
25. Operator Closure Certification:			
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my know belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan			
Name (Print): <u>Ed Hasely</u> Title: <u>Sr. Environmental Engineer</u>	. <u></u>		
Signature: <u>Signature</u> Date: <u>4/8/13</u>			
e-mail address: <u>ed_hasely@energen.com</u> Telephone: <u>(505) 324-4131</u>	<u> </u>		

# **BELOW-GRADE TANK CLOSURE REPORT**

### ENERGEN RESOURCES Jicarilla 95 #2

## **<u>CLOSURE STEPS:</u>** (Closure Report information is in **bold**)

(1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank. Attached

(2) Notify the Aztec OCD office (Brandon Powell -334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility. No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner. Tank removed.

(5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

### All remaining equipment is required for operations.

(6) Test the soils beneath the below-grade tank to determine whether a release has occurred.

- Collect, at a minimum, a five point, composite sample; Composite sample was collected.
- Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release;

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	ND
TPH (418.1)	100	106 (exceedance)
Chlorides	250	53.9

(7) IF the soil analyses show that the soils meet the concentrations specified in (6) above, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section. Not applicable.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC. Attached. Proceeded per 19.15.29 and 19.15.30.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval. **Not applicable**.

#### FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

### **RECLAMATION:**

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

(A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.

(B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

(C) Repeat seeding or planting until it successfully achieves the required vegetative cover.

(D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.

(E) Notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.



October 17, 2012

Jicarilla Apache Nation Environmental Protection Office P.O. Box 507 Dulce, NM 87528 Attn: Mr. Hobson Sandoval, Environmental Specialist

6281	(Domestic Mail O	Service™ D MAIL™ RE( Inly; No Insurance C ation visit our website	Coverage Provided,	)
	OFF	* H (A) H (A) H	USE	
1,207	Postage	\$		I
п	Certified Fee		_	
	Return Receipt Fee (Endorsement Required)		Postmark Here	1
	Restricted Delivery Fee (Endorsement Required)			l
047	Total Postage & Fees	\$		
ក្ម	Sent To		<u>_</u>	<u> </u>
707	Street, Apt. No.; or PO Box No.		******	
;	City, State, ZIP+4			
	PS Formiagon Attaucto	nne Martin and Andrews		1. S.

Re: Below Grade Tank Closures Multiple Wells

Dear Sirs:

Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in Rio Arriba County, New Mexico.

 Jicarilla 89 #4 - Unit Letter M, Section 11, Township 27N, Range 3W
Jicarilla 94 #5 - Unit Letter M, Section 23, Township 27N, Range 3W
Jicarilla 95 #2 - Unit Letter A, Section 25, Township 27N, Range 3W

If there are any questions or concerns, please contact me at 505-324-4131.

Sincerely,

2)Hase M COMPLETE THIS SECTION ON DELIVERY SENDER: COMPLETE THIS SECTION Signature Ά. Complete items 1, 2, and 3. Also complete Agent Ed Hasely item 4 if Restricted Delivery is desired. Addressee Sr. Environmental Engineer C. Date of Delivery so that we can return the card to you. Received by ( Printed Name **Energen Resources** Attach this card to the back of the mailpiece, 181 <u>۸</u> or on the front if space permits. Yes D. Is delivery address different from item 1? D No If YES, enter delivery address below: 1. Article Addressed to: Jicas Ila Apach Cc: Well Files EPO BO B., 507 Correspondence 3. Service Type Dulle NM 87528 Express Mail Certified Mail Return Receipt for Merchandise Registered Hohen Saulus Insured Mail C.O.D 4. Restricted Delivery? (Extra Fee) C Yes 7012 0470 0002 1207 6281 2. Article Number Energen Resources Corporation, an Ené (Transfer from service labe \_102595-02-M-154 1.1 004 11 Familian 2004 1411 1 Domestic Return Receipt

# Ed Hasely

From: Sent:	Ed Hasely Tuesday, October 16, 2012 10:24 AM
То:	'Kelly, Jonathan, EMNRD'; 'Hobson Sandoval'
Cc:	Jason Peace
Subject:	BGT Closure Notifications

Jonathan – Energen plans to begin the closure process on the below listed BGT's in the near future. Let me know if you have questions. Thanks.

Jica rilla 89 #4 - Unit Letter M, Section 11, Township 27N, Range 3W	
Jicarilla 94 #5 - Unit Letter M, Section 23, Township 27N, Range 3W	
Jicarilla 95 #2 - Unit Letter A, Section 25, Township 27N, Range 3W	

# **Ed Hasely**

# **Energen Resources Corporation**

Sr. Environmental Engineer ed.hasely@energen.com Office: (505) 324-4131 Cell: (505) 330-3584

