1636 11 1		State of New Mexico	Form C-144
	Dr., Hobbs, NM 88240	Energy Minerals and Natural Resources	July 21, 2008 For temporary pits, closed-loop sytems, and below-grade
District II 1301 W. Grand	Ave., Artesia, NM 88210	Department Oil Conservation Division	tanks, submit to the appropriate NMOCD District Office.
District III		1220 South St. Francis Dr.	
	os Rd., Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
<u>District IV</u> 1220 S. St. Frai	ncis Dr., Santa Fe, NM 87505		appropriate NMOCD District Office.
	_	Pit, Closed-Loop System, Below-Grad	e Tank, or
$\langle \wedge \rangle$	Prop	osed Alternative Method Permit or Clos	ure Plan Application
0,0	Type of action:	Permit of a pit, closed-loop system, below-grade ta	nk, or proposed alternative method
$\mathbf{N}$		X Closure of a pit, closed-loop system, below-grade t	ank, or proposed alternative method
		Modification to an existing permit	
		Closure plan only submitted for an existing permitt below-grade tank, or proposed alternative method	ed or non-permitted pit, closed-loop system,
Instructio	ons: Please submit one a	pplication (Form C-144) per individual pit, closed-loop	o system, below-grade tank or alternative request
		f this request does not relieve the operator of liability should operations re	
en	vironment. Nor does approval reli	eve the operator of its responsibility to comply with any other applicable a	governmental authority's rules, regulations or ordinances.
Operator: I	Burlington Resources O	l & Gas Company, LP	OGRID#: 14538
Address: <u>I</u>	O Box 4289, Farmingto	n, NM 87499	
Facility or w	ell name: San Juan 30	-6 Unit 423	
API Numbe	er:3	0-039-24459 OCD Permit Number	n
U/L or Qtr/Q	Qtr: A(NE/NE) Section	on: <u>28</u> Township: <u>30N</u> Range: <u>7</u>	W County: Rio Arriba
Center of Pr	oposed Design: Latitude		<b>107.56934 °W</b> NAD: X 1927 1983
Surface Own	ner: X Federal	State Private Tribal Trust or Indian	Allotment
2			
-     D:4. C	ubsection F or G of 19.15.17	7.11 NMAC	RCVD APR 17 '13
			OTI COME DILL
Temporary	: Drilling Wor	kover	OIL CONS. DIV.
Temporary	Drilling Wor	Cavitation P&A	DIST 3
Temporary	: Drilling Wor ent Emergency C Unlined L	Cavitation P&A	
Temporary	Drilling Wor ent Emergency C Unlined L Reinforced	Cavitation P&A iner type: Thickness mil LLDPE	HDPE PVC Other DIST. 3
Temporary	: Drilling Wor ent Emergency C Unlined L	Cavitation P&A iner type: Thickness mil LLDPE	DIST 3
Temporary Temporary Perman Lined String-F Liner Seam	Drilling Wor ent Emergency C Unlined L Reinforced as: Welded F	Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume:	HDPE PVC Other DIST. 3
Temporary Temporary Perman Lined String-F Liner Seam		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC	HDPE PVC Other DIST. 3
Temporary Temporary Permane Lined String-F Liner Seam		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC	HDPE PVC Other DIST. 3
Temporary Temporary Perman Lined String-F Liner Seam		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off BinsOther	HDPE PVC Other DIST. 3
Temporary Temporary Permane Lined String-F Liner Seam           X         Closs           Type of Op         Dryir           Lined         Lined		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H	HDPE PVC Other DIST. 3
Temporary Temporary Permanu Lined String-F Liner Seam		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off BinsOther	HDPE PVC Other DIST. 3
Temporary Temporary Permane Lined String-F Liner Seam           X         Closs           Type of Op         Dryir           Lined         Lined		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other	HDPE PVC Other DIST. 3
Temporary Temporary Permane Lined String-F Liner Seam  X Clos Type of Op Dryir Lined Liner Seam  4 Below		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE Ha actory Other	HDPE PVC Other DIST. 3
Temporary Temporary Permane Lined String-F Liner Seam           X         Close           Type of Op         Dryir           Liner Seam         Liner Seam		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other	HDPE PVC Other DIST. 3
Temporary Temporary Perman Lined String-F Liner Seam Type of Op Dryir Lined Liner Seam Liner Seam		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other I of 19.15.17.11 NMAC bl Type of fluid:	HDPE       PVC       Other       DIST. 3         _bbl       Dimensions L      x W       _x D         activities which require prior approval of a permit or         DPE       PVD       Other
Temporary Temporary Permanu Lined String-F Liner Seam  X Closs Type of Op Dryir Lined Liner Seam  4 Below Volume: Tank Const		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other tof 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, liner, 6-inch lift and autor	HDPE       PVC       Other       DIST. 3         _bbl       Dimensions L      x W       _x D         activities which require prior approval of a permit or         DPE       PVD       Other
Temporary Temporary Permanu Lined String-F Liner Seam  X Closs Type of Op Dryir Lined Liner Seam  4 Below Volume: Tank Const Seconda Visibl		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other to f 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other	HDPE       PVC       Other       DIST. 3         _bbl       Dimensions L      x W       _x D         activities which require prior approval of a permit or         DPE       PVD       Other
Temporary Temporary Permanu Lined String-F Liner Seam  X Closs Type of Op Dryir Lined Liner Seam  4 Below Volume: Tank Const Visibl Liner Type		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other tof 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, liner, 6-inch lift and autor	HDPE       PVC       Other       Other
Temporary Temporary Permane Lined String-F Liner Seam Type of Op Dryir Liner Seam Liner Seam Liner Seam Liner Seam Liner Seam Liner Seconda Visibl Liner Type		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other to f 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other	HDPE       PVC       Other       Other
Temporary Temporary Permane Lined String-F Liner Seam Type of Op Dryir Lined Liner Seam Liner Seam Liner Seam Liner Seam Liner Seconda Seconda Liner Type		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other 1 of 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other	HDPE       PVC       Other       DIST. 3        bbl       Dimensions L      x W      x D        activities which require prior approval of a permit or         DPE       PVD       Other
Temporary Temporary Perman Lined String-F Liner Seam Type of Op Dryir Lined Liner Seam Liner Seam Liner Seam		Cavitation P&A iner type: Thickness mil LLDPE actory Other Volume: ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE H actory Other to f 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other	HDPE       PVC       Other       DIST. 3        bbl       Dimensions L      x W      x D        activities which require prior approval of a permit or         DPE       PVD       Other

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)     Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)     Four foot height, four strands of barbed wire evenly spaced between one and four feet     Alternate. Please specify				
7       Netting:       Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies top tanks)         Image: Subsection E of 19.15.17.11 NMAC (Applies top				
8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC				
<ul> <li>9         <u>Administrative Approvals and Exceptions:</u> </li> <li>Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.     </li> <li>Please check a box if one or more of the following is requested, if not leave blank:         <ul> <li>Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.</li> <li>(Fencing/BGT Liner)</li> <li>Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.</li> </ul> </li> </ul>				
<sup>10</sup> <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
<ul> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applied to permanent pits) <ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul> </li> </ul>	Yes	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Ycs	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Weitten configuration or waif fraction from the municipality. Written approval obtained from the municipality.	Yes	No		
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes	No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

٠

 $\checkmark$ 

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
<ul> <li>Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC</li> </ul>
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
<sup>14</sup> Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

.

16	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bias Only: (19.15.17.13.D Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more facilities are required.	) NMAC) e than two
Disposal Facility Name: Disposal Facility Permit #:	
Disposal Facility Name: Disposal Facility Permit #:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for Yes (If yes, please provide the information No	for future service and
Required for impacted areas which will not be used for future service and operations:	
Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17	7.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	a
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material arc certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be s office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for gui	submitted to the Santa Fe Environmental Bureau
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	
Ground water is between 50 and 100 feet below the bottom of the buried waste	
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
- My Office of the state Engineer - Twartiers database search, 0505; Data obtained from rearby webs	
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lak (measured from the ordinary high-water mark).	ke Yes No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No
	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock water purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Pring
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adop pursuant to NMSA 1978, Section 3-27-3, as amended.	pted Yes No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland	Yes No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine.	
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society	, Yes No
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, 0505, NM Geological Society Topographic map	· · · · · · · · · · · · · · · · · · ·
Within a 100-year floodplain.	Yes No

•	
	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
	Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
	Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC
	Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
	Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
	Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
	Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
	Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
	Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC
	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

-

1

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief. Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20 <u>OCD Approval:</u> Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:
21 Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.          Image: Closure Completion Date:       3/18/2013
22
Closure Method:         Waste Excavation and Removal       On-site Closure Method       Alternative Closure Method       X Waste Removal (Closed-loop systems only)         If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate complilane to the items below)
Required for impacted areas which will not be used for future service and operations:         Site Reclamation (Photo Documentation)         Soil Backfilling and Cover Installation         Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)         On-site Closure Location:       Latitude:         Longitude:       NAD         1927       1983
25
<b>Operator Closure Certification:</b> I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Dollie Ly Busse Title: Staff Regulatory Technician
Signature: Alle Date: 4/16/13
e-mail address: dollie.l.busse@conocophillips.com Telephone: (505) 324-6104

.

.)