District I , 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ Revised August 1, 2011 op systems that only use above

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

### 1237

### Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144. Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: SG Interests I, LTD OGRID #: 20572 Address: P. O. Box 2677, Durango, CO 81302 Facility or well name: Cisco 20-6-12 #4 API Number: \_\_\_\_\_\_\_ OCD Permit Number: \_\_\_\_\_ U/L or Qtr/Qtr P Section 12 Township 20N Range 6W County: McKinley Center of Proposed Design: Latitude 35.97544 Longitude 107.41678 NAD: ☐1927 ☑ 1983 Surface Owner: 

☐ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment ☑ Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A Above Ground Steel Tanks or Haul-off Bins RCVD MAY 17'13 Signs: Subsection C of 19.15.17.11 NMAC OIL CONS. DIV. ☑ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers DIST. 3 Signed in compliance with 19.15.16.8 NMAC Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☑ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC API Number: Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API Number: Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name: See page 2 Disposal Facility Permit Number: Disposal Facility Permit Number: \_\_\_\_ Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications - - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC ☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

mgcattle@yahoo.com

Mike L. Mankin

**Operator Application Certification:** 

Name (Print):

e-mail address:

Signature:

Date: <u>May 8, 2013</u>

Telephone:

505-634-6209

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

OCD Approval: Permit Application (including closure pla	n) Closure Plan (only)
OCD Representative Signature:	Approval Date: 560/2013
Title: Compliance Office	OCD Permit Number:
	osure plan prior to implementing any closure activities and submitting the closure report. ithin 60 days of the completion of the closure activities. Please do not complete this
	Closure Completion Date:
	sed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: re the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	
Disposal Facility Name:	
Were the closed-loop system operations and associated activities  Yes (If yes, please demonstrate compliance to the items b	s performed on or in areas that will not be used for future service and operations? below) \(\sum_{\text{No}}\) No
Required for impacted areas which will not be used for future set.  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	ervice and operations:
10. Operator Closure Certification:	
I hereby certify that the information and attachments submitted	with this closure report is true, accurate and complete to the best of my knowledge and e closure requirements and conditions specified in the approved closure plan.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:
Continued from page 1 5.	
Waste Removal Closure for Closed-Loop Systems That Utiliz	e Above Ground Steel Tanks or Haul-off Bins Only:
Disposal Facility Name: Envirotech, Inc.	Disposal Facility Permit Number: NM-01-0011
Disposal Facility Name: Industrial Ecosystem, Inc.	Disposal Facility Permit Number: NM-01-0010B

Disposal Facility Name: Basin Disposal, Inc.

Disposal Facility Permit Number: NM-01-005

# SG Interests I, LTD Closed Loop System Design/Maintenance/Closure Plan Cisco 20-6-12 #4 API #30-031-21114

In accordance with Rule 19.15.17 NMAC, the following plan will be used for construction design, operation and maintenance as well as closure of the closed-loop system on SG Interests I, LTD (SG) well location indicated above.

#### **Closed-Loop Design Plan:**

The closed-loop system will consist of one or more temporary above-ground tank(s) suitable for holding the cuttings and fluids for rig operations and the planned completion activities. The tank(s) will be of sufficient volume to maintain a safe free-board between disposal of the liquids and solids from rig operations. Additional design considerations will include:

- a) The closed-loop system used by SG will not utilize a drying pad, temporary pit, below-grade tank or sump
- b) There is no requirement for fencing for an above –ground closed-loop system
- c) Signage in compliance with 19.15.3.103 NMAC will be posted at the well location
- d) A frac tank will be utilized to store water
- e) Tanks will be placed on the active, disturbed area of the well location

#### **Closed-Loop Operations/Maintenance Plan:**

The closed-loop system will be operated and maintained to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. The following steps will be followed:

- a) The liquids will be vacuumed out and disposed of at <u>Basin Disposal</u>, <u>Inc.</u>
- b) Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech or Industrial Eco systems, Inc.
- No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank(s).
   Only fluids or cutting intrinsic to, used or generated by the rig operations will be place or stored in the tank(s)
- d) The appropriate NMOCD District office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop system. Upon discovery of the compromised tanks, repairs will be enacted immediately
- e) All of the above operations will be inspected daily and noted on the daily report.

#### **Closed-Loop Closure Plan:**

The closed-loop system will be closed in accordance with 19.15.17.13. This will be done by:

- a) Transporting cuttings and all remaining sludge to <u>Envirotech or Industrial Ecosystems, Inc.</u> following rig operations
- b) Transport of disposal of all remaining liquids will be in one of the following facilities depending on the proximity of the well and available disposal volumes; <u>Basin Disposal</u>, <u>Inc.</u>
- c) Removal of the tank(s) from the well location as part of the rig move
- d) At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible or as stipulated by the landowner in a surface use agreement.

#### District I

1625 N. French Dr, Hobbs, NM 88240 Phone: (575)393-6161 Fax: (575)393-0720

#### District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fc, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

#### State of New Mexico

Energy, Minerals & Natural Resources Department

#### OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

	Pl Number			<sup>2</sup> Poo	1 Code	T		<sup>3</sup> Pool Na		
30-031-2	L1114						Franciscan	. Lakes	Mesal	lorde
4 Property Cod	ie					5 Property	Name			<ul> <li>Well Number</li> </ul>
					C	ISCO 2	0-6-12			4
7 OGRID No	э.					8 Operator	Name			9 Elevation
20572					SG IN	TERES	STS I, LTD.			6759
					<sup>10</sup> S1	ırface L	ocation			
UL or Lot No.	Section	Townshi	p Rar	nge Lot	Idn. Feet	from the	North/South Line	Feet from the	East/West Li	inc County
P	12	20 1	V 61	w	12	05	South	330	East	McKinley
			1	11 Bottor	n Hole Loc	ation If	Different From	Surface		
UL or Lot No.	Section	Townsh	p Rar	nge Loi	Idn. Feet	from the	North/South Line	Feet from the	East/West Li	ine County
				ĺ						
12 Dedicated Acres	13 Joint o	r Infill	14 Consol	lidation Code	15 Order No.					
40										

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

80.00 Ch.	1 89 <sup>5</sup> 59' W	80	42 Ch. 42 Ch.	17 OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary proling agreement or a compulsory pooling order heretofore entered by the division.  Signature  Date  M: Ke L. Munkin
	Sec.	12		E-mail Address  Printed Name  Mq Cattle & yahas.com  E-mail Address
N			North	I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
N 0°01' W			330' 35.97544° N	Date of Survey ME
<		Long	g. 107.41678° W	Signalus and Salvi Professional Salvison  # 8466)  **AWilliam E. Manniko II
^	89°52' W	<del></del>	9 Ch.	Certificate Number 58466 LAN
	Bearings fr	om GLO PLat	•	

C' C-4.5 В 9 Closed Loop System Area C-0.8 Rear © E.O.L. - 5+33.85 Proposed Access Road, and Elev. 6758.7 Grd'd. Gr. 6758.7 Laydown Gas and Water Pipelines (40' R.O.W.) \$ 80° E F-1.3 RR [F-2.6 RQ 125' F-4.3 В F-3.8 125

.

Ref. Stake O 200' West El. 6759.4

> SG INTERESTS I, LTD. CISCO 20-6-12 #4 1205' FSL & 330' FEL Sec.12, T20N, R6W, NMPM McKinley Co., NM

Note: Construction to stay within staked boundaries

Ref. Stake O 200' South El. 6751.2

Scale: 1"=50'

6760				
0700				 
			<u> </u>	
B-B'				
6760				
-				
C-C'	······································			 •
6760				 (T/T/T
-		<u> </u>		 