, <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.
	Pit, Closed-Loop System, Below-Grad	e Tank, or
<u>ν</u> λ <u>Prop</u>	osed Alternative Method Permit or Clos	ure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade ta	nk or proposed alternative method
	X Closure of a pit, closed-loop system, below grade to	
	Modification to an existing permit	and, or proposed alternative method
	Closure plan only submitted for an existing permitt	ed or non-permitted nit, closed-loon system
	below-grade tank, or proposed alternative method	ed of non-permitted pit, closed-loop system,
Instructions: Please submit one a	pplication (Form C-144) per individual pit, closed-loop	p system, below-grade tank or alternative request
	of this request does not relieve the operator of liability should operations re	
environment. Nor does approval rel	eve the operator of its responsibility to comply with any other applicable	governmental authority's rules, regulations or ordinances.
Operator: <u>ConocoPhillips Compan</u>		OGRID#: <u>217817</u>
Address: PO Box 4289, Farmingto		
Facility or well name: San Juan 28	-7 Unit 11	
API Number: 3	0-039-07263 OCD Permit Numbe	r:
U/L or Qtr/Qtr: B(NW/NE) Secti	on: <u>36</u> Township <u>28N</u> Range: <u>'</u>	7W County: Rio Arriba
Center of Proposed Design: Latitude	e: <u>36.622053</u> °N Longitude:	107.519327 °W NAD: X ### 1983
Surface Owner: X Federal	State Private Tribal Trust or Indian	n Allotment
Permanent Emergency (Lined Unlined L String-Reinforced	rkover Cavitation P&A	RCVD MAY 17 '13 OIL CONS. DIV. HDPE PVC Other DIST. 3
Type of Operation: X P&A [Drying Pad X Above Group Lined Unlined Lined	notice of intent)	activities which require prior approval of a permit or
Tank Construction material: Secondary containment with leak do Visible sidewalls and liner Liner Type:	bbl Type of fluid:	matic overflow shut-off
Submittal of an exception request is rec	uired. Exceptions must be submitted to the Santa Fe Environr	nental Bureau office for consideration of approval.

•**

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
7				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other				
8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
9 Administrative Approvels and Exceptions				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	sideration of approval.			
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□ NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.				
(Applied to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	L_NA			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No			
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No			
Within a 100-year floodplain - FEMA map				

~

11 Temporarv Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API or Permit
¹² Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API
13 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Cimatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

.

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D	
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if mor- facilities are required.	e than two
Disposal Facility Name: Disposal Facility Permit #:	
Disposal Facility Name: Disposal Facility Permit #:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used f	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	7.13 NMAC
17 <u>Siting Criterin (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material ar certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be s office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for gu	ubmitted to the Santa Fe Environmental Bureau
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	∐N/A
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lat (measured from the ordinary high-water mark).	ke Ycs No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No
	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock wate purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	ring
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance ador pursuant to NMSA 1978, Section 3-27-3, as amended.	oted Yes No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland	Yes No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.	
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
Within an unstable area.	Yes No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society	;
Topographic map Within a 100-year floodplain. - FEMA map	Ycs No
18	·····
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to by a check mark in the box, that the documents are attached.	the closure plan. Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 N	IMAC
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate require Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC	ements of 19.15.17.11 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.1	3 NMAC
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure st	andards cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	· · · · · · · · · · · · · · · · · · ·
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	

Form C-144

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

	for Contiferations			
Name (Print):	ation Certification: the information submitted with this application is true, accurate a	-	st of my knowledge and belief.	
	· · ·			-
Signature:	· ····			-
e-mail address:		Telephone:		-
#			· · · · · · · · · · · · · · · · · · ·	
	Permit Application (including closure plan) 🕅 🔎	Josure Plan (onty)	OCD Conditions (see attachment)	
OCD Represent		.	5 That	
	tive signature:	м <u> </u>	Approval Date:	015
Title:	Mance Officer	OCD Permit	t Number:	
				-
21 Cleanne Banant	required within (0 days of cleaning completion)).	K. 610.16.16.10.10.00.4.6		
	required within 60 days of closure completion): Subsection tors are required to obtain an approved closure plan prior to im,		e activities and submitting the closure report.	The closure
	be submitted to the division within 60 days of the completion of		Please do not complete this section of the form	n until an
approved closure p	an has been obtained and the closure activities have been compl	_		
		<u>X</u> Closure C	Completion Date: 4/16/20	13
22				
Closure Method		-	_	
		Alternative Closure M	tethod X Waste Removal (Closed-loop sy	stems only)
If different	from approved plan, please explain.			
#				
	garding Waste Removal Closure For Closed-loop Systems Th		· · · · · · · · · · · · · · · · · · ·	
were utilized.	e identify the facility or facilities for where the liquids, drilling J	lluids and drill cuttings	s were disposed. Use attachment if more that	n two facilities
Disposal Facilit	Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Pe	ermit Number: NM-01-0011 / NM-01-00	10B
Disposal Facilit	Name: Basin Disposal Facility	-	ermit Number: NM-01-005	
	loop system operations and associated activities performed on or			
	please demonstrate compliane to the items below) \mathbf{X} No			
Required for im	pacted areas which will not be used for future service and operat			
	ation (Photo Documentation)			
Soil Backfi	ling and Cover Installation			
Re-vegetati	on Application Rates and Seeding Technique			
24				
	rt Attachment Checklist: Instructions: Each of the followin	ig items must be attach	hed to the closure report. Please indicate, by	a check mark ii
	e documents are attached. losure Notice (surface owner and division)			
_	eed Notice (required for on-site closure)			
	for on-site closures and temporary pits)			
	on Sampling Analytical Results (if applicable)			
	erial Sampling Analytical Results (if applicable)			
	acility Name and Permit Number			
	illing and Cover Installation			
Soll Back	ion Application Rates and Seeding Technique			
=	nation (Photo Documentation)			
Re-vegeta		The second s		1 1000
Re-vegeta		Longitude:	NAD [1927 [1983
Re-vegeta			NAD [] 1927 [_] 1983
Re-vegeta		_1.ongitude:	NAD [] 1927 [
Re-vegeta Site Recla On-site Cl	osure Location: Latitude:		NAD [_] 1927 [
Re-vegeta Site Recla On-site Cl 25 Operator Closur I hereby certify tha	osure Location: Latitude:	port is ture, accurate and	Id complete to the best of my knowledge and b	J
Re-vegeta Site Recla On-site Cl 25 Operator Closur I hereby certify tha	osure Location: Latitude:	port is ture, accurate and	Id complete to the best of my knowledge and b	J
Re-vegeta Site Recla On-site Cl 25 Operator Closur I hereby certify tha	osure Location: Latitude:	port is ture, accurate and	Id complete to the best of my knowledge and b	J
Re-vegeta Site Recla On-site Cl 25 Operator Closur I hereby certify tha the closure complie Name (Print):	osure Location: Latitude:	port is ture, accurate and ied in the approved clos 	nd complete to the best of my knowledge and b sure plan.	J
	osure Location: Latitude:	port is ture, accurate an ied in the approved clos	nd complete to the best of my knowledge and b sure plan.	J