District I 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Series and exceptions submit to the Series and exceptions. the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

12/2
//

Alternative Method:

Pit, Closed-Loop System, Below-Grade Tank, or  Proposed Alternative Method Permit or Closure Plan Application  Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method					
Type of action:    Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method   Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method   Modification to an existing permit   Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,					
below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request					
ease be advised that approval of this request does not relieve theoperator of liability should operations result in pollution of surface water, ground water or the vironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.					
Operator: Energen Resources OGRID #: 162928					
Address: 2010 Afton Place, Farmington, New Mexico 87401					
Facility or well name: WO Hughes 5 (Tank BGT)					
API Number: 3003922316 OCD Permit Number:					
U/L or Qtr/Qtr M Section 8 Township 24N Range 03W County: Rio Arriba .					
Center of Proposed Design: Latitude <u>36.32033</u> Longitude <u>-107.18565</u> NAD: ☐1927 ☑ 1983					
Surface Owner:  Federal State Private Tribal Trust or Indian Allotment					
☐ <u>Pit</u> : Subsection F or G of 19.15.17.11 NMAC <b>RCUD MAY 17 '13</b>					
Temporary: ☐ Drilling ☐ Workover OIL CONS. DIV.					
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A DIST. 3					
☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A ☐ Lined ☐ Unlined Liner type: Thicknessmil ☐ LLDPE ☐ HDPE ☐ PVC ☐ Other					
VIJI. U					
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other					
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other					
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other					
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other					
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other					
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other					
Lined Unlined Liner type: Thicknessmil   LLDPE   HDPE   PVC   Other  String-Reinforced  Liner Seams:   Welded   Factory   Other Volume:bbl Dimensions: L x W x D  Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation:   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad   Above Ground Steel Tanks   Haul-off Bins   Other  Lined   Unlined Liner type: Thicknessmil   LLDPE   HDPE   PVC   Other  Liner Seams:   Welded   Factory   Other					
Lined Unlined Liner type: Thicknessmil					
Lined   Unlined Liner type: Thickness   mil   LLDPE   HDPE   PVC   Other					
Lined Unlined Liner type: Thickness mil					
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other					
Lined   Unlined   Liner type: Thickness   mil   LLDPE   HDPE   PVC   Other     String-Reinforced   Volume:   bbl   Dimensions: L   x W   x D     Closed-loop System: Subsection H of 19.15.17.11 NMAC     Type of Operation:   P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)     Drying Pad   Above Ground Steel Tanks   Haul-off Bins   Other     Lined   Unlined   Liner type: Thickness   mil   LLDPE   HDPE   PVC   Other     Liner Seams:   Welded   Factory   Other     Liner Seams:   Welded   Factory   Other     Liner Seams:   Welded   Type of fluid:   Produced Water     Tank Construction material:     Secondary containment with leak detection   Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off					
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other					

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, it is the second of the second o	hospital,			
institution or church)  Solution or church, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
7.				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Monthly inspections (If netting or screening is not physically feasible)				
8. Signs: Subsection C of 19.15.17.11 NMAC				
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
Signed in compliance with 19.15.3.103 NMAC				
Signed in complaince with 17.13.3.103 NWAC				
9. Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of the Santa Fe En	office for			
consideration of approval.				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10. Siting Criteria (regarding permitting): 19.15.17.10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept	table source			
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate the control of t				
office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dryi				
above-grade tanks associated with a closed-loop system.	paus 01			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☒ No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	Yes No			
lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ⊠ No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No			
(Applies to permanent pits)	⊠ NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☒ No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ⊠ No			
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality				
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	☐ Yes ⊠ No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☒ No			
Within a 100-year floodplain FEMA map	☐ Yes ☑ No			

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC					
Previously Approved Design (attach copy of design) API Number: or Permit Number:					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design)  API Number:  (Applies only to closed loop are the closed loop are the target and Maintenance Plan - API Number:  (Applies only to closed loop are the closed loop are the target and Maintenance Plan - API Number:					
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use					
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC   Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.   Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Preeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Proposed Closure: 19.15.17.13 NMAC  Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative  Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions: Please indentify the facility or facilities for the disposal of liquids, diffacilities are required.					
•	Disposal Facility Permit Number:				
	Disposal Facility Permit Number:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations  Yes (If yes, please provide the information below)  No					
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the c provided below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	administrative approval from the appropriate disti Bureau office for consideration of approval. Justi	rict office or may be			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	ificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes ☐ No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or sp  NM Office of the State Engineer - iWATERS database; Visual inspection (c	ring, in existence at the time of initial application.	☐ Yes ☐ No			
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approva	·	☐ Yes ☐ No			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual	inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map	& Mineral Resources; USGS; NM Geological	☐ Yes ☐ No			
Within a 100-year floodplain FEMA map		☐ Yes ☐ No			
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the	following items must be attached to the closure pl	an. Please indicate,			
by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Surface Owner Notice - based upon the appropriate requirements of Surface Owner Notice - based upon the appropriate requirements of Surface Owner Notice - based upon the appropriate requirements of Surface Owner Notice - based upon the applicable) based upon the appropriate of a drying part of Protocols and Procedures - based upon the appropriate requirements of 19.15.  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection In Soil Cover Design - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriate requirements of Subsection In Site Reclamation Plan - based upon the appropriat	rements of 19.15.17.10 NMAC Subsection F of 19.15.17.13 NMAC ropriate requirements of 19.15.17.11 NMAC d) - based upon the appropriate requirements of 19. 17.13 NMAC irements of Subsection F of 19.15.17.13 NMAC ubsection F of 19.15.17.13 NMAC ill cuttings or in case on-site closure standards cannof 19.15.17.13 NMAC of 19.15.17.13 NMAC	15.17.11 NMAC			

Operator Application Certification:  I hereby certify that the information submitted with this application is true, accurate	e and complete to the best of my knowledge and belief.
Name (Print): Title	» <u> </u>
Signature:	Date:
e-mail address: Telephone:	
$\mathcal{L}_{\mathcal{L}}}}}}}}}}$	n-(only)  OCD Conditions (see attachment)  Approval Date: 5/20/20/3  OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K Instructions: Operators are required to obtain an approved closure plan prior to The closure report is required to be submitted to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan prior to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan prior to the division within 60 days of the section of the form until an approved closure plan has been obtained and the closure plan ha	implementing any closure activities and submitting the closure report. e completion of the closure activities. Please do not complete this
22.  Closure Method:  Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternate ☐ If different from approved plan, please explain.	ive Closure Method   Waste Removal (Closed-loop systems only)
Disposal Facility Name:	Disposal Facility Permit Number:  Disposal Facility Permit Number:  n areas that will not be used for future service and operations?
Closure Report Attachment Checklist: Instructions: Each of the following item mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude  Longitu	
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirements.  Name (Print): Ed Hasely  Signature:	
e-mail address: ed hasely@energen.com	Telephone: (505) 324-4131

# BELOW-GRADE TANK CLOSURE REPORT

### ENERGEN RESOURCES WO Hughes #5 (Tank BGT)

### **CLOSURE STEPS:** (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

  Attached
- (2) Notify the Aztec OCD office (Brandon Powell -334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

#### Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility.

  No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner.

  Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

### All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
  - Collect, at a minimum, a five point, composite sample; Composite sample was collected.
  - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release;

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	ND
TPH (418.1)	100	20.2
Chlorides	250	ND

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above,</u> backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC.

Not applicable.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

#### FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

#### **RECLAMATION:**

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- (B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
  - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover.
- (D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- (E) Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted and when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Revised October 10, 2003 Submit 2 Copies to appropriate District Office in accordance

Form C-141

with Rule 116 on back side of form

#### **Release Notification and Corrective Action OPERATOR** ☐ Initial Report Name of Company: Energen Resources, Inc. Contact: Ed Hasely Address: 2010 Afton Place, Farmington, NM 87401 **Telephone No: 505-324-4131** Facility Name: WO Hughes #5 (Tank BGT) Facility Type: Oil/Gas Well Site Mineral Owner: Fee Surface Owner: Fee Lease No. **LOCATION OF RELEASE** Unit Letter Section Township Range Feet from the North/South Line Feet from the East/West Line County 24N 3W Rio Arriba Μ Latitude 36.32033 Longitude -107.18565 NATURE OF RELEASE Type of Release: NO RELEASE Volume Recovered: Volume of Release: Source of Release: Date and Hour of Occurrence: Date and Hour of Discovery: Was Immediate Notice Given? If YES, To Whom? ☐ Yes ☐ No ☐ Not Required Date and Hour: By Whom? Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes ☐ No If a Watercourse was Impacted, Describe Fully.\* Describe Cause of Problem and Remedial Action Taken.\* THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN. THIS FORM IS FILLED OUT TO SERVE AS A COVER FOR LAB ANALYSES -ONLY TO SATISFY 19.15.17.13.E(4). Describe Area Affected and Cleanup Action Taken.\* I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. OIL CONSERVATION DIVISION Signature: Approved by District Supervisor: Ed Hasely Printed Name: Title: Sr. Environmental Engineer Approval Date: Expiration Date: E-mail Address: ed.hasely@energen.com Conditions of Approval: Attached

Phone: 505-324-4131 / 505-330-3584(cell)

<sup>\*</sup> Attach Additional Sheets If Necessary



Energen Resources 2010 Afton Place Farmington NM, 87401 Project Name:

Jicarilla BGT

Project Number:

03022-0001


Reported: 27-Mar-13 18:28

Project Manager: Ed Hasely

WO Hughes 5-Tank P303083-02 (Solid)

		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	49.9	ug/L	1	1313011	26-Mar-13	26-Mar-13	EPA 8021B	
Toluene	ND	49.9	ug/L	1	1313011	26-Mar-13	26-Mar-13	EPA 8021B	
Ethylbenzene	ND	49.9	ug/L	1	1313011	26-Mar-13	26-Mar-13	EPA 8021B	
p,m-Xylene	ND	49.9	ug/L	1	1313011	26-Mar-13	26-Mar-13	EPA 8021B	
o-Xylene	ND	49.9	ug/L	1	1313011	26-Mar-13	26-Mar-13	EPA 8021B	
Total BTEX	ND	49.9	ug/L	1	1313011	26-Mar-13	26-Mar-13	EPA 8021B	
Surrogate: Bromochlorobenzene		95.6 %	80-	120	1313011	26-Mar-13	26-Mar-13	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		94.2 %	80-	120	1313011	26-Mar-13	26-Mar-13	EPA 8021B	
Surrogate: Fluorobenzene		93.1 %	80-	120	1313011	26-Mar-13	26-Mar-13	EPA 8021B	
Nonhalogenated Organics by 8015									
Gasoline Range Organics (C6-C10)	ND	5.0	mg/kg	1	1313010	26-Mar-13	26-Mar-13	EPA 8015D	
Diesel Range Organics (C10-C28)	ND	5.0	mg/kg	1	1313010	26-Mar-13	26-Mar-13	EPA 8015D	
GRO and DRO Combined Fractions	ND	5.0	mg/kg	1	1313010	26-Mar-13	26-Mar-13	EPA 8015D	
Total Petroleum Hydrocarbons by 418.1									
Total Petroleum Hydrocarbons	20.2	20.0	mg/kg	1	1313016	26-Mar-13	26-Mar-13	EPA 418.1	
Cation/Anion Analysis									
Chloride	ND	1.00	mg/kg	1	1313012	26-Mar-13	26-Mar-13	EPA 300.0	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





March 12, 2013


Paul Michael Candelaria 3603 North Buena Vista Farmington, New Mexico 87401

Re:

**Below Grade Tank Closures** 

Multiple Locations

Dear Mr. Candelaria:



Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in Rio Arriba County, New Mexico.

WO Hughes #5 - Unit Letter M, Section 8, Township 24N, Range 3W WO Hughes #6 - Unit Letter J, Section 8, Township 24N, Range 3W

If there are any questions or concerns, please contact me at 505-330-3584.

Sincerely,

Ed Hasely

Sr. Environmental Enginee

**Energen Resources** 

Cc:

Well File

Correspondence

WANT TO THE TOTAL OF THE TOTAL	COMPLETE THIS SECTION ON DELIVERY
SENDER: COMPLETE THIS SECTION	A/Signature
■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.	The said of all the
	B. Received by (Printed Name) C. C.
so that we can return the cald to your so that we can to the back of the mailpiece,	Winds Candeland 10
or on the front if space permits.	D. Is delivery address different from item 1? If YES, enter delivery address below:
1. Article Addressed to:	If 155, enter double to the second of the
Paul Canadalacia	
3003 North Burna Vista	
Farmington NM 87401	3. Service Type
Lannington, 101,01101	Certified Mail  Express Mail
	Registered Refurn Heceipt

Signature ()	☐ Agent ☐ Addressee
B. Received by (Printed Name) C	Date of Delivery 另加月3
D. is delivery address different from item  If YES, enter delivery address below:	1? ☐ Yes ☐ No
3. Service Type  Certified Mail ☐ Express Mail ☐ Registered ☐ Return Recel ☐ Insured Mail ☐ C.O.D.	lpt for Merchandis
Insured Mail	☐ Yes

1207 6493

Article Number (Transfer from service la

0470

7012

0002

102595-02-M-154

## **Ed Hasely**

From:

Ed Hasely

Sent:

Tuesday, March 12, 2013 1:29 PM

To:

'Kelly, Jonathan, EMNRD'

Cc:

Jason Peace

Subject:

**BGT Closure Notifications** 

Jonathan – Energen plans to begin the closure process on the below listed BGT's in the near future. Let me know if you have questions. Thanks.

WO Hughes #5 - Unit Letter M, Section 8, Township 24N, Range 3W

WO Hughes #6 - Unit Letter J, Section 8, Township 24N, Range 3W

## **Ed Hasely**

## **Energen Resources Corporation**

Sr. Environmental Engineer ed.hasely@energen.com
Office: (505) 324-4131

Cell: (505) 330-3584

