District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
Type of action:          Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method         Section:         Modification to an existing permit          Modification to an existing permitted or non-permitted pit, closed-loop system,
below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1. Operator: Energen Resources OGRID #: 162928
Address:     2010 Afton Place, Farmington, New Mexico 87401
Facility or well name:
API Number:         3004320717         OCD Permit Number:
U/L or Qtr/QtrPSection35Township23NRange03WCounty:Sandoval
Center of Proposed Design: Latitude <u>36.1732</u> Longitude <u>-107.11812</u> NAD: $\Box$ 1927 $\boxtimes$ 1983
Surface Owner: E Federal State Private Tribal Trust or Indian Allotment
2. Pit: Subsection F or G of 19.15.17.11 NMAC RCUD MAY 17 13
□ Pit:       Subsection F or G of 19.15.17.11 NMAC       RCVD MAY 17 '13         Temporary:       □ Drilling       □ Workover       OIL CONS. DIV.
Permanent Emergency Cavitation P&A DIST. 3
Lined Unlined Liner type: Thicknessmil ULDPE HDPE PVC Other
String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
3.
<ul> <li>Closed-loop System: Subsection H of 19.15.17.11 NMAC</li> <li>Type of Operation: P&amp;A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)</li> </ul>
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins   Other
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins Other   Lined Unlined Liner type: Thickness
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins Other   Lined Unlined   Liner type: Thickness   mil LLDPE   HDPE PVC   Other
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins Other   Lined Unlined Liner type:   Thickness mil   LLDPE HDPE   PVC Other
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins Other   Lined Unlined Liner type: Thickness   mil LLDPE   HDPE PVC   Other
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins Other   Lined Unlined Liner type: Thickness   mil LLDPE   HDPE PVC   Other
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins Other
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins Other   Lined Unlined Liner type: Thickness   mil LLDPE   HDPE PVC   Other
Closed-toop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins Other   Lined Unlined Liner type: Thickness   mil LLDPE   HDPE PVC   Other
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad Above Ground Steel Tanks   Haul-off Bins Other   Lined Unlined Liner type: Thickness   mil LLDPE   HDPE PVC   Other

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify

7.

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

#### Screen Netting Other\_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

#### Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

<ul> <li>Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.</li> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> </ul>	🗋 Yes 🗌 No
<ul> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applies to temporary, emergency, or cavitation pits and below-grade tanks)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	☐ Yes ☐ No ☐ NA
<ul> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (<i>Applies to permanent pits</i>)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	Yes No
<ul> <li>Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site</li> </ul>	🗋 Yes 🗌 No
<ul> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division</li> </ul>	🗌 Yes 🗌 No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No

11.       Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC         Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC         Hydrogenetic Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
<ul> <li>Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC</li> <li>Previously Approved Design (attach copy of design) API Number: or Permit Number:</li> </ul>
12.         Closed-loop Systems Permit Application Attachment Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.            Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9            Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC            Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC            Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC            Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC            Previously Approved Design (attach copy of design) API Number:
13.         Permanent Pits Permit Application Checklist:       Subsection B of 19.15.17.9 NMAC         Instructions:       Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC         Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC         Climatological Factors Assessment         Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC         Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC         Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC         Quality Control/Quality Assurance Construction and Installation Plan         Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC         Reregency Response Plan         Oil Field Waste Stream Characterization         Monitoring and Inspection Plan         Errosion Control Plan         Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14.         Proposed Closure:       19.15.17.13 NMAC         Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.         Type:       Drilling         Workover       Emergency         Cavitation       P&A         Permanent Pit       Below-grade Tank         Closed-loop System         Alternative         Proposed Closure Method:       Waste Excavation and Removal         Waste Removal (Closed-loop systems only)         On-site Closure Method (Only for temporary pits and closed-loop systems)         In-place Burial       On-site Trench Burial         Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
<ul> <li><sup>15.</sup> Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.</li> <li>Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)</li> <li>Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC</li> </ul>

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Instructions: Please indentify the facility or facilities for the disposal of liquids, facilities are required.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:		
Will any of the proposed closed-loop system operations and associated activities o Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operation         Soil Backfill and Cover Design Specifications based upon the appropriate         Re-vegetation Plan - based upon the appropriate requirements of Subsection         Site Reclamation Plan - based upon the appropriate requirements of Subsection	e requirements of Subsection H of 19.15.17.13 NMA 1 of 19.15.17.13 NMAC	С
<sup>17.</sup> Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the provided below. Requests regarding changes to certain siting criteria may requir considered an exception which must be submitted to the Santa Fe Environmenta demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC	re administrative approval from the appropriate dist I Bureau office for consideration of approval. Justi	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	□ Yes □ No □ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	□ Yes □ No □ NA
<ul> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	gnificant watercourse or lakebed, sinkhole, or playa	🗋 Yes 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellit		Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less watering purposes, or within 1000 horizontal feet of any other fresh water well or s - NM Office of the State Engineer - iWATERS database; Visual inspection	spring, in existence at the time of initial application.	🗌 Yes 🗍 No
Within incorporated municipal boundaries or within a defined municipal fresh wat adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approv		🗌 Yes 🗌 No
<ul> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visu</li> </ul>	al inspection (certification) of the proposed site	🗌 Yes 🗌 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining	g and Mineral Division	🔲 Yes 🗌 No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geolog Society; Topographic map</li> </ul>	y & Mineral Resources; USGS; NM Geological	🗋 Yes 🗌 No
Within a 100-year floodplain. - FEMA map		🗌 Yes 🗌 No
<ul> <li>18.</li> <li>On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.</li> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Construction/Design Plan of Temporary Pit (for in-place burial of a drying plan of Temporary Pit (for in-place burial of a drying plan construction Sampling Plan (if applicable) - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection</li> </ul>	uirements of 19.15.17.10 NMAC f Subsection F of 19.15.17.13 NMAC ppropriate requirements of 19.15.17.11 NMAC oad) - based upon the appropriate requirements of 19. 5.17.13 NMAC uirements of Subsection F of 19.15.17.13 NMAC Subsection F of 19.15.17.13 NMAC drill cuttings or in case on-site closure standards cann H of 19.15.17.13 NMAC	15.17.11 NMAC

19. (	
<b>Operator Application Certification:</b> I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowled	ge and belief.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
20. OCD Approval: Permit Application (including closure plan) 🛛 Closure Plan (only.) 🔲 OCD Conditions (see attack	hment)
	·
OCD Representative Signature: Approval Date:	5/20/2015
Title: <u>Compliance</u> Office/ OCD Permit Number:	·
<sup>21.</sup> <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Ple section of the form until an approved closure plan has been obtained and the closure activities have been completed.	
Closure Completion Date: 5	/8/13
22.         Closure Method:         X         Waste Excavation and Removal         On-Site Closure Method         Alternative Closure Method         If different from approved plan, please explain.	(Closed-loop systems only)
<sup>23.</sup> Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed two facilities were utilized.	
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future server and the server of the se	vice and operations?
Required for impacted areas which will not be used for future service and operations:	
<ul> <li>Site Reclamation (Photo Documentation)</li> <li>Soil Backfilling and Cover Installation</li> </ul>	
Re-vegetation Application Rates and Seeding Technique	
<ul> <li>24.</li> <li>Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report.</li> <li>mark in the box, that the documents are attached.</li> <li>Proof of Closure Notice (surface owner and division)</li> <li>Proof of Deed Notice (required for on-site closure)</li> <li>Plot Plan (for on-site closures and temporary pits)</li> <li>Confirmation Sampling Analytical Results (if applicable)</li> <li>Waste Material Sampling Analytical Results (required for on-site closure)</li> <li>Disposal Facility Name and Permit Number</li> <li>Soil Backfilling and Cover Installation</li> <li>Re-vegetation Application Rates and Seeding Technique</li> </ul>	Please indicate, by a check
Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude Longitude NAI	D: 1927 1983
<ul> <li>25.</li> <li>Operator Closure Certification:</li> <li>I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approv</li> </ul>	
Name (Print): Ed Hasely Title: Sr. Environmental Engineer	er
Signature: 6/15/13	
e-mail address: ed.hasely@energen.com Telephone: (505) 324-4131	

# **BELOW-GRADE TANK CLOSURE REPORT**

## ENERGEN RESOURCES Jicarilla 55 #2R (Separator BGT)

## **<u>CLOSURE STEPS:</u>** (Closure Report information is in **bold**)

(1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank. Attached

(2) Notify the Aztec OCD office (Brandon Powell -334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

Ċ.

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility. No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner. Tank removed.

(5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

### All remaining equipment is required for operations.

(6) Test the soils beneath the below-grade tank to determine whether a release has occurred.

- Collect, at a minimum, a five point, composite sample; Composite sample was collected.
- Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release;

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	ND
Total BTEX	50.0	0.066
TPH (418.1)	100	33.3
Chlorides	250	39.8

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above</u>, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.3.116 NMAC. Not applicable.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval. **Not applicable**.

### FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

## This submittal is the closure report.

## **RECLAMATION:**

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

(A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.

(B) Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

(C) Repeat seeding or planting until it successfully achieves the required vegetative cover.

(D) If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.

(E) Notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.

State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

# **Release Notification and Corrective Action**

OPERATOR	Initial Report	🖾 Final Report
Contact: Ed Hasely		
Telephone No: 505-324-4131		
Facility Type: Oil/Gas Well Site		
	Contact: Ed Hasely	Contact:         Ed Hasely           Telephone No:         505-324-4131

Surface Owner: Jicarilla

Mineral Owner: Jicarilla

Lease No.

# LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
Р	35	23N	3W					Rio Arriba

NATURE OF RELEASE

Latitude\_36.17320\_

Longitude \_-107.11812\_

Type of Release: NO RELEASE	Volume of Release:	Volume R	ecovered:
Source of Release:	Date and Hour of Occurrence:	Date and I	Hour of Discovery:
Was Immediate Notice Given?	If YES, To Whom?	.1	
By Whom?	Date and Hour:		
Was a Watercourse Reached?	If YES, Volume Impacting the V	atercourse.	
If a Watercourse was Impacted, Describe Fully.*			
Describe Cause of Problem and Remedial Action Taken.*			
THERE WAS NO PROBLEM OR REMEDIAL ACTION TAKEN. TH ONLY TO SATISFY 19.15.17.13.E(4).	IS FORM IS FILLED OUT TO SERV	E AS A COV	ER FOR LAB ANALYSES -
Describe Area Affected and Cleanup Action Taken.*			
I hereby certify that the information given above is true and complete to regulations all operators are required to report and/or file certain release public health or the environment. The acceptance of a C-141 report by t should their operations have failed to adequately investigate and remedia or the environment. In addition, NMOCD acceptance of a C-141 report federal, state, or local laws and/or regulations.	notifications and perform corrective ac he NMOCD marked as "Final Report" ate contamination that pose a threat to	tions for relea does not relie ground water,	ases which may endanger we the operator of liability surface water, human health
Signature: 22 Harr	<u>OIL CONSER</u>	VATION I	DIVISION
Printed Name: Ed Hasely	Approved by District Supervisor:		
Title: Sr. Environmental Engineer	Approval Date:	Expiration D	Date:
E-mail Address: ed.hasely@energen.com Date: 5/15/13 Phone: 505-324-4131 / 505-330-3584(cell)	Conditions of Approval:		Attached
Late. 3/13/15 Filone. 303-324-4131/303-330-3304(Cell)			

\* Attach Additional Sheets If Necessary

,



Energen Resources	Project Name: Project Number:			la BGT					
2010 Afton Place Farmington NM, 87401	5	t Number: t Manager:						<b>Reported:</b> 25-Apr-13 16:54	
		Jicarill	a 55 #2R	Sep					
		P3040	73-04 (Sol	lid)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	50.0	ug/kg	1	1317024	24-Apr-13	24-Apr-13	EPA 8021B	
Toluene	66.0	50.0	ug/kg	1	1317024	24-Apr-13	24-Apr-13	EPA 8021B	
Ethylbenzene	ND	50.0	ug/kg	I	1317024	24-Apr-13	24-Apr-13	EPA 8021B	
p,m-Xylene	ND	50.0	ug/kg	I	1317024	24-Apr-13	24-Apr-13	EPA 8021B	
o-Xylene	ND	50.0	ug/kg	I I	1317024	24-Apr-13	24-Apr-13	EPA 8021B	
Total BTEX	66.0	50.0	ug/kg	I	1317024	24-Apr-13	24-Apr-13	EPA 8021B	
Surrogate: Bromochlorobenzene		91.0 %	80-	120	1317024	24-Apr-13	24-Apr-13	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		93.8 %	80-	120	1317024	24-Apr-13	24-Apr-13	EPA 8021B	
Surrogate: Fluorobenzene		93.4 %	80-	120	1317024	24-Apr-13	24-Apr-13	EPA 8021B	
Nonhalogenated Organics by 8015									
Gasoline Range Organics (C6-C10)	ND	5.00	mg/kg	1	1317023	24-Apr-13	24-Apr-13	EPA 8015D	
Diesel Range Organics (C10-C28)	ND	5.00	mg/kg	I	1317023	24-Apr-13	24-Apr-13	EPA 8015D	
GRO and DRO Combined Fractions	ND	5.00	mg/kg	I	1317023	24-Apr-13	24-Apr-13	EPA 8015D	
Total Petroleum Hydrocarbons by 418.1									
Total Petroleum Hydrocarbons	33,3	20.0	mg/kg	1	1317036	25-Apr-13	25-Apr-13	EPA 418.1	
Cation/Anion Analysis									
Chloride	39.8	9.99	mg/kg	I	1317026	24-Apr-13	24-Apr-13	EPA 300.0	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 US Highway 64, Farmington, NM 87401

Three Springs • 65 Mercado Street, Suite 115, Durango, CO 81301

Ph (505) 632-0615 Fx (505) 632-1865 Ph (970) 259-0615 Fr (800) 362-1879 envirotech-inc.com laboratory@envirotech-inc.com

Page 6 of 12



U.S. Postal Service ERTIFIED MAIL RECEIPT Ē (Domestic Mail Only; No Insurance Coverage Provided) m mation visit our website at www.usps.com <u>م</u> C  $\bigcirc$ A 2 E **r**-. 미권 T \$ Postage Certified Fee гu Postmark Return Receipt Fee lorsement Required) Here (Endorse  $C\epsilon$ Restricted Delivery Fee (Endorsement Required) 0470 Total Postage & Fees \$ Sent To ги 27 Street, Apt. No.; or PO Box No. City, State, ZIP+4 PS Form 3800, August 2006

April 5, 2013

Jicarilla Apache Nation Environmental Protection Office P.O. Box 507 Dulce, NM 87528 Attn: Mr. Hobson Sandoval, Environmental Specialist

Re: Below Grade Tank Closures Multiple Wells

Dear Sirs:

Energen Resources plans to close the below grade tanks located on the well locations listed below. You are on record as the surface owner where these wells are located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The wells are all located in Sandoval County, New Mexico.

Jicarilla 55 #1 - Unit Letter K, Section 35, Township 23N, Range 3W	
Jicarilla 55 #2R - Unit Letter P, Section 35, Township 23N, Range 3W	

If there are any questions or concerns, please contact me at 505-324-4131.

Sincerely,

omotory,	1 · · · · · · · · · · · · · · · · · · ·	<ul> <li>A second sec second second sec</li></ul>
Inal L	SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
Ed Hasely Sr. Environmental Engineer Energen Resources	<ul> <li>Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li> <li>Print your name and address on the reverse so that we can return the card to you.</li> <li>Attach this card to the back of the mailpiece, or on the front if space permits.</li> </ul>	A Signature Agent A Addressed Beceived by ( <i>Printed Name</i> ) C. Date of Delivery C. Date of Delivery C. Date of Delivery D. Is delivery address different from item 17
Cc: Well Files	1. Article Addressed to: J.car.lle Apache Nortuen EPO PO Bax 507	If YES, enter delivery address below:
Correspondence	Dulce NH 87528 Atta: Hobson Sanloual	3. Service.Type.         Image: Certified Mail         Registered         Registered         Insured Mail         C.O.D.         4. Restricted Delivery? (Extra Fee)         Yes
	2. Article Number (Transfer from service la 7012 0470 [	1207 F34
Energen Resources Corporation, an Ene		turn Receipt 102595-02-M-154

## **Ed Hasely**

. .

From: Sent: To: Cc: Subject: Ed Hasely Friday, April 05, 2013 3:02 PM 'Kelly, Jonathan, EMNRD'; 'Hobson Sandoval' Jason Peace BGT Closure Notification

Jonathan – Energen plans to begin the closure process on the below listed BGT's in the near future. Let me know if you have questions. Thanks.

 Jica rilla 55 #1 - Unit Letter K, Section 35, Township 23N, Range 3W	Constanting and the second
 Jicarilla 55 #2R - Unit Letter P, Section 35, Township 23N, Range 3W	

# **Ed Hasely** Energen Resources Corporation

Sr. Environmental Engineer ed.hasely@energen.com Office: (505) 324-4131 Cell: (505) 330-3584

