• District I 1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Sama re, ivi	VI 87303	Environmental Bureau office appropriate NMOCD District	
Pit	, Closed-Loop Syster I Alternative Method			tion_
	Permit of a pit, closed-loop sy Closure of a pit, closed-loop sy Modification to an existing per Closure plan only submitted for below-grade tank, or proposed ation (Form C-144) per individuals.	ystem, below-grade to ermit for an existing permitted I alternative method	ank, or proposed alterna	tive method closed-loop system,
Please be advised that approval of this renvironment. Nor does approval relieve the				
Operator: Burlington Resources Oil & O Address: PO Box 4289, Farmington, N			OGRID#: <u>14538</u>	
Facility or well name: San Juan 30-6 Ur				
	0-29449	OCD Permit Number	·:	
U/L or Qtr/Qtr: I(NE/SE) Section: Center of Proposed Design: Latitude: Surface Owner: X Federal	12 Township 30N 36.82475 °N		County: Rio 2 °W	Arriba NAD: X ### 1983
Pit: Subsection F or G of 19.15.17.11 N Temporary: Drilling Workover Permanent Emergency Cavita Lined Unlined Liner ty String-Reinforced Liner Scams: Welded Factory	tion P&A pe: Thickness mi		HDPE PVC Oth	RCVD MAY 23 '13 OIL CONS. DIV. DIST. 3
	notice of inceed Tanks Haul-off Bins Thickness mil	ntent)	nctivities which require pride	.,
4 Below-grade tank: Subsection I of 19 Volume: bbl Tank Construction material: Secondary containment with leak detection Visible sidewalls and liner Liner Type: Thickness	Type of fluid:	ner, 6-inch lift and autor Other C Other	natic overflow shut-off	
Submittal of an exception request is required	Exceptions must be submitted to	o the Santa Fe Environm	nental Bureau office for co	nsideration of approval

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and helow-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school,	hospital, institt	ution or chur	ch)	
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8	· · · · · · · · · · · · · · · · · · ·		- 	
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
9		• *		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau of (Fencing/BGT Liner)	office for consid	eration of ap	proval.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC	antable			
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accommendations of accommendation accommendation and accommendation accommendation accommendation and accommendation accommendati	the			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting of	- 1			
does not apply to drying pads or above grade-tanks associated with a closed-loop system.			_	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or pl	laya lake	Yes	No	
 (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	ı	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)		NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		_		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		Yes	No	
(Applied to permanent pits) - Visual inspection (certification) of the proposed site: Aerial photo; Satellite image		∐NA		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	watering	Yes	No	
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordina 	nnce	□Yes	□No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordina adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	mee	∟ res	⊔™	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed	site	Yes	No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		Yes	No	
Within an unstable area.		Yes	No	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geolog Society; Topographic map	gical			
Within a 100-year floodplain - FEMA map		Yes	No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
12			
'Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9			
NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
14			
Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative			
Proposed Closure Method: Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two					
facilities are required.					
	Disposal Facility Permit #:				
Disposal Facility Name: Disposal Facility Permit #:					
Will any of the proposed closed-loop system operations ar Yes (If yes, please provide the information	ad associated activities occur on or in areas that will not be used for future No	service and			
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
certain siting criteria may require administrative approval from the	y: 19.15.17.10 NMAC ance in the closure plan. Recommendations of acceptable source material are provided appropriate district office or may be considered an exception which must be submitted to thin so fequivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the - NM Office of the State Engineer - iWATERS database so		Yes No			
Ground water is between 50 and 100 feet below the botton - NM Office of the State Engineer - iWATERS database se		Yes No			
Ground water is more than 100 feet below the bottom of t - NM Office of the State Engineer - iWATERS database se		Yes No			
(measured from the ordinary high-water mark).	eet of any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the Within 300 feet from a permanent residence, school, hospital, in Visual inspection (certification) of the proposed site. A spirit	stitution, or church in existence at the time of initial application.	☐Yes ☐No			
- Visual inspection (certification) of the proposed site; Aeria	Il or spring that less than five households use for domestic or stock watering	Yes No			
purposes, or within 1000 horizontal fee of any other fresh water - NM Office of the State Engineer - iWATERS database; V	well or spring, in existence at the time of the initial application.	☐Yes ☐No			
- Written confirmation or verification from the municipality Within 500 feet of a wetland		Yes No			
Within the area overlying a subsurface mine. Written confiramtion or verification or map from the NM I	aphic map; Visual inspection (certification) of the proposed site	☐Yes ☐No			
Within an unstable area Engineering measures incorporated into the design; NM Be	reau of Geology & Mineral Resources; USGS; NM Geological Society;	Yes No			
Topographic map Within a 100-year floodplain FEMA map		Yes No			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,					
by a check mark in the box, that the documents are attached	ched.	Trease trancate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.11 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
c-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan-(only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 5728/2013 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. [X] Closure Completion Date: 4/25/2013
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005 Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) X No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD 1927 1983
Operator Closure Certification: Thereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Dollie L. Busse Title: Staff Regulatory Technician Signature: Date: 5/22//3
e-mail address: dollie.i.busse@conocophillips.com Telephone: (505) 324-6104