District I 1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the rista NMOCD District Offi

1220 S. St. Franc	is Dr., Santa Fe, NM 87505	appropriate NiMOCD District Office.
		Pit, Closed-Loop System, Below-Grade Tank, or
、ム	Prop	osed Alternative Method Permit or Closure Plan Application
2012	Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
- (X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
		Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instruction	ns: Please submit one a	pplication (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
	• • • • • • • • • • • • • • • • • • • •	of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538 Address: P.O. Box 4289, Farmington, NM 87499 Facility or well name: COOPER 100S API Number: 30-045-34875 OCD Permit Number: U/L or Qtr/Qtr: H(SE/NE) Section: 7 Township: 29N 11W Range: County: SAN JUAN ٥N °W NAD: ☐ 1927 🗙 1983 Center of Proposed Design: Latitude: 36.74149 Longitude: 108.02622 Surface Owner: Private Tribal Trust or Indian Allotment X Federal RCVD FEB 21'12 X Pit: Subsection F or G of 19.15.17.11 NMAC OIL CONS. DIV. X Drilling Workover Temporary: DIST. 3 Permanent Emergency Cavitation P&A X LLDPE HDPE PVC Other X Lined Thickness 20 mil Unlined Liner type: X String-Reinforced Liner Seams: X Welded X Volume: 7700' bbl Dimensions L 120' x W 55' x D 12' Subsection H of 19.15.17.11 NMAC Closed-loop System: Drilling a new well Type of Operation: | | P&A Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Above Ground Steel Tanks Haul-off Bins Other LLDPE HDPE PVD Other Lined Unlined Thickness mil Liner type: Liner Seams: Welded Factory Other Below-grade tank: Subsection 1 of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Secondary containment with leak detection Visible sidewalls and liner Visible sidewalls only Other HDPE Liner Type: Thickness mil Other

Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institute of the light, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	ation or church)
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	deration of app	roval.
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	No
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	□No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist:Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan
Nulsance of Hazardous Odols, metuding H2S, Flevention Fian
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
The same and the s

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste					
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling facilities are required.	3 fluids and drill cuttings. Use attachment if more than two				
	Disposal Facility Permit #:				
	Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activ Yes (If yes, please provide the information No	ities occur on or in areas that will nbe used for future s	service and			
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Su	oriate requirements of Subsection H of 19.15.17.13 NM oction I of 19.15.17.13 NMAC	MAC			
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMA	c				
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recertain siting criteria may require administrative approval from the appropriate district office of office for consideration of approval. Justifications and/or demonstrations of equivalency are rec	r may be considered an exception which must be submitted to the Sai				
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data ob	dained from nearby wells	∐N/A			
Ground water is between 50 and 100 feet below the bottom of the buried wa	ste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells	□N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signif (measured from the ordinary high-water mark).	ficant watercourse or lakebed, sinkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in Visual inspection (certification) of the proposed site; Aerial photo; satellite image	•••	Yes No			
		Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist. - NM Office of the State Engineer - iWATERS database: Visual inspection (certical contents).	stence at the time of the initial application.				
Within incorporated municipal boundaries or within a defined municipal fresh water w pursuant to NMSA 1978, Section 3-27-3, as amended.	·	Yes No			
 Written confirmation or verification from the municipality: Written approval of Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map: Topographic map; Visual ins 		Yes No			
Within the area overlying a subsurface mine.	specifical (certification) of the proposed site	□Yes □No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division				
Within an unstable area.		Yes No			
 Engineering measures incorporated into the design; NM Bureau of Geology & N Topographic map 	Mineral Resources; USGS: NM Geological Society;				
Within a 100-year floodplain FEMA map		Yes No			
18					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Eac by a check mark in the box, that the documents are attached.		sure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropr					
Proof of Surface Owner Notice - based upon the appropriate requirer					
Construction/Design Plan of Burial Trench (if applicable) based upon					
Construction/Design Plan of Temporary Pit (for in place burial of a d		ot 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements		AC.			
Waste Material Sampling Plan - based upon the appropriate requirem	•				
Disposal Facility Name and Permit Number (for liquids, drilling fluid		s cannot be achieved)			
Soil Cover Design - based upon the appropriate requirements of Sub-	-	,			
Re-vegetation Plan - based upon the appropriate requirements of Sub					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 5/28/2013 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Method: Waste Excavation and Removal If different from approved plan, please explain. Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steet Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number: Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate complilante to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Revegetation Application Rates and Seeding Technique Yes (If yes, please demonstrate compliance owner and division) Proof of Closure Notice (surface owner and division) Proof of Closure Notice (surface owner and division) Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Revegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36,74164 °N Longitude: 108,02641 °W NAD 1927 X 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Jamie Goodwin Title: Regulatory Tech.
Signature: Date: 200/17
e-mail address: jamie.l.goodwin@conocophillips.com Telephone: 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: COOPER 100S API No.: 30-045-34875

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

**Encorrect: With Rig off date noted as 1/8/2010 and Closure Completion date of 6/14/2011, closure

The closure plan requirements were met due to rig move off date as noted on C-105. did not melt b month time

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	ND ug/kG
TPH	EPA SW-846 418.1	2500	33.3mg/kg
GRO/DRO	EPA SW-846 8015M	500	ND mg/Kg
Chlorides	EPA 300.1	(1000/500	210 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, COOPER 100S, UL-H, Sec. 7, T 29N, R 11W, API # 30-045-34875

Tally, Ethel

From:

Tally, Ethel

Sent:

Thursday, January 15, 2009 11:35 AM

To:

'mark_kelly@nm.blm.gov'

Cc:

Sessions, Tamra D

Subject:

SURFACE OWNER NOTIFICATION

The following locations will have temporary pits that will be closed on-site.

Maxwell B 100 Negro Canyon 5M Mudge B 100S Cooper 100S SJ 28-6 Unit 181N San Juan 28-5 Unit 101N Negro Canyon 5 San Juan 29-7 Unit 66M San Juan 28-5 Unit 101P

Please let Tamara Sessions (326-9834) or I know if you have any questions or concerns.

Ethel Tally
ConocoPhillips-SJBU
3401 E. 30th
Farmington NM 87402
(505)599-4027 phone
Ethel.Tally@ConocoPhillips.com

DISTRICT I 1625 N. French Dr., Hobbs, N.H. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

DISTRICT II 1301 W. Grand Avenue, Artesia, N.M. 68210

DISTRICT III 1000 Rio Brazos Rd., Aztec, N.M. 87410 OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies


☐ AMENDED REPORT


DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

<u> </u>				^a Pool Name BASIN FRUITLAND COAL			
	^a Property Name			• M	ell Number		
	COOPE	R		Ì	100 S		
Operator Name					⁰ Elevation		
BURLINGTON RESOURCES OIL & GAS COMPANY LP				5727'			
	10 Surface	Location					
		North/South line	Feet from the	East/West line	County		
11W	2192'	NORTH	665'	EAST	SAN JUAN		
¹¹ Bottom Hole	Location If	Different Fro	m Surface				
Range Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
Joint or Infill	¹⁴ Consolidation Co	ode	¹⁵ Order No.				
_	Range Lot Idn 11W 11 Bottom Hole Range Lot Idn	BURLINGTON RESOURCES OF SURface 10 Surface	BURLINGTON RESOURCES OIL & GAS COMPA 10 Surface Location Range Lot Idn Feet from the North/South line 11W 2192' NORTH 11 Bottom Hole Location If Different From the North/South line Range Lot Idn Feet from the North/South line	BURLINGTON RESOURCES OIL & GAS COMPANY LP 10 Surface Location Range Lot Idn Feet from the North/South line Feet from the 11W 2192' NORTH 665' 11 Bottom Hole Location If Different From Surface Range Lot Idn Feet from the North/South line Feet from the	BURLINGTON RESOURCES OIL & GAS COMPANY LP 10 Surface Location Range Lot Idn Feet from the North/South line Feet from the East/West line 11W NORTH 665' EAST 11 Bottom Hole Location If Different From Surface Range Lot Idn Feet from the North/South line Feet from the East/West line		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION







EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Burlington	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	03-25-11
Laboratory Number:	57695	Date Sampled:	03-23-11
Chain of Custody No:	11187	Date Received:	03-23-11
Sample Matrix:	Soil	Date Extracted:	03-23-11
Preservative:	Cool	Date Analyzed:	03-24-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Cooper 100S

Analyst

Review



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

	-		
Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	03-25-11
Laboratory Number:	57696	Date Sampled:	03-23-11
Chain of Custody No:	11187	Date Received:	03-23-11
Sample Matrix:	Soil	Date Extracted:	03-23-11
Preservative:	Cool	Date Analyzed:	03-24-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND .	0.1	
Total Petroleum Hydrocarbons	ND		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Cooper 100S

Analyst

Review



EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:	QA/QC		Project #:		N/A
Sample ID:	03-24-11 QA/0	QC .	Date Reported:		03-24-11
Laboratory Number:	57690		Date Sampled:		N/A
Sample Matrix:	Methylene Chlor	ide	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		03-24-11
Condition:	N/A		Analysis Requeste	ed:	TPH
	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	03-24-11	1.0127E+003	1.0131E+003	0.04%	0 - 15%
Diesel Range C10 - C28	03-24-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Blank Conc. (mg/L - mg/	Kg)	Concentration		Detection Limi	t.
Gasoline Range C5 - C10	<u>्र पत्ताः, नः, पत्ता व्यक्तिः वृत्ताः वृत्ताः व्यक्तिः व्यक्तिः वृत्ताः वृत्ताः वृत्ताः वृत्ताः वृत्ताः वृत्त</u>	ND		0.2	
Diesel Range C10 - C28		ND		0.1	

Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%

Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	, Accept. Range
Gasoline Range C5 - C10	ND	250	238	95.3%	75 - 125%
Diesel Range C10 - C28	ND	250	253	101%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 57690-57698, 57700

Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project#:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	03-25-11
Laboratory Number:	57695	Date Sampled:	03-23-11
Chain of Custody:	11187	Date Received:	03-23-11
Sample Matrix:	Soil	Date Analyzed:	03-24-11
Preservative:	Cool	Date Extracted:	03-23-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Diduoi.	IV
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	0.9
Toluene	ND ND	1.0
Ethylbenzene	ND	1.0
p,m-Xylene	ND	1.2
o-Xylene	ND	0.9
Total BTEX	ND	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	103 %
	1,4-difluorobenzene	91.5 %
	Bromochlorobenzene	90.6 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Cooper 100S

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	03-25-11
Laboratory Number:	57696	Date Sampled:	03-23-11
Chain of Custody:	11187	Date Received:	03-23-11
Sample Matrix:	Soil	Date Analyzed:	03-24-11
Preservative:	Cool	Date Extracted:	03-23-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilatori.	10	
Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
_			
Benzene	ND	0.9	
Toluene	ND	1.0	
Ethylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.5 %
	Bromochlorobenzene	101 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Cooper 100S



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:			Project #:		N/A	
Sample ID:	0324BBLK QA/Q0	-		ate Reported:		
Laboratory Number:	57690	į	Date Sampled:		N/A	
Sample Matrix:	Soil	I	Date Received:		N/A	
Preservative:	N/A	1	Date Analyzed: 03-24		03-24-11	
Condition:	N/A		Analysis: Dilution:		BTEX 10	
Calibration and	ù l-Cal RF	C-Cal RF:	%Diff.	Blank	Detect.	
Calibration and Detection Limits (ug/L)	\$P\$ \$P\$\$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$	سناد وسنادم كالأملاك للمالات التناه والمالية والمالية	%Diff.	TT 12/ MIT 12 THE CONTRACTOR	والمرابات والمنافرة والمنافرة والمنافرة والمنافرة والمنافرة	
Detection Limits (ug/L)	\$P\$ \$P\$\$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$ \$P\$	C-Cal RF:	%Diff.	Blank	Detect.	
Detection Limits (úg/L) Benzene		C-Cal RF: Accept. Rang	%Diff. e 0 - 15%	Blank Conc	Detect Limit	
<u>Detection Limits (úg/L)</u> Benzene Toluene	1.3132E+005	C-Cal RF: Accept: Rang 1.3159E+005	%Diff. e 0 = 15%; 0.2%	Blank Conc ND	Detect. Limit	
	1.3132E+005 1.4578E+005	C-Cal RF: Accept. Rang 1.3159E+005 1.4608E+005	%Diff. e 0 = 15%, 0.2% 0.2%	Blank Conc ND ND	Detect Limit 0.1 0.1	

Duplicate Conc. (ug/Kg)	Sample Du	plicate	%Diff	Accept Range	Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	ND	500	503	101%	39 - 150
Toluene	ND	500	529	106%	46 - 148
Ethylbenzene	ND	500	514	103%	32 - 160
p,m-Xylene	ND	1000	1,010	101%	46 - 148
o-Xylene	ND	500	508	102%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

QA/QC for Samples 57690-57698, 57700

Review

5796 US Highway 64, Farmington, NM 87401



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Project #: Client: Burlington 92115-1271 Reserve Pit Date Reported: 03/24/11 Sample ID: Laboratory Number: 57695 Date Sampled: 03/23/11 03/23/11 Chain of Custody No: 11187 Date Received: 03/24/11 Sample Matrix: Soil Date Extracted: Date Analyzed: 03/24/11 Preservative: Cool Condition: Intact Analysis Needed: TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

33.3

6.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Cooper 100S



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Burlington	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	03/24/11
Laboratory Number:	57696	Date Sampled:	03/23/11
Chain of Custody No:	11187	Date Received:	03/23/11
Sample Matrix:	Soil	Date Extracted:	03/24/11
Preservative:	Cool	Date Analyzed:	03/24/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

16.0

6.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments: Cooper 100S



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

03/24/11

Laboratory Number:

03-24-TPH.QA/QC 57695

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

03/24/11

Preservative:

N/A

Date Extracted:

03/24/11

Condition:

N/A

Analysis Needed:

TPH

Calibration

I-Cal Date 03/01/11 C-Cal Date I-Cal RF: 03/24/11

1,660

1,640

C-Cal RF: % Difference 1.2%

Accept. Range +/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

6.7

Duplicate Conc. (mg/Kg) **TPH**

Sample

Duplicate

% Difference

Accept. Range

TPH

33.3

33.3

0.0%

+/- 30%

Spike Conc. (mg/Kg)

Sample 33.3

Spike Added Spike Result % Recovery 2,000

2,260

111%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 57695-57698, 57637



Chloride

Client:

Burlington

Project #:

92115-1271

Sample ID:

Reserve Pit

Date Reported:

03/24/11

Lab 1D#:

57695

Sample Matrix:

Soil

Date Sampled: Date Received: 03/23/11 03/23/11

Preservative:

Cool

Date Analyzed:

03/24/11

Condition:

Intact

Chain of Custody:

11187

Parameter

Concentration (mg/Kg)

Total Chloride

210

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Cooper 100S

Review



Chloride

Client:

Burlington

Project #:

92115-1271

Sample ID:

Back Ground

Date Reported:

03/24/11

Lab ID#:

57696

Date Sampled:

03/23/11

Sample Matrix:

Soil

Date Received:

Preservative:

Cool

03/23/11

Condition:

Date Analyzed:

03/24/11

Intact

Chain of Custody:

11187

Parameter

Concentration (mg/Kg)

Total Chloride

30

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Cooper 100S

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865

lab@envirotech-inc.com envirotech-inc.com

Submit To Appropr Two Copies	iate District O	ffice				State of Ne												rm C-	
District I 1625 N. French Dr.	Hobbs, NM 8	38240		Ene	ergy, l	Minerals and	d Na	tural Re	esou	ırces	-	1. WELL A	A DI 1	NO			J	July 17, 1	2008
District II 1301 W. Grand Ave					0:1	Commonwood		Divisi	~ 44			30-045-348		νΟ.					
District III						Conservat						2. Type of Lease							
1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 1220 South St. Francis Dr. Santa Fe, NM 87505									STATE ☐ FEE ☐ FED/INDIAN 3. State Oil & Gas Lease No.										
			<u> </u>									SF - 07881	3						
		TION O	R RE	<u>ECO</u>	MPL	ETION RE	POF	RT ANI	<u>) L</u>	OG									
4. Reason for fili	ng:											5. Lease Nam COOPER	e or U	Jnit A	greer	nent Na	me		
☐ COMPLETI	ON REPOR	RT (Fill in bo	oxes#1	throug	gh #31 :	for State and Fe	e wells	only)			f	6. Well Numb	er:						
C-144 CLOS #33; attach this ar	nd the plat to									#32 and/o	r	1008							
7. Type of Comp		WORKOVER	≀Пр	DEEPE	NING	□PLUGBACI	к П і	DIFFERE	NT F	RESERVO)IR	□ OTHER							
8. Name of Opera	tor											9. OGRID							
Burlington R 10. Address of O		Oil Gas C	comp	any,	<u>LP</u>							14538 11. Pool name	or W	ildcat					
PO Box 4298, Fa		M 87499																	
12.Location	Unit Ltr	Section	Т	Townsl	hip	Range	Lot		Fe	et from the	e	N/S Line	Feet	from	the	E/W L	ine	County	
Surface:																			
вн:																			
13. Date Spuddeo	I 14. Date	T.D. Reache	xd	15. D 11/08		Released		16	. Dat	te Complet	ted	(Ready to Prod	luce)			. Elevat Γ, GR, e		and RKI	В,
18. Total Measur	ed Depth of	Well		19. P	lug Bac	k Measured De	pth	20). Wa	as Directio	nal	Survey Made	?	21.				ther Logs	Run
22. Producing Int	erval(s), of t	his completion	on - To	p, Bott	tom, Na	ime				****				- L					
23.				. (CAS	ING REC	ORI	D (Rep	ort	all stri	ng	gs set in w	ell)						
CASING SI	ZE	WEIGHT	LB./FT			DEPTH SET		H	OLE	SIZE		CEMENTIN	G RE	COR	D	AN	MOUNT	PULLED)
															+				
												-							
24					LIN	ER RECORD					25.	1	ומו וי	NG R	FCC	JDD.			
SIZE	ТОР		BOTT	МО	LIIV	SACKS CEM	IENT	SCREE	N		SIZ			EPTH			PACK	ER SET	
													\perp						
26. Perforation	record (inte	rval, size, an	d numb	ner)		l		27 40	חוי	SHOT E	D /	ACTURE, CE	ME	JT C	OLIF	EFZE 1	ETC		
20. Terioration	record (inte	i vai, size, air	a mamo	JC1)						ERVAL	1\(\frac{1}{2}\)	AMOUNT A							
												1							
28.							PR	DDUC	TI	ON		1							
Date First Produc	tion	Pro	duction	n Meth	hod (Fle	owing, gas lift, p						Well Status	s (Pro	d. or i	Shut-	in)			
Date of Test	Hours To	ested	Chok	e Size		Prod'n For Test Period		Oil - Bl	ol		Gas	s - MCF	"	ater -	Bbl.	· · · · ·	Gas - 0	Oil Ratio	
Flow Tubing	Casing F	Pressure		ılated 2	24-	Oil - Bbl.		Gas	s - M	CF		Water - Bbl.	!	Oil	Gra	vity - A	PI - (Coi	r.)	
Press. 29. Disposition o	f Gas (Sold,	used for fuel	Hour vented)								30.	Test V	Vitne	ssed By	,		
31. List Attachm					 								<u> </u>						
32. If a temporary	y pit was use	ed at the well	, attach	a plat	with th	e location of the	e tempe	orary pit.											
33. If an on-site t	•			-			-										· ·		
I hereby certi	fy that the	Latitude information	36.741 on she	64°N own o	Lon on both	gitude 108.086 h sides of this	41°W s forn	NAD □ n is true	1927 and	l ⊠1983 d comple	ete	to the best o	of m	kno	wlea	lge an	d belie	f	•
Signature	mu	Good	0	رب	Pri	nted ne Jamie G	-			_				: 2/2					
E-mail Addre	ss jamie.l	.goodwin(@cone	ocopl	hillips	.com													

ConocoPhillips

Pit Closure Form:
Date: 6/14/11
Well Name: Cooper 1005
Footages: 2192 FNL 665 FEC Unit Letter: 14
Section: 7, T-29-N, R-1/-W, County: 64- 744. State: My
Contractor Closing Pit: Ace Services
Construction Inspector: S. M-G/asson Date: 6/14/11 Inspector Signature:

Revised 11/4/10

Office Use Only: Subtask / DSM _____ Folder _____

Goodwin, Jamie L

From:

Pavne, Wendy F

Sent:

Wednesday, June 08, 2011 11:25 AM

To:

(Brandon.Powell@state.nm.us); Eli (Cimarron) (eliv@qwestoffice.net); GRP:SJBU

Regulatory; Mark Kelly; Randy McKee; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Terry; Payne, Wendy F; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary J; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.: Peace, James T: Pierce.

Richard M: Poulson, Mark E: Schaaphok, Bill; Smith, Randall O; Souther, Tappan G;

Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Thibodeaux, Gordon A; Work, Jim A; Corey Alfandre; 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com); Blair, Maxwell O; Blakley, Mac; Farrell, Juanita R; Gillette, Steven L (PAC); Hines, Derek J; Maxwell, Mary Alice; McWilliams, Peggy L; Saiz, Kooper (Finney Land Co.); Seabolt, Elmo F; Thayer,

Ashley A; Thompson, Trey E (Finney Land Co.)

Cc:

Ace Services

Subject:

Reclamation Notice: Cooper 100S (Area 3 * Run 301)

Importance:

High

Attachments:

Cooper 100S.pdf

ACE Services will move a tractor to the **Cooper 100S** to start the reclamation process on Monday, June 13, 2011. Please contact Steve McGlasson (716-3285) if you have questions or need further assistance.



Cooper 100S.pdf (144 KB)

Burlington Resources Well- Network #: 10248801 - Activity Code D250 (reclamation) & D260 (pit closure) - PO: Kaitlw San Juan County, NM

COOPER 100S - BLM surface / BLM minerals

Onsited: Roger Herrera 6-19-08

Twin: n/a

2192' FNL, 665' FEL SEC. 7, T29N, R11W

Unit Letter 'H'

Lease #: USA SF-078813

Latitude: 36° 44′ 29" N (NAD 83) Longitude: 108° 01′ 34" W (NAD83)

Elevation: 5727'

Total Acres Disturbed: 2.38 acres

Access Road: 167' API #: 30-045-34875 Within City Limits: NO

Pit Lined: yes

NOTE: Arch Monitoring is not required on this location.

Wendy Payne ConocoPhillips-SJBU 505-326-9533

ConocoPhillips


Reclamation Form:
Date: 2/19///
Well Name: Cooper 1005
Footages: 2192 FNL 665 FEL Unit Letter: #
Section: 7, T-29-N, R-//-W, County: San Juan State: 1
Reclamation Contractor:
Reclamation Date: Road Completion Date: Seeding Date:
Road Completion Date:
Seeding Date: 6///
/
**PIT MARKER STATUS (When Required): Picture of Marker set needed
MARKER PLACED: 12/16/11 (DATE) LATATUDE: 36.74154
LATATUDE: 36.74154
LONGITUDE: 108.02632
Pit Manifold removed(DATE)
Construction Inspector: 5. M. Glasson Date: 14/9/11
Inspector Signature: $\int \int \int \mathcal{E}$
Office Use Only: Subtask DSM Folder Pictures Revised 11/4/10



BURLINGTON BESURGES

COOPER #100S
LATITUDE 36° 44 MIN. 29.36400 SEC. N (NAD 83)
LONGITJDE 108° 01 MIN. 34.39200 SEC. W (NAD 83)
UNIT H SEC 7 T29N R11W
2192' FNL 665' FEL
API # 30-045-34875
LEASE# USA SF-078813 ELEV. 5727'
LEASE# USA COUNTY, NEW MEXICO





	WELL NAME: Cooper#100s		IT INSPE	CTION	FORM			Con	ocoPh	illips
	INSPECTOR DATE	01/12/11	Fred Mtz 01/19/11							
	*Please request for pit extention after 26 weeks PIT STATUS	Week 1 ☑ Drilled ☐ Completed ☐ Clean-Up	Week 2 Drilled Completed Clean-Up	Week 3 Drilled Completed Clean-Up	Week 4 Drilled Completed Clean-Up	Week 5 Drilled Completed Clean-Up	Week 6 Drilled Completed Clean-Up	Week 7 Drilled Completed Clean-Up	Week 8 Drilled Completed Clean-Up	Week 9 Drilled Completed Clean-Up
LOCATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	☐ Yes ☐ No
/201	Is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Is the access road in good driving condition? (deep ruts, bladed)	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
Ж	Is the top of the location bladed and in good operating condition?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	Yes No	Yes No
COMPLIANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes 🗌 No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
SOMP	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
N VIRC	Is there any standing water on the blow pit?	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
₩	Are the pits free of trash and oil?	☑ Yes ☐ No	✓ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes □ No	✓ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
10km	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ے 2	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No	Yes No
*	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	COMMENTS	Road and location needs bladed.	Location and road needs bladed tighten up fence							

	WELL NAME:								**************************************	•
	Cooper#100s									
	INSPECTOR							E. Perry	E. Perry	E. Perry
	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	02/08/11 Week 16	02/16/11 Week 17	02/21/11 Week 18
	PIT STATUS	Drilled Completed Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up					
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No
LOCA	Is the temporary well sign on location and visible from access road?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
	Is the access road in good driving condition? (deep ruts, bladed)	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	Yes No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
띩	Is the top of the location bladed and in good operating condition?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
PLIANO	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
COMP	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
NTAL (Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	Yes No	☐ Yes ☑ No
ENVIRONMENT	Does the pit contain two feet of free board? (check the water levels)	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
NVIRC	Is there any standing water on the blow pit?	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No
	Are the pits free of trash and oil?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☑ No
	Are there diversion ditches around the pits for natural drainage?	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	Yes No	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	✓ Yes 🗌 No	✓ Yes ☐ No	☑ Yes ☐ No
၁၀	Was the OCD contacted?	Yes No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS							Fence down Rig on Loc.	Fence loose Stains on Loc. Oil in Pit	Fence Loose Stains on Loc. Oil in Pit

	WELL NAME:				1				0	
	Cooper#100s									
	INSPECTOR	E. Perry	E. Perry	E. Perry	E. Perry	E. Perry	E. Perry	Fred	Fred	E. Perry
ļ	*Please request for pit extention after 26 weeks	03/01/11 Week 19	03/07/11 Week 20	03/16/11 Week 21	03/23/11 Week 22	03/29/11 Week 23	03/31/11 Week 24	41/11/11 Week 25	04/18/11 *Week 26*	04/21/11
	PIT STATUS	✓ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ✓ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	Week 27 ☑ Drilled ☑ Completed ☐ Clean-Up
NOIT	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No
	Is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No
	ls the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No
Ж	Is the top of the location bladed and in good operating condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
MPLIAN	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No
SOMP	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes ☐ No
IAL (Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
NWE	Does the pit contain two feet of free board? (check the water levels)	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No
ENVIRONMENT	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	Are the pits free of trash and oil?	Yes 🗸 No	☐ Yes ☑ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No
	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
*.	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	Fence Loose Rig	Fence Loose Oil in Pit Stains on Loc.		Loc. Needs Bladed Stains on Loc.	Location Rough		Loc. Rough Stains	Loc. Rough Stains	

	WELL NAME:									•
	Cooper#100s						* .			
	INSPECTOR	E. Perry	E. Perry	E. Perry	E. Perry	E. Perry	E. Perry	Fred	Fred	
L	DATE		05/05/11	05/12/11	05/19/11	05/26/11	06/08/11	06/15/11	06/22/11	
	*Please request for pit extention after 26 weeks	Week 28	Week 29	Week 30	Week 31	Week 32	Week 33	Week 34	Week 35	Week 36
ŀ	DIT CTATUS	✓ Drilled ✓ Completed	✓ Drilled ✓ Completed	✓ Drilled ✓ Completed	✓ Drilled✓ Completed	✓ Drilled ✓ Completed	✓ Drilled ✓ Completed	☐ Drilled☐ Completed	☐ Drilled ☐ Completed	Drilled Completed
	PIT STATUS	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up
Sanita Ph	所以,是是国家公司的CENTACOTOCICATION (1996),人员专用 (1995),他们也是使用的人会分享,他们不公司。 医复杂性	Clean-ob	Clean op	Clean-ob	C Clean-ob	Clean-op	Clean-op	Clean-op	Clean-ob	Clean-ob
CATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
7001	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑·No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	ls the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	Yes No	Yes No	Yes No
NCE	ls the top of the location bladed and in good operating condition?	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
LIANC	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
COMP	is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
MIAL	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	☐ Yes ☐ No
NWE	Does the pit contain two feet of free board? (check the water levels)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No
ENVIRONMENTAL	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
Ш	Are the pits free of trash and oil?	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	Yes No	Yes No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes 🗌 No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No
10 -	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	☐ Yes ☐ No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	COMMENTS	Loc. Rough	Loc. Rough Stains on Loc.	Sign on Facility Stains on Loc.	Sign on Facility Stains on Loc.		Sign on Facility Stains on Loc.	PIT CLOSED	Closed	

•