District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe

District IV 1220 S. St. Francis D	r., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
262	<u>Pro</u> j	Pit, Closed-Loop System, Below-Grade Tank, or posed Alternative Method Permit or Closure Plan Application
	Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions:	Please submit one	application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
		of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the lieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Decrator: ConocoPhillips Company	OGRID#: 217817
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: Lindrith B Unit 30	•
API Number: 30-039-23859 OCD Permit	t Number:
J/L or Qtr/Qtr: I(NE/SE) Section: 16 Township: 24N Range	: 3W County: Rio Arriba
Center of Proposed Design: Latitude: 36.307689 °N Longitude	e: <u>-107.15476</u> °W NAD: X 1927 1983
Surface Owner: X Federal State Private Tribal Trust o	or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC	RCVD MAY 31 *:
Temporary: Drilling Workover	OIL CONS. DI
Permanent Emergency Cavitation P&A	DIST. 3
	PE HDPE PVC Other
String-Reinforced	
Liner Seams: Welded Factory Other Volume:	bbl Dimensions Lx Wx D
of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	pplies to activities which require prior approval of a permit or notice PE HDPE PVD Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bb! Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thicknessmil HDPE PVC Other	and automatic overflow shut-off her
Liner Type: Thicknessmil HDPE PVC Ot Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe	

Form C-144

Oil Conservation Division

Page 1 of 5

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)			
Fencing: Subsection D of 19.15.17.11 NMAC (Appries to permanent put, temporary pils, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet			
Alternate. Please specify		ا	
7			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)			
Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
8			
Signs: Subsection C of 19.15.17.11 NMAC			
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
X Signed in compliance with 19.15.3.103 NMAC			
9			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.			
Please check a box if one or more of the following is requested, if not leave blank:			
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of an	provat	
(Fencing/BGT Liner)	raciation of ap	provan.	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC			
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable			
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the			
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria			
does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	□ Yes	\square_{No}	
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		ا ۰۰۰	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No	
(measured from the ordinary high-water mark).		_	
- Topographic map; Visual inspection (certification) of the proposed site		'	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	□No	
application.			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	 		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No	
(Applied to permanent pits)	□NA		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	No	
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No	
adopted pursuant to NMSA 1978, Section 3-27-3, as amended		_	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		□No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes		
Within the area overlying a subsurface mine.	Yes	□No	
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		<u> </u>	
Within an unstable area.	Yes	No	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	1	i	
Society; Topographic map	Yes	□No	
Within a 100-year floodplain - FEMA map	L. 168	□'`` ⁰	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Closure Frain - based upon the appropriate requirements of Subsection C of 19.13.17.9 NMAC and 19.13.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Under Secondariation 1 min Consect after the appropriate requirements of consecution of a 1997-1997 1997 1997

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Al	your Cround Stool Tonks or Houl off Rins On	dv. (10 15 17 12 D NMAC)			
Instructions: Please identify the facility or facilities for the disposal facilities are required.	of liquids, drilling fluids and drill cuttings. Use	attachment if more than two			
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #:	NM-01-0011 / NM-01-00	10B		
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #:	NM-01-005			
Will any of the proposed closed-loop system operations and as Yes (If yes, please provide the information		will not be used for future so	ervice and		
Required for impacted areas which will not be used for future servic Soil Backfill and Cover Design Specification - based up Re-vegetation Plan - based upon the appropriate require Site Reclamation Plan - based upon the appropraite require	oon the appropriate requirements of Subsect ements of Subsection I of 19.15.17.13 NMA	C	0		
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 1 Instructions: Each siting criteria requires a demonstration of compliance certain siting criteria may require administrative approval from the appro office for consideration of approval. Justifications and/or demonstrations	in the closure plan. Recommendations of acceptabl priate district office or may be considered an excep	tion which must be submitted to t		-	
Ground water is less than 50 feet below the bottom of the burie	ed waste		Yes No		
- NM Office of the State Engineer - iWATERS database search			∏N/A		
Ground water is between 50 and 100 feet below the bottom of	the buried weets		Yes No		
- NM Office of the State Engineer - iWATERS database search;		¢ .	N/A		
<u>-</u>					
Ground water is more than 100 feet below the bottom of the but NM Office of the State Engineer - iWATERS database search;			Yes No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of (measured from the ordinary high-water mark).		nkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the propo					
Within 300 feet from a permanent residence, school, hospital, institut - Visual inspection (certification) of the proposed site; Aerial pho		pplication.	Yes No		
visual inspection (continuation) of the proposed site, North pho	to, sateline image		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or surposes, or within 1000 horizontal fee of any other fresh water well - NM Office of the State Engineer - iWATERS database; Visual	or spring, in existence at the time of the initial a				
Within incorporated municipal boundaries or within a defined municipal pursuant to NMSA 1978, Section 3-27-3, as amended.		ipal ordinance adopted	Yes No		
 Written confirmation or verification from the municipality; Wri Within 500 feet of a wetland 	tten approval obtained from the municipality		Tyes No		
- US Fish and Wildlife Wetland Identification map; Topographic	map; Visual inspection (certification) of the pro	posed site			
Within the area overlying a subsurface mine.			Yes No		
- Written confirantion or verification or map from the NM EMN	RD-Mining and Mineral Division				
Within an unstable area.	CO I ANG ID HOOGNIM	0-1-10-1	Yes No		
 Engineering measures incorporated into the design; NM Bureau Topographic map 	of Geology & Mineral Resources; USGS; NM	Geological Society;			
Within a 100-year floodplain. - FEMA map			Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Inst by a check mark in the box, that the documents are attached			re plan. Please indicate	 ;	
Siting Criteria Compliance Demonstrations - based upo	•• •				
Proof of Surface Owner Notice - based upon the appropriate the surface of the sur	•				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
		on F of 19.15 17 13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

Operator Application Certification: I hereby certify that the information submitted with the	this application is true, accura	te and complete to the be	est of my knowledge and belief.	
	Davis	Title:	Staff Regulatory Technolian	
Signature:		Date:	5/30/2013	
	onocophillips.com	Telephone:	(505) 599-4045	
# OCD Approval: Permit Application (incl OCD Representative Signature: Title: Compliance Office	luding closure plan)	Closure Plan (only)	OCD Conditions (see attachment) Approval Date: 6/6/2	2013
THE COMPLANCE OFFICE			it Number:	
21 Closure Report (required within 60 days of a Instructions: Operators are required to obtain an apreport is required to be submitted to the division wit approved closure plan has been obtained and the cl	pproved closure plan prior to thin 60 days of the completion	implementing any closu of the closure activities. apleted.	re activities and submitting the closure repo	
22				
Closure Method: Waste Excavation and Removal If different from approved plan, please expla	•	Alternative Closure l	Method Waste Removal (Closed-loop	o systems only)
# Closure Report Regarding Waste Removal Closu Instructions: Please identify the facility or facilities				than two facilities
were utilized.				
Disposal Facility Name:		Disposal Facility		
Disposal Facility Name: Were the closed-loop system operations and asso	rejeted neticuities performed on	Disposal Facility		en?*
Yes (If yes, please demonstrate complilane t		No	be used for future service and opeartions?	,
Required for impacted areas which will not be use. Site Reclamation (Photo Documentation)	sed for future service and ope	rations:		
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding	g Technique			
Closure Report Attachment Checklist: In the box, that the documents are attached.		wing items must be attac	ched to the closure report. Please indicate,	by a check mark in
Proof of Closure Notice (surface owner a	,			
Proof of Deed Notice (required for on-si Plot Plan (for on-site closures and tempo				
Confirmation Sampling Analytical Resul	• • •			
Waste Material Sampling Analytical Res				
Disposal Facility Name and Permit Num	` .,			
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Sec	eding Technique			
Site Reclamation (Photo Documentation				
On-site Closure Location: Latitude:		Longitude:	NAD	1983
25 Operator Closure Certification: I hereby certify that the information and attachment the closure complies with all applicable closure reg.				d belief. I also certify that
Name (Print):		Title:		
Signature:		Date:		
e-mail address:		Telephone:		

ConocoPhillips Company Closed-loop Plans

Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.