1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

### 110044

### Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit X Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144. Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

Operator: XTO ENERGY INC.				
	OGRID#:5380			
Address:382 CR 3100 AZTEC, NM 87410			· · · · · · · · · · · · · · · · · · ·	
Facility or well name: JF DAY E #1 (P&A)				
API Number:30-045-07442	OCD Permit ?	Num <u>ber:</u>		
U/L or Qtr/Qtr L Section17 Township _	<b>28N</b> Rang	e <u>10W</u>	County:	SAN JUAN
Center of Proposed Design: Latitude 36.66013 Longitude 107.92526 NAD: 1927 X 1983				
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment				
Z Closed-loop-System: Subsection H of 19.15.17.11 NMAC  Operation: Drilling a new well Workover or Drilling (Applies  X Above Ground Steel Tanks or Haul-off Bins	to activities which r	equire prior ap	proval of a pern	nit or notice of intent) 🛛 P&A
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and Signed in compliance with 19.15.3.103 NMAC	l emergency telepho	ne numbers		RCVD JUN 17 '13 OIL CONS. DIV. DIST. 3
Design Plan - based upon the appropriate requirements of 19.15.17.  Operating and Maintenance Plan - based upon the appropriate requi  Closure Plan (Please complete Box 5) - based upon the appropriate	irements of 19.15.11		19.15.17.9 NM <i>A</i>	
☐ Previously Approved Design (attach copy of design) API N ☐ Previously Approved Operating and Maintenance Plan API N	Number:		-	C and 19.15.17.13 NMAC
Previously Approved Operating and Maintenance Plan APIN  S.  Waste Removal Closure For Closed-loop Systems That Utilize Above Instructions: Please indentify the facility or facilities for the disposal of facilities are required.  Disposal Facility Name:	Number:	unks or Haul-cuids and drill cu	off Bins Only: ( uttings. Use atta	(19.15.17.13.D NMAC) ichment if more than two
Previously Approved Operating and Maintenance Plan APIN  5.  Waste Removal Closure For Closed-loop Systems That Utilize About Instructions: Please indentify the facility or facilities for the disposal of facilities are required.	Number:	unks or Haul-cuids and drill cu	off Bins Only: ( uttings. Use atta	(19.15.17.13.D NMAC) ichment if more than two
Previously Approved Operating and Maintenance Plan APIN  S.  Waste Removal Closure For Closed-loop Systems That Utilize Above Instructions: Please indentify the facility or facilities for the disposal of facilities are required.  Disposal Facility Name:	Number:	anks or Haul-outs and drill concility Permit N	off Bins Only: ( uttings. Use attal lumber:	(19.15.17.13.D NMAC) schment if more than two
Previously Approved Operating and Maintenance Plan APIN  S.  Waste Removal Closure For Closed-loop Systems That Utilize Above Instructions: Please indentify the facility or facilities for the disposal of facilities are required.  Disposal Facility Name:  Disposal Facility Name:  Will any of the proposed closed-loop system operations and associated	Number:  ve Ground Steel Ta  if liquids, drilling flu  Disposal Fa  activities occur on o  nd operations:  the appropriate require  if Subsection 1 of 19	anks or Haul-outds and drill concility Permit Note in areas that the ements of Subs. 15.17.13 NMA	off Bins Only: outlings. Use attailumber: lumber: will not be used section H of 19.	(19.15.17.13.D NMAC) schment if more than two for future service and operations
Previously Approved Operating and Maintenance Plan  5.  Waste Removal Closure For Closed-loop Systems That Utilize Above Instructions: Please indentify the facility or facilities for the disposal of facilities are required.  Disposal Facility Name:  Disposal Facility Name:  Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information below) No  Required for impacted areas which will not be used for future service at Soil Backfill and Cover Design Specifications based upon the Re-vegetation Plan - based upon the appropriate requirements of	Number:  ve Ground Steel Tz  if liquids, drilling flu  Disposal Fa  activities occur on o  nd operations:  the appropriate require  Subsection I of 19  ts of Subsection G occur  true, accurate and cocurate.	anks or Haul-outds and drill concility Permit Nacility Permit Nor in areas that the ements of Subs. 15.17.13 NM/of 19.15.17.13 NM/of 19.15.17.15 NM/of 19.15.17.15 NM/of 19.15.17 NM/of 19.15.17 NM/of 19.15.17 NM/of 19.15.17 NM/of	off Bins Only: outlings. Use attailumber: lumber: will not be used section H of 19. NMAC	(19.15.17.13.D NMAC) suchment if more than two for future service and operations 15.17.13 NMAC
Previously Approved Operating and Maintenance Plan  5.  Waste Removal Closure For Closed-loop Systems That Utilize Above Instructions: Please indentify the facility or facilities for the disposal of facilities are required.  Disposal Facility Name:  Disposal Facility Name:  Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information below) No  Required for impacted areas which will not be used for future service at Soil Backfill and Cover Design Specifications based upon the Re-vegetation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate Plan - Based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate Plan - Based upon the Application Plan - Based upo	Number:  ve Ground Steel Tz  if liquids, drilling flu  Disposal Fa  activities occur on o  nd operations:  the appropriate require  Subsection I of 19  ts of Subsection G occur  true, accurate and cocurate.	anks or Haul-outds and drill concility Permit Nacility Permit Nor in areas that the ements of Subs. 15.17.13 NM/of 19.15.17.13 NM/of 19.15.17.15 NM/of 19.15.17.15 NM/of 19.15.17 NM/of 19.15.17 NM/of 19.15.17 NM/of 19.15.17 NM/of	off Bins Only: outlings. Use attailumber: lumber: will not be used section H of 19. NMAC	(19.15.17.13.D NMAC) schment if more than two for future service and operations
S.  Waste Removal Closure For Closed-loop Systems That Utilize Above Instructions: Please indentify the facility or facilities for the disposal of facilities are required.  Disposal Facility Name:  Disposal Facility Name:  Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information below) No  Required for impacted areas which will not be used for future service at Soil Backfill and Cover Design Specifications based upon the Re-vegetation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - based upon the appropriate requirements of the Plan - b	Number:  ve Ground Steel Tage of liquids. drilling flu  Disposal Fage activities occur on common operations: the appropriate requiref Subsection 1 of 19 ts of Subsection G common operation G common opera	anks or Haul-outds and drill concility Permit Note in areas that the ements of Substitution 15.17.13 NMA of 19.15.17.13 NMA of	off Bins Only: (attings. Use attailumber:	(19.15.17.13.D NMAC) inchment if more than two for future service and operations 15.17.13 NMAC

OCD Approval: Permit Application (including closure plan) Closure	: <del>Plan (only</del> )			
OCD Representative Signature:	Approval Date: 6/24/2013			
Title: Comphance Office OCD	Permit Number:			
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.    X Closure Completion Date: 6/13/2013				
Olosure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more				
than two facilities were utilized.  Disposal Facility Name: IEI Disposal	al Facility Permit Number: NM01-0010B			
Disposal Facility Name: Disposa	al Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below)				
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique				
10.				
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): SHERRY J. MORROW	Title: _REGULATORY ANALYST			
Signature: Sherry Moucour	Date: 6/14/2013			
e-mail address: sherry morrow@xtoenergy.com	Telephone:505-333-3630			

# XTO Energy Inc. San Juan Basin Closed-Loop System Closure Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the closure requirements of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

#### General Plan

XTO will close a drying pad used for a closed-loop system within six months from the date that XTO released the drilling or workover rig. XTO will note the date of the drilling or workover rig's release on form C-105 or C-103, filed with the division, upon the well's or workover's completion.

The closed-loop tank will be closed in accordance with 19.15.17.13 NMAC. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit Number NM01-0011) or IEI (Permit Number NM01-0010B) immediately following rig operations.

All remaining liquids will be transported and disposed of at the Basin Disposal, Inc facility (Permit Number NM01-005). As an alternative (in the event Basin Disposal refused liquids because of capacity considerations, and if proper inventory space is available for liquids transfer while meeting free board requirements), the liquids will be moved forward to a XTO temporary pit constructed in accordance with all specifications in NMAC Rule 19.15.17 for a well yet to be drilled. All specifications, limitations, and rules within the New Mexico Administrative Codes regulating this transfer of liquids will be strictly adhered to. As a third alternative, if Basin Disposal turns away the fluids because of capacity reasons, and the second transfer option is not available, XTO may elect to haul the fluids to IEI (Permit Number NM01-0010B) for final disposition.

The tanks will be removed from the location as part of the rig move. At the time of well abandonment the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

## XTO Energy Inc. San Juan Basin Closed-Loop System Design and Construction Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the design and construction of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

#### General Plan

Our closed-loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system.
- 2. It will be signed in compliance with 19.15.3.103 NMAC.

# XTO Energy Inc. San Juan Basin Closed-Loop Systems Maintenance and Operating Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the operation and maintenance of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

#### General Plan

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain the goal the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal, Inc. facility (Permit Number NM01-005). An alternative if available for liquids disposal, will be to move the liquids forward to a XTO temporary pit constructed in accordance with all specifications in NMAC Rule 19.15.17 for a well yet to be drilled. All specifications, limitations, and rules within the New Mexico Administrative Code regulating this transfer of liquids will be strictly adhered to. As a third alternative, if Basin Disposal turns away the fluids because of capacity reasons, and the second transfer option is not available, XTO may elect to haul fluids to IEI (Permit Number NM01-0010B) for final disposition.
- 2. Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM01-0011) or IEI (Permit Number NM01-0010B) on a periodic basis to prevent over topping.
- 3. No hazardous waste, miscellaneous solids, waste, or debris will be discharged into, or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 4. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon discovery of the compromised tank, repairs will be enacted immediately.
- 5. All of the above operations will inspected and a log will be signed and dated daily during rig operations.