District 1 1625 N. French Dr., Hobbs, NM 88240	State of New Mexico Energy Minerals and Natural Resources	Form C-144 July 21, 2008					
<u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210 District III	Department Oil Conservation Division 1220 South St. Francis Dr.	For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.					
1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.					
	Pit, Closed-Loop System, Below-Grad	e Tank or					
Duomo	sed Alternative Method Permit or Close						
Type of action:							
- (-	X Closure of a pit, closed-loop system, below-grade	tank, or proposed alternative method					
	Modification to an existing permit						
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method						
Instructions: Please submit one app	plication (Form C-144) per individual pit, closed-loo	p system, below-grade tank or alternative request					
	Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.						
Deperator: ConocoPhillips Company	NIM 07400	OGRID#: <u>217817</u>					
Address: PO Box 4289, Farmington	, INIVI 8/499						
Facility or well name: <u>Newsom 14</u>							
API Number: 30-	045-05683 OCD Permit Numbe	r:					
U/L or Qtr/Qtr: G(SW/NE) Section	n: <u>29</u> Township <u>26N</u> Range:	8W County: San Juan					
Center of Proposed Design: Latitude:	<u>36.461078</u> <u>N</u> Longitude:	107.70209 °W NAD: X ### 1983					
Surface Owner: X Federal	State Private Tribal Trust or India	n Allotment					
2 Pit: Subsection F or G of 19.15.17.1	II NMAC	OIL CONS. DIV DIST. 3					
Temporary: Drilling Workd	over	III AF 2012					
Permanent Emergency Ca	vitation P&A	JUL 0.5 2013					
Lined Unlined Line	er type: Thickness . mil LLDPE	HDPE PVC Other					
String-Reinforced							
	ton, Other Volume:	hel Dimensions I w W v D					
Liner Seams: Welded Fac	tory Other Volume:	bbl D x W x D					
3 X Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: X P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad X Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other							
Liner Seams: Welded Fac	tory Other						
Below-grade tank: Subsection I c Volume:bbl Tank Construction material:							
Secondary containment with leak deter Visible sidewalls and liner Liner Type: Thickness	ection Visible sidewalls, liner, 6-inch lift and auto Visible sidewalls only Other mil HDPE PVC Other	matic overflow shut-off					
Secondary containment with leak dete	Visible sidewalls only Other	matic overflow shut-off					
Secondary containment with leak dete Visible sidewalls and liner Liner Type: Thickness	Visible sidewalls only Other	omatic overflow shut-off					
Secondary containment with leak dete Secondary containment with leak dete Visible sidewalls and liner Liner Type: Thickness	Visible sidewalls only Other						

,

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
7 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other				
 8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC 				
9 Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
¹⁰ <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes [No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes [No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA			
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) Visual inspection (certification) of the proposed site: Aerial photo; Satellite image 	Yes NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes [No		
 NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality; Written approval obtained from the municipality 	Yes [No		
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes [No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes [No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes [No		
Within a 100-year floodplain - FEMA map	Yes [No		

11 <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
¹³ <u>Permanent Pits Permit Application Checklist:</u> Subsection B of 19.15.17.9 NMAC <i>Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.</i>					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
14					
Proposed Closure: 19.15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System					
Alternative					
Proposed Closure Method: Waste Excavation and Removal					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

•

•••

	i <mark>tilize Above Ground Steel Tanks or Haul-off Bins Only:</mark> (19.15.17.13.D NMAC lisposal of liquids, drilling fluids and drill cuttings. Use attachment if more than tw			
facilities are required.	Disposal Facility Permit #:			
Disposal Facility Name:				
	s and associated activities occur on or in areas that <i>will not</i> be used for futur	e service and		
Re-vegetation Plan - based upon the appropriate	re service and operations: based upon the appropriate requirements of Subsection H of 19.15.17.13 NN e requirements of Subsection 1 of 19.15.17.13 NMAC raite requirements of Subsection G of 19.15.17.13 NMAC	1AC		
17	· · · ·			
certain siting criteria may require administrative approval from	only: 19.15.17.10 NMAC npliance in the closure plan. Recommendations of acceptable source material are provide the appropriate district office or may be considered an exception which must be submitted tstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of - NM Office of the State Engineer - iWATERS databas		Ycs No		
Ground water is between 50 and 100 feet below the bo	ttom of the buried waste	Yes No		
- NM Office of the State Engineer - iWATERS database		□ N/A		
Ground water is more than 100 feet below the bottom	of the buried waste.	Yes No		
- NM Office of the State Engineer - iWATERS database	e search; USGS; Data obtained from nearby wells	N/A		
(measured from the ordinary high-water mark).	00 feet of any other significant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site		Yes No		
- Visual inspection (certification) of the proposed site; A	l, institution, or church in existence at the time of initial application. erial photo; satellite image			
purposes, or within 1000 horizontal fee of any other fresh wa - NM Office of the State Engineer - iWATERS database	well or spring that less than five households use for domestic or stock watering atter well or spring, in existence at the time of the initial application. ; Visual inspection (certification) of the proposed site d municipal fresh water well field covered under a municipal ordinance adopted	Yes No		
- Written confirmation or verification from the municipa	lity; Written approval obtained from the municipality			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Top	ographic map; Visual inspection (certification) of the proposed site	Yes No		
Within the area overlying a subsurface mine.	MENDER MILLER AND A STREET	Yes No		
 Written confirmation or verification or map from the N Within an unstable area. 	M EMAKD-Maning and Mineral Division	Yes No		
	1 Bureau of Geology & Mineral Resources; USGS; NM Geological Society;			
Within a 100-ycar floodplain. - FEMA map	·			
by a check mark in the box, that the documents are a		sure plan. Please indicate,		
	used upon the appropriate requirements of 19.15.17.10 NMAC			
	e appropriate requirements of Subsection F of 19.15.17.13 NMAC applicable) based upon the appropriate requirements of 19.15.17.11 NMAC			
	r in place burial of a drying pad) - based upon the appropriate requirements of	of 19 15 17 11 NMAC		
Protocols and Procedures - based upon the appr				
	used upon the appropriate requirements of Subsection F of 19.15.17.13 NMA	١C		
	appropriate requirements of Subsection F of 19.15.17.13 NMAC			
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 				
	Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

.

.- [

٦

	· · · · · · · · · · · · · · · · · · ·
19 Onemates Application Contifications	
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the	hest of my knowledge and belief
	best of my knowledge and benef.
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
# <u>OCD Approval:</u> Permit Application (including closure plan) X flosure Plan (only) OCD Representative Signature: Title: <u>GmQlumce</u> Office OCD Per	DCD Conditions (see attachment) Approval Date: 7/11/2013 mit Number:
21 Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NM/ Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure report is required to be submitted to the division within 60 days of the completion of the closure activities approved closure plan has been obtained and the closure activities have been completed.	sure activities and submitting the closure report. The closure
22 Closure Method: Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain.	e Method X Waste Removal (Closed-loop systems only)
#	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above C Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cutt were utilized.	
	y Permit Number: NM-01-0011 / NM-01-0010B
	· · · · · · · · · · · · · · · · · · ·
	y Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will no	of be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below)	
Required for impacted areas which will not be used for future service and operations:	
Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be at	tached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.	
Proof of Closure Notice (surface owner and division)	
Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation)	
	NAD 1927 1983
On-site Closure Location: Latitude: Longitude:	
25	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate the closure complies with all applicable closure requirements and conditions specified in the approved	
Name (Print): Dollie LyBusse, Title:	Staff Regulatory Technician
Signature: Alter Dusce Date:	713115
e-mail address: dollie.l.busse@conocophillips.com Tclephone:	(505) 324-6104

.