

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
Revised August 1, 2011

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-043-21146
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Encana Oil & Gas (USA) Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 370 17 <sup>th</sup> Street, Suite 1700 Denver, CO 80202		7. Lease Name or Unit Agreement Name Lybrook M31-2306
4. Well Location SHL: Unit Letter M: 1224 feet from the <u>SOUTH</u> line and 437 feet from the <u>WEST</u> line, Sec 31, T23N, R6W, Sandoval County BHL: Unit Letter L: 1920 feet from the <u>SOUTH</u> line and 330 feet from the <u>WEST</u> line, Sec 36, T23N, R7W, Sandoval County		8. Well Number 02H
		9. OGRID Number 282327
		10. Pool name or Wildcat Lybrook Gallup
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 7173' GR		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
OTHER: ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☒  
OTHER: Vertical Hole Size ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Well Spud 6/29/13

Set surface casing string and cemented 6/30/13. Gelled freshwater system.

Hole diameter: 12.25", casing diameter: 9.625", casing weight and grade: 36ppf J55 LTC. Depth of 12.25" hole from 0' to 530'. Casing set from surface to 521' TVD/MD.

On 6/30/13 pumped 227 sks Type III Cement + 25#/sk Celloflake + 1% CaCl<sub>2</sub> + 0.2% FL52A. Yield 1.38 cuft/sk. Mixed at 14.6 ppg. 12 bbls circ to surface. WOC 8 hours for surface casing.

Float collar at 474'. TOC at surface and BOC at 521'.

Tested BOP and casing 6/30/13. BOP pressure held to 3000# for 30 minutes. No pressure drop. Tested casing to 1500# for 30 minutes. No pressure drop. Started drilling out cement on 7/1/13.

Spud Date: 6/29/13

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Robynn Haden TITLE Engineering Technologist DATE 7/8/13  
Type or print name Robynn Haden E-mail address: robynn.haden@encana.com PHONE: 720-876-3941

For State Use Only

APPROVED BY: [Signature] TITLE Deputy Oil & Gas Inspector,  
Conditions of Approval (if any): District #3 DATE 7/17/13