District_IL 1301 W. Grand A District_IIL 1000 Rio Brazos District_IV_	Dr., Hobbs, NM 88240 Avenue, Artesia, NM 88210 Road, Aztec, NM 87410 cis Dr., Santa Fe, NM 87505	State of Ne Energy Minerals and Depar Oil Conservat 1220 South S Santa Fe, N	d Natural Resource tment tion Division t. Francis Dr.	For closed-loop syst ground steel tanks of to implement waste	Form C-144 CLEZ July 21, 2008 ems that only use above or haul-off bins and propose removal for closure, submit MOCD District Office.
Instructions: closed-loop sys Please be advised	Closed-Loo (that only use above ground state Please submit one application (For stem that only use above ground state I that approval of this request does not or does approval relieve the operator of	Type of action:	and propose to impl Permit X Closur dual closed-loop system d propose to implement should operations result i	ement waste remova re request. For any applia waste removal for closu in pollution of surface wa	cation request other than for a re, please submit a Form C-144. er, ground water or the
^{1.} Operator:	XTO ENERGY INC.		OGR	ID#: 5380	
Address:	382 CR 3100 AZTEC, NM	87410			
	name: UTE INDIANS A				
· ·	30-045-11165		OCD Permit Number:		
	<u> </u>				
Center of Propo	osed Design: Latitude36	5.947699	Longitude <u>108.</u>		
X Above Grou 3. Signs: Subsec 12"x 24", 2 12"x 24", 2	Drilling a new well Workove und Steel Tanks or Haul-off I stion C of 19.15.17.11 NMAC " lettering, providing Operator's n ompliance with 19.15.3.103 NMA	Bins ame, site location, and eme	· · ·		CVD JUL 22 '13 OIL CONS. DIV. DIST. 3
Instructions: I attached. Design Plar Operating a Closure Pla	extems Permit Application Attac Each of the following items must on - based upon the appropriate req and Maintenance Plan - based upo an (Please complete Box 5) - based Approved Design (attach copy of	<i>be attached to the applicat</i> uirements of 19.15.17.11 N n the appropriate requirement d upon the appropriate requirement design) API Numb	ion. Please indicate, b MAC ints of 19.15.17.12 NM. irements of Subsection er:	y a check mark in the AC C of 19.15.17.9 NMA	
	Approved Operating and Mainten	ance Plan API Numb	er:		
Instructions: Pa facilities are red Disposal Facil	lity Name:	ities for the disposal of liqu	ids, drilling fluids and a	drill cuttings. Use attac rmit Number:	hment if more than two
Disposal Facil	lity Name:	······	Disposal Facility Pe	rmit Number:	
Required for im Soil Bac	proposed closed-loop system oper yes, please provide the informatio <i>pacted areas which will not be us</i> ckfill and Cover Design Specificat tation Plan - based upon the appro-	n below) No ed for future service and op tions based upon the app opriate requirements of Sub	erations: ropriate requirements o section I of 19.15.17.12	f Subsection H of 19.1 3 NMAC	
6. Operator App	clamation Plan - based upon the ap lication Certification: that the information submitted w	· · · · · · · · · · · · · · · · · · ·			edge and belief.
Name (Print):			Title:		
Ŭ					
e-man address:			-		
	Form C-144 CLEZ	Un Conservation D	ivision .	Page	1 of 2

7. OCD Approval: Permit Application (including closure plap) Clos	ure Plan (only)					
OCD Representative Signature:	Approval Date: 7232013					
Title: Compliance Officer () oc	D Permit Number:					
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.						
	X Closure Completion Date: 7/16/2013					
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: <u>IEI</u> Disposal Facility Permit Number: <u>NM01-0010B</u>						
Disposal Facility Name: Disp	osal Facility Permit Number:					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) 🕱 No						
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	N.					
10.						
Operator Closure Certification : I hereby certify that the information and attachments submitted with this closure rep belief. I also certify that the closure complies with all applicable closure requiremen	ort is true, accurate and complete to the best of my knowledge and ts and conditions specified in the approved closure plan.					
Name (Print): SHERRY J. MORROW	Title: REGULATORY ANALYST					
Signature: Sump Longuan	Date:7/18/2013					
e-mail address: sherry morrow@xtoenergy.com	Telephone:505-333-3630					

.

XTO Energy Inc. San Juan Basin Closed-Loop System Closure Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the closure requirements of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

General Plan

XTO will close a drying pad used for a closed-loop system within six months from the date that XTO released the drilling or workover rig. XTO will note the date of the drilling or workover rig's release on form C-105 or C-103, filed with the division, upon the well's or workover's completion.

The closed-loop tank will be closed in accordance with 19.15.17.13 NMAC. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit Number NM01-0011) or IEI (Permit Number NM01-0010B) immediately following rig operations.

All remaining liquids will be transported and disposed of at the Basin Disposal, Inc facility (Permit Number NM01-005). As an alternative (in the event Basin Disposal refused liquids because of capacity considerations, and if proper inventory space is available for liquids transfer while meeting free board requirements), the liquids will be moved forward to a XTO temporary pit constructed in accordance with all specifications in NMAC Rule 19.15.17 for a well yet to be drilled. All specifications, limitations, and rules within the New Mexico Administrative Codes regulating this transfer of liquids will be strictly adhered to. As a third alternative, if Basin Disposal turns away the fluids because of capacity reasons, and the second transfer option is not available, XTO may elect to haul the fluids to IEI (Permit Number NM01-0010B) for final disposition.

The tanks will be removed from the location as part of the rig move. At the time of well abandonment the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

XTO Energy Inc. San Juan Basin Closed-Loop System Design and Construction Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the design and construction of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

General Plan

3 i j

Our closed-loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system.
- 2. It will be signed in compliance with 19.15.3.103 NMAC.

XTO Energy Inc. San Juan Basin Closed-Loop Systems Maintenance and Operating Plan

In accordance with Rule 19.15.17.11 NMAC the following information describes the operation and maintenance of closed-loop systems on XTO Energy Inc. (XTO) locations. This is XTO's standard procedure for all closed-loop systems. A separate plan will be submitted for any closed-loop system which does not conform to this plan.

General Plan

ي د ۽ د

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain the goal the following steps will be followed:

- The liquids will be vacuumed out and disposed of at the Basin Disposal, Inc. facility (Permit Number NM01-005). An alternative if available for liquids disposal, will be to move the liquids forward to a XTO temporary pit constructed in accordance with all specifications in NMAC Rule 19.15.17 for a well yet to be drilled. All specifications, limitations, and rules within the New Mexico Administrative Code regulating this transfer of liquids will be strictly adhered to. As a third alternative, if Basin Disposal turns away the fluids because of capacity reasons, and the second transfer option is not available, XTO may elect to haul fluids to IEI (Permit Number NM01-0010B) for final disposition.
- Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM01-0011) or IEI (Permit Number NM01-0010B) on a periodic basis to prevent over topping.
- 3. No hazardous waste, miscellaneous solids, waste, or debris will be discharged into, or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 4. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon discovery of the compromised tank, repairs will be enacted immediately.
- 5. All of the above operations will inspected and a log will be signed and dated daily during rig operations.