District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

2492	Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit
		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,
		below-grade tank, or proposed alternative method
Instructions	: Please submit one	annlication (Form C-144) ner individual nit. closed-loon system, helow-grade tank or alternative reau

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: P.O. Box 4289, Farmington, NM 87499
Facility or well name: SAN JUAN 20S
API Number: 30-045-34982 OCD Permit Number:
U/L or Qtr/Qtr: K(NE/SW) Section: 35 Township: 29N Range: 9W County: SAN JUAN
Center of Proposed Design: Latitude: 36.680601 °N Longitude: 107.754391 °W NAD: 1927 X 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
X Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: X Drilling
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Company of the P
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

6'						
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)						
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institu	Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet						
Alternate. Please specify						
7						
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)						
Screen Netting Other						
Monthly inspections (If netting or screening is not physically feasible)						
8 .						
Signs: Subsection C of 19.15.17.11 NMAC						
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers						
X Signed in compliance with 19.15.3.103 NMAC						
		Ì				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.						
Please check a box if one or more of the following is requested, if not leave blank:						
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for considerations o	leration of app	roval.				
(Fencing/BGT Liner)						
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						
10						
Siting Criteria (regarding permitting) 19.15.17.10 NMAC	{					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the						
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for						
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.						
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	∐No				
	□v _{aa}					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Lites	LINO				
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	∏No				
application.		_				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		_				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No				
(Applied to permanent pits)	∐NA					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image						
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	∐Yes	∐No				
Far be ,						
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.						
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No				
- Written confirmation or verification from the municipality; Written approval obtained from the municipality						
Within 500 feet of a wetland.	Yes	□No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	ļ	□No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division						
Within an unstable area.						
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		∐No				
Society; Topographic map	<u> </u>					
Within a 100-year floodplain - FEMA map	Yes Yes	∐No				

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications, based when the appropriate requirements of Subsection H of 19 15 17 13 NMAC
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Site Resimilation Figure - based upon the appropriate requirements of Buoscotton O of 17.13.17.13 Trivine

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-of	F Bins Only:(19 15 17 13 D NMAC)					
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cutti						
facilities are required. Disposal Facility Name: Disposal Facility F	Permit #:					
	Permit #:					
Will any of the proposed closed-loop system operations and associated activities occur on or in						
Yes (If yes, please provide the information No	areas that with noe used for future service and					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements	of Subsection H of 19 15 17 13 NMAC	ļ				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15	.17.13 NMAC					
12						
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC						
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acce certain siting criteria may require administrative approval from the appropriate district office or may be considered an e						
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to I	•	America Daretta				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes	i No				
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby w	ells N/A	`				
Ground water is between 50 and 100 feet below the bottom of the buried waste	∏Yes	; □No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby we	elis N/A	\				
Ground water is more than 100 feet below the bottom of the buried waste.	□ □Yes	s □No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby we	ells N/A					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or l	lakebed, sinkhole, or playa lake	; □No				
(measured from the ordinary high-water mark).						
- Topographic map; Visual inspection (certification) of the proposed site		_				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	of initial application.	i [No				
- Visual hispection (certification) of the proposed site. Actual photo, satellite image	□ _{Yes}	s □No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering						
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the propose	**					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under pursuant to NMSA 1978, Section 3-27-3, as amended.	r a municipal ordinance adopted Yes	s No				
- Written confirmation or verification from the municipality; Written approval obtained from the municipality;	cipality					
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification)	Yes	∐No				
Within the area overlying a subsurface mine.	Yes	: \square_{N_0}				
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division						
Within an unstable area.	Yes	s No				
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; US Topographic map 	SGS; NM Geological Society;					
Within a 100-year floodplain.	Ye	s No				
- FEMA map						
18	· · · · · · · · · · · · · · · · · · ·					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following i by a check mark in the box, that the documents are attached.	tems must bee attached to the closure plan.	Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of	f 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection	F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based to	Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NM.						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only). OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 7/1/2013
Approval Date:Approval Date:
Title: OMDIGUCE DIFFE OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: May 6, 2011
22
Closure Method:
Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility Name.
Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes. please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached. X Proof of Closure Notice (surface owner and division)
X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure)
X Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
X Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: 36.680683 °N Longitude: 107.754613 °W NAD 1927 X 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Jamie Goodwin & Title: Regulatory Tech.
Signature: (1/3/1/2000) Date: (1/3/1/2000)
e-mail address: jamie.l.goodwin@conocophillips.com Telephone: 505-326-9784

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: SAN JUAN 20S API No.: 30-045-34982

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of BR's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring BR will ensure that temporary pits are closed, re-contoured, and reseeded.

Provision 4 of the closure plan requirements were not met due to rig move off date as noted on C-105 which was prior to pit rule change. Burlington will ensure compliance with this rule in the future.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

Burlington mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

SW-846 8021B or 8260B SW-846 8021B or 8260B	0.2 50	ND ug/kg
SW-846 8021B or 8260B	F0	// 0
	30	ND ug/kG
SW-846 418.1	2500	480mg/kg
SW-846 8015M	500	3.5 mg/Kg
300.1	1000/500	∫ 510 mg/L
	SW-846 8015M	SW-846 8015M 500

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. BR shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: BR, BLM, SAN JUAN 20S, UL-K, Sec. 35, T 29N, R 9W, API # 30-045-34982

Sessions, Tamra D

From:

Sessions, Tamra D

Sent:

Thursday, May 14, 2009 1:14 PM

To:

'mark_kelly@nm.blm.gov'

Subject:

Surface Owner Notification

The following wells will have a temporary pit that will be closed on-site. Please let me know if you have any questions.

Huerfanito Unit 79N San Juan 20S San Juan 28-7 Unit 98N

Thank you,

Tamra Sessions
Staff Regulatory Technician
CONOCOPHILLIPS COMPANY / SJBU
505-326-9834
Tamra.D.Sessions@conocophillips.com

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005

1301 West Grand Avenue, Artesia, N.M. 88210

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit to Appropriate District Office-State Lease - 4 Copies Fee Lease - 3 Copies

1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 ☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT


¹ API Number	² Pool Code	°Pool Name BASIN FRUITLAND COA	L _	
*Property Code	⁵ Pro	⁶ Property Name		
	SAN	SAN JUAN		
OGRID No.	⁸ Ope	• Elevation		
	BURLINGTON RESOURCES	5751'		

¹⁰ Surface Location UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County 29-N 9-W K 35 1880 SOUTH 1840 WEST SAN JUAN

11 Bottom Hole Location If Different From Surface

THE PROPERTY AND THE PROPERTY OF THE PROPERTY									
UL or lot no.	Section	Township	Range	Lot idn	Feet from the	North/South line	Feet from the	East/West line	County
K	35	29-N	9-W		2460	SOUTH	1820	WEST	SAN JUAN
12 Dedicated Acre	S		13 Joint or	Infill	14 Consolidation C	ode	¹⁰ Order No.		
FC 306.10	ACRES W	1/2							
		•							

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED 16 OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



17 OPERATOR CERTIFICATION


I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or a working interest, or to a woluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Signature

Printed Name

SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true



Certificate Numbe

BURLINGTON RESOURCES OIL & GAS COMPANY LP

SAN JUAN 20S, 1880' FSL & 1840' FWL SECTION 35, T-29-N, R-9-W, NMPM, SAN JUAN COUNTY, NM GROUND ELEVATION: 5751', DATE: OCTOBER 6, 2008



LATITUDE: 36°40.8357' N LONGITUDE: 107°45.2266' W


NAD27

LATITUDE: 36°40'50.167" N LONGITUDE: 107°45'15.810" W

NAD83

NOTES:

- VECTOR SURVEYS IS NOT LIABLE FOR UNDERGROUND UTILITIES OR PIPELINES. CONTRACTOR SHOULD CALL ONE-CALL FOR LOCATION OF ANY MARKED OR UNMARKED BURIED PIPELINES OR CABLES ON WELL PAD AND OR ACCESS ROAD AT LEAST TWO (2) WORKING DAYS-PRIOR TO CONSTRUCTION.
- 2. RESERVE PIT DIKE: TO BE 8' ABOVE DEEP SIDE (OVERFLOW 3' WIDE AND 1' ABOVE SHALLOW SIDE).





EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	BORG	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	02-28-11
Laboratory Number:	57364	Date Sampled:	02-25-11
Chain of Custody No:	11178	Date Received:	02-25-11
Sample Matrix:	Soil	Date Extracted:	02-26-11
Preservative:	Cool	Date Analyzed:	02-28-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	3.5	0.1
Total Petroleum Hydrocarbons	3.5	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 20S

Analyst /

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	BORG	Project#:	92115-1271
Sample ID:	Back Ground	Date Reported:	02-28-11
Laboratory Number:	57365	Date Sampled:	02-25-11
Chain of Custody No:	11178	Date Received:	02-25-11
Sample Matrix:	Soil	Date Extracted:	02-26-11
Preservative:	Cool	Date Analyzed:	02-28-11
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)	
Gasoline Range (C5 - C10)	ND	0.2	
Diesel Range (C10 - C28)	ND	0.1	
Total Petroleum Hydrocarbons	ND		

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

San Juan 20S

Analyst



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC		Project #:		N/A
Sample ID:	02-28-11 QA/0	C	Date Reported:		02-28-11
Laboratory Number:	57365		Date Sampled:		N/A
Sample Matrix:	Methylene Chlori	ide	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		02-28-11
Condition:	N/A		Analysis Requeste	ed:	TPH
	l-Cal Date	I-Cal RF:	ै C-Cal RF:	% Difference	Accept Range
Gasoline Range C5 - C10	02-28-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Diesel Range C10 - C28	02-28-11	9.9960E+002	1.0000E+003	0.04%	0 - 15%
Blank Conc. (mg/L- mg/K	g) .	Concentration		Detection Lin	nit
Blank Conc. (mg/L mg/K Gasoline Range C5 - C10	g)	Concentration ND		Detection Lin	
ر الرواد - بيمورين الرواد (الرواد ا	g),	2 All treemed but all the state of the			nd .
Gasoline Range C5 - C10		ND	% Difference	0.2	
Gasoline Range C5 - C10 Diesel Range C10 - C28		ND ND	% Difference 0.0%	0.2 0.1	
Gasoline Range C5 - C10 Diesel Range C10 - C28 Duplicate Conc. (mg/Kg)	Sample	ND ND Duplicate	A STATE OF THE REAL PROPERTY AND THE LINE	0.2 0.1 Accept: Rang	
Gasoline Range C5 - C10 Diesel Range C10 - C28 Duplicate Conc. (mg/Kg) Gasoline Range C5 - C10	Sample ND	ND ND Dúplicate ND	0.0% 0.0%	0.2 0.1 Accept: Rang 0 - 30%	e N
Gasoline Range C5 - C10 Diesel Range C10 - C28 Duplicate Conc. (mg/Kg) Gasoline Range C5 - C10 Diesel Range C10 - C28	Sample ND ND	ND ND Duplicate ND ND	0.0% 0.0%	0.2 0.1 Accept: Rang 0 - 30% 0 - 30%	e N

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 57364-57365, 57367-57373, 57394

The state of the s



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	BORG	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	02-28-11
Laboratory Number:	57364	Date Sampled:	02-25-11
Chain of Custody:	11178	Date Received:	02-25-11
Sample Matrix:	Soil	Date Analyzed:	02-28-11
Preservative:	Cool	Date Extracted:	02-28-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

	Dilato: i.	10
		Det.
	Concentration	Limit
Parameter	(ug/Kg)	(ug/Kg)
Benzene	ND	0.9
Toluene	ND	1.0

Etnylbenzene	ND	1.0	
p,m-Xylene	ND	1.2	
o-Xylene	ND	0.9	

Total BTEX ND

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries: Parameter		Percent Recovery		
	Fluorobenzene	88.1 %		
	1,4-difluorobenzene	100 %		
	Bromochlorobenzene	84.9 %		

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 20S

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	BORG	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	02-28-11
Laboratory Number:	57365	Date Sampled:	02-25-11
Chain of Custody:	11178 ~	Date Received:	02-25-11
Sample Matrix:	Soil	Date Analyzed:	02-28-11
Preservative:	Cool	Date Extracted:	02-28-11
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	10

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	0.9	

benzene		מא	0.9
Toluene		ND	1.0
Ethylbenzene		ND	1.0
p,m-Xylene	•	ND	1.2
o-Xylene		ND	0.9

Total BTEX ND

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	87.6 %
	1,4-difluorobenzene	96.1 %
	Bromochlorobenzene	91.1 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

San Juan 20S

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

ND

ND

ND

0.1

0.1

0.1

Client:	N/A		Project #:		N/A	
Sample ID:	0228BBLK QA/Q0		Date Reported:		02-28-11	
Laboratory Number:	57364		Date Sampled:		N/A	
Sample Matrix:	Soil		Date Received:		N/A	
Preservative:	N/A		Date Analyzed:		02-28-11	
Condition:	N/A		Analysis:		BTEX	
			Dilution:		10	
Calibrations and Detection Limits (ug/L)		C-Cal RF Accept: Ran			Detect Limit	
Benzene	1.3918E+005	1.3946E+005	0.2%	ND	0.1	
Toluene	1.5480E+005	1.5511E+005	0.2%	ND	0.1	

1.3375E+005

3.0266E+005

1.3043E+005

0.2%

0.2%

0.2%

Duplicate Conc. (ug/Kg)	Sample Du	plicate	%Diff:	Accept Range	- Detect Limit
Benzene	ND	ND	0.0%	0 - 30%	0.9
Toluene	ND	ND	0.0%	0 - 30%	1.0
Ethylbenzene	ND	ND	0.0%	0 - 30%	1.0
p,m-Xylene	ND	ND	0.0%	0 - 30%	1.2
o-Xylene	ND	ND	0.0%	0 - 30%	0.9

Spike Conc. (ug/Kg)	Sample Amo	ount Spiked Spi	ked Sample %	Recovery	Accept Range
Benzene	ND	500	536	107%	39 - 150
Toluene	ND	500	520	104%	46 - 148
Ethylbenzene	ND	500	516	103%	32 - 160
p,m-Xylene	ND	1000	1,040	104%	46 - 148
o-Xylene	ND	500	501	100%	46 - 148

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

1.3348E+005

3.0206E+005

1.3017E+005

References:

Ethylbenzene

p,m-Xylene

o-Xylene

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments:

/QA/QC for Samples 57364-57365, 57367-57368, 57370-57373, 57254, 57260

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	BORG	Project #:	92115-1271
Sample ID:	Reserve Pit	Date Reported:	03/02/11
Laboratory Number:	57364	Date Sampled:	02/25/11
Chain of Custody No:	11178	Date Received:	02/25/11
Sample Matrix:	Soil	Date Extracted:	03/02/11
Preservative:	Cool	Date Analyzed:	03/02/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

480

6.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 20S

nalvst

Review

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	BORG	Project #:	92115-1271
Sample ID:	Back Ground	Date Reported:	03/02/11
Laboratory Number:	57365	Date Sampled:	02/25/11
Chain of Custody No:	11178	Date Received:	02/25/11
Sample Matrix:	Soil	Date Extracted:	03/02/11
Preservative:	Cool	Date Analyzed:	03/02/11
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

167

6.7

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

San Juan 20S

Analyst



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS **QUALITY ASSURANCE REPORT**

Client:

QA/QC

Project #:

N/A

Sample ID:

QA/QC

Date Reported:

03-02-11

Laboratory Number:

03-02-TPH.QA/QC 57422

Date Sampled:

N/A

Sample Matrix:

Freon-113

Date Analyzed:

03-02-11

Preservative:

N/A

Date Extracted:

03-02-11

Condition:

N/A

03/01/11

Analysis Needed:

TPH

Calibration • I-Cal Date C-Cal Date 03-02-11

I-Cal RF: C-Cal RF: % Difference Accept: Range 1,660

1,690

1.8%

+/- 10%

Blank Conc. (mg/Kg)

Concentration

Detection Limit

TPH

ND

6.7

Duplicate Conc. (mg/Kg

Sample

Duplicate

% Difference Accept: Range

TPH

TPH

50.6

50.6

0.0%

+/- 30%

Spike Conc. (mg/Kg)

Sample 50.6

Spike Added Spike Result % Recovery 2,000

1,860

90.7%

Accept Range 80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 57422-57423, 57364-57365, 57386-57387, 57400-57403



Chloride

Client:

BORG

Project #:

92115-1271

Sample ID:

Reserve Pit

Date Reported:

02/28/11

Lab ID#:

57364

Date Sampled:

02/25/11

Sample Matrix:

Soil

Date Received:

02/25/11

Preservative:

Cool

Date Analyzed:

02/28/11

Condition:

Intact

Chain of Custody:

11178

Parameter

Concentration (mg/Kg)

Total Chloride

510

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 20S



Chloride

Client:

BORG

Project #:

92115-1271

Sample ID: Lab iD#:

Back Ground 57365

Date Reported:

02/28/11 02/25/11

Sample Matrix:

Soil

Date Sampled: Date Received:

02/25/11

Preservative:

Cool

Date Analyzed:

02/28/11

Condition:

Intact

Chain of Custody:

11178

Parameter

Concentration (mg/Kg)

Total Chloride

130

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

San Juan 20S

Review

5796 US Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fr (800) 362-1879 Fx (505) 632-1865 lab@envirotech-inc.com envirotech-inc.com

Submit To Appropria Two Copies	ate District (Office	State of New Mexico							Form C-105 July 17, 2008						
District I 1625 N. French Dr.,	Hobbs, NM	88240	Ene	ergy, I	Minerals and	d Na	turai Re	esources		1. WELL API NO.						
District II 1301 W. Grand Aver	nue. Artesia.	NM 88210		Oil	l Conservat	tion	Divisio	on		30-045-34982 2. Type of Lease						
District III 1000 Rio Brazos Rd.	., Aztec, NM	1 87410		122	20 South S	t. Fr	ancis D	r.		STATE FEE FED/INDIAN						
District IV 1220 S. St. Francis I	Or., Santa Fe	e, NM 87505			Santa Fe, N	١M	87505			3. State Oil & Gas Lease No. NM-029146						
WELL C	OMPL	ETION OF	RECO	MPL	ETION RE	POF	RT AND	LOG		NVI-029140						
4. Reason for filir			······							5. Lease Name or Unit Agreement Name SAN JUAN						
☐ COMPLETION	ON REPO	ORT (Fill in box	es#lthrou	igh #31	for State and Fed	e well:	s only)			6. Well Number:						
C-144 CLOS #33; attach this an	d the plat t								/or	20S						
 Type of Compl NEW W 		WORKOVER	□ DEEPI	ENING	□PLUGBACI	ΚП	DIFFERE	NT RESERV	/OIF	C OTHER						
8. Name of Operat	8. Name of Operator Burlington Resources Oil Gas Company, LP								9. OGRID 14538			•		-		
10. Address of Op	erator		mpany,	LP						11. Pool name	or W	ildcat				
PO Box 4298, Far	mington, N	NM 87499														
12. Eccurion	Unit Ltr	Section	Towns	hip	Range	Lot		Feet from t	the	N/S Line	Fee	t from th	e E/W	Line	County	
Surface:	•••															
BH: 13. Date Spudded	14 Date	e T.D. Reached	115 1	Date Rio	Released		116	Date Compl	letec	(Ready to Proc	luce)		17 Eleva	tions (DE	and RKB,	
	<u> </u>		11/3	/2010						<u> </u>			RT, GR,	etc.)		
18. Total Measure	d Depth of	f Well	19. I	Plug Bac	k Measured Dep	oth	20.	Was Direct	tiona	Il Survey Made	?	21. Ty	/pe Electi	ric and Ot	ther Logs Run	
22. Producing Inte	erval(s), of	this completion	- Top, Bo	ttom, Na	ıme					T	 ,	J				
23.				CAS	ING REC	OR	D (Rep	ort all st	rin	gs set in w	ell)					
CASING SIZ	ZE	WEIGHT LI	3./FT.		DEPTH SET		НС	LE SIZE		CEMENTIN	G RE	CORD	A	MOUNT	PULLED	
																
			-										-			
24.				LIN	ER RECORD				25.			NG RE				
SIZE	TOP	В	ОТТОМ		SACKS CEM	ENT	SCREE	7	SIZ	ZE	$+^{D}$	EPTH S	ET	PACK	ER SET	
	<u> </u>										1					
26. Perforation	record (inte	erval, size, and	number)					ID, SHOT, INTERVAL		ACTURE, CE						
							DEPTH	INTERVAL		AMOUNTA	IND	NIND M	AIERIA	L OSED		
20						DD	DDUC'	TION		<u> </u>						
28. Date First Product	tion	Prod	action Met	hod (Fle	owing, gas lift, p)	Well Status	(Pro	d. or Shi	ıt-in)			
Date of Test	Hours T	Tested (Choke Size		Prod'n For Test Period		Oil - Bb		Ga	s - MCF	W	ater - Bl	ol.	Gas - C	Oil Ratio	
Flow Tubing Press.	Casing		Calculated lour Rate	24-	Oil - Bbl.		Gas	- MCF		Water - Bbl.		Oil G	ravity - A	PI - (Cor	r.)	
29. Disposition of	Gas (Sold,	used for fuel, v	ented, etc.,		L				_		30.	Test Wit	nessed By	/		
31. List Attachme	nts															
32. If a temporary	pit was us	ed at the well, a	ttach a plat	with th	e location of the	temp	orary pit.						***			
33. If an on-site bu	urial was u	sed at the well,	report the													
I hereby certify	y that the	Latitude 36	.680683°N shown (n both	ngitude 107.754 isides of this	forn	NAD [n is true	$1927 \boxtimes 19$	983 lete	to the best o	f my	knowl	edge an	d beliet	f	
Signature	2mi	ic (200)	1 /	Prir								e: 6/13				
E-mail Addres	s jamie.	1.goodwin@	conocop	hillips.	com											



Pit Closure Form:	
Date: 400.76 6 11	
Well Name: San Juan 205	_
Footages:	Unit Letter:
Section:, TN, RW, County:	State:
Contractor Closing Pit: Ace Services	
Construction Inspector: S. M. G.	Date: <u>6/6 //)</u>
nspector Signature:	
	•
levised 11/4/10	
office Use Only: ubtask SM	
oldor	

Goodwin, Jamie L

From:

Payne, Wendy F

Sent:

Monday, May 02, 2011 12:55 PM

To:

(Brandon.Powell@state.nm.us); Eli (Cimarron) (eliv@qwestoffice.net); GRP:SJBU Regulatory; Mark Kelly; Robert Switzer; Sherrie Landon; Bassing, Kendal R.; Berenz (mxberenz@yahoo.com); Elmer Perry; Faver Norman; Fred Martinez; Jared Chavez; Lowe, Torra; Power, Woody F. Spagman, Babby F. Stave McClasson; Telly, Etbal; Backer, Jacob

Terry; Payne, Wendy F; Spearman, Bobby E; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Gordon Chenault; GRP:SJBU Production Leads; Hockett, Christy R; Johnson, Kirk L; Bassing, Kendal R.; Kennedy, Jim R; Lopez, Richard A; O'Nan, Mike J.; Peace, James T; Pierce, Richard M; Poulson, Mark E; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Thacker, LARRY; Work, Jim A; Corey Alfandre; 'isaiah@crossfire-llc.com'; Jerid Cabot (jerid@crossfire-llc.com); Blair, Maxwell O; Blakley, Mac; Farrell, Juanita R; Gillette, Steven L (PAC); Hines, Derek J; Maxwell, Mary Alice; McWilliams, Peggy L; Seabolt,

Elmo F; Stallsmith, Mark R; Thayer, Ashley A

Cc:

'acedragline@yahoo.com'

Subject:

Reclamation Notice: San Juan 20S

Importance:

High

Attachments:

San Juan 20S.pdf

ACE Services will move a tractor to the **San Juan 20S** on Wednesday, May 4, 2011 to start the reclamation process. Please contact Steve McGlasson (716-3285) if you have questions or need further assistance.



San Juan 20S.pdf (226 KB)

Burlington Resources Company Well - Network # 10254060 - Activity Code D250 (reclamation) & D260 (pit closure) San Juan County, NM

San Juan 20S - BLM surface/BLM minerals

Onsite: Roger Herrera 1-28-09 Twin: San Juan 20 (existing) 1880' FSL, 1840' FWL Sec.35, T29N, R9W Unit Letter " K " Lease # NM-029146

BH: NESW, Sec.35, T29N, R9W Latitude: 36° 40′ 50" N (NAD 83) Longitude: 107° 45′ 16" W (NAD 83)

Elevation: 5751'

Total Disturbed Acres: 3.03 acres

Access Road: n/a API # 30-045-34982 Within City Limits: No

Pit Lined: YES

NOTE: Arch monitoring is Required on this location.


Wendy Payne ConocoPhillips-SJBU 505-326-9533


Wendy.F.Payne@conocophillips.com


ConocoPhillips

Reclamation Form:
Date: 5/31/11
Well Name: Sac Jun 205
Footages: 1880 FSC 1840 FWL Unit Letter:
Section: 35, T-29-N, R-9-W, County: San Tuan State:
Reclamation Contractor:
Reclamation Date: $\frac{5/B}{I}$
Road Completion Date: $\frac{5/12/11}{1}$
Seeding Date: 5/13/1/
**PIT MARKER STATUS (When Required): Picture of Marker set needed MARKER PLACED:(DATE) LATATUDE: 36° 40.846′
MARKER PLACED:
MARKER PLACED: (DATE) LATATUDE: 36° 40.846′ LONGITUDE: 107° 45,277 Pit Manifold removed 5/2/1/ (DATE)
MARKER PLACED: (DATE) LATATUDE: $36^{\circ} 40.846^{\prime}$ LONGITUDE: $107^{\circ} 45.277$ Pit Manifold removed $5/2/11$ (DATE) Construction Inspector: $5.M6/asson$ Date: $5/31/11$
MARKER PLACED: (DATE) LATATUDE: 36° 40.846′ LONGITUDE: 107° 45,277 Pit Manifold removed 5/2/1/ (DATE)
MARKER PLACED: (DATE) LATATUDE: $36^{\circ} 40.846^{\prime}$ LONGITUDE: $107^{\circ} 45.277$ Pit Manifold removed $5/2/11$ (DATE) Construction Inspector: $5.M6/asson$ Date: $5/31/11$

SAN JUAN #205 36° 40 MIN. 50 SEC. N (NAD 107° 45 MIN. 16 SEC. W (NAD 50' FSL 1840' FWL 1 # 30-045-34982 NM-029146 EPP 11575







WELL NAME: OPEN PIT INSPECTION FORM ConocoPhillips **SAN JUAN 20S** INSPECTOR JARED CHAVEZ JARED CHAVEZ JARED CHAVEZ JARED CHAVEZ ARED CHAVEZ JARED CHAVEZ 12/17/10 12/29/10 01/06/11 01/14/11 01/21/11 01/28/11 DATE *Please request for pit extention after 26 weeks Week 1 Week 2 Week 3 Week 4 Week 5 Week 6 Week 7 Week 8 Week 9 ✓ Drilled ✓ Drilled Drilled Drilled Drilled √ Drilled ✓ Drilled √ Drilled ☐ Drilled Completed Completed ☐ Completed Completed ☐ Completed Completed Completed Completed Completed PIT STATUS Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Up Clean-Un Clean-Up Is the location marked with the proper flagging? ☑ Yes ☐ No Yes No Yes No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No (Const. Zone, poles, pipelines, etc.) Is the temporary well sign on location and visible Yes No ☐ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No. ☐ Yes ☐ No ✓ Yes ☐ No ✓ Yes No ✓ Yes ☐ No Yes No from access road? Is the access road in good driving condition? ☐ Yes ☐ No ☐ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ✓ Yes ☐ No. ☐ Yes ☐ No. ☐ Yes ☐ No ☐ Yes ☐ No (deep ruts, bladed) Are the culverts free from debris or any object ☐ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No Yes No Yes No Yes No Yes No ✓ Yes ☐ No ✓ Yes No preventing flow? is the top of the location bladed and in good ✓ Yes ☐ No. ☐ Yes ☐ No. ☐ Yes ☐ No. Yes No ☐ Yes ☐ No Yes No. ☑ Yes ☐ No ✓ Yes ☐ No. ☐ Yes ☐ No. operating condition? Is the fence stock-proof? (fences tight, barbed COMPLIANCE ☐ Yes ☐ No. ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes 🗸 No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No wire, fence clips in place? Is the pit liner in good operating condition? (no ☐ Yes ☐ No. ☐ Yes ☐ No. ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No tears, up-rooting corners, etc.) is the the location free from trash, oil stains and ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes 🗆 No ☑ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No. ☐ Yes ☐ No ☐ Yes ☐ No other materials? (cables, pipe threads, etc.) ENVIRONMENTAL Does the pit contain two feet of free board? (check Yes No ☐ Yes ☐ No Yes No ☐ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No Yes No the water levels) Is there any standing water on the blow pit? ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes 🗸 No ☐ Yes 🗸 No ☐ Yes 🗸 No ☐ Yes 🗸 No Yes No Yes No Yes No Are the pits free of trash and oil? ☐ Yes ☐ No Yes No ☐ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No Yes No Are there diversion ditches ground the pits for Yes No ☐ Yes ☐ No Yes No ✓ Yes ☐ No ☑ Yes ☐ No ☑ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ✓ Yes ☐ No natural drainage? Is there a Manifold on location? ☐ Yes ☐ No. Yes No Yes No ☐ Yes ☐ No Yes No ☑ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No Is the Manifold free of leaks? Are the hoses in Yes No ☐ Yes ☐ No Yes No ☐ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No ✓ Yes ☐ No Yes | No good condition? △ Was the OCD contacted? ☐ Yes ☐ No Yes No ☐ Yes ☐ No Yes V No ☐ Yes ☑ No ☐ Yes ☑ No Yes V No Yes 🗌 No Yes No Yes No ☐ Yes ☐ No PICTURE TAKEN ☐ Yes ☐ No Yes No Yes V No Yes 7 No Yes 🗹 No Yes V No Yes No COULD NOT FENCE NEEDS

ACCCESS

LOCATION DUE

TO WEATHER

BJ FRAC CREW IS

ON LOCATION

TIGHTENED -

CONTACTED

CROSSFIRE

LOCATION IS IN

GOOD

CONDITION

LOCATION IS IN

CONDITION

GOOD

LOCATION IS IN

GOOD

CONDITION

COMMENTS

	WELL NAME:			esta de la companya d						
	SAN JUAN 20S			.* .		· .		<u> </u>		
-	INSPECTOR DATE		E. Perry 02/17/11	E. Perry 02/24/11	E. Perry 03/03/11	E. Perry 03/10/11	E. Perry 03/18/11	E. Perry 03/24/11	E. Perry 03/31/11	├
	*Please request for pit extention after 26 weeks	Week 10	Week 11	Week 12	Week 13	Week 14	Week 15	Week 16	Week 17	Week 18
	PIT STATUS	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up
ATION	Is the location marked with the proper flagging?					☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	Yes No
10CA	Is the temporary well sign on location and visible from access road?	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	☑ Yes ☐ No	Yes No
	is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	Yes No
	Are the culverts free from debris or any object preventing flow?	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No
	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☑ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes □ No	☐ Yes ☐ No
OMPLIAN	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No
U	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	☐ Yes ☐ No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ No
RON	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No
EN	Are the pits free of trash and oil?	✓ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	☑ Yes 🗌 No	Yes No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No
	Is there a Manifold on location?	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No
ე ი	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No
7	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No
	COMMENTS	Fence Loose	All Good	Sign on Loc.	Sign on Loc.	Sign on Loc.			Good	

	WELL NAME:							terioria de la composición della composición del		
L	SAN JUAN 20S INSPECTOR	lawa di Ölama	F D	· · · · · · · · · · · · · · · · · · ·	, F Down	CLOSED	CLOSED	CLOSED	CLOSED	, · · ·
	DATE	Jared Chavez 04/15/11	E. Perry 04/20/11	E Perry 04/27/11	E. Perry 05/02/11	CLOSED	CLOSED	CLOSED	05/19/11	
	*Please request for pit extention after 26 weeks	Week 19	Week 20	Week 21	Week 22	Week 23	Week 24	Week 25	*Week 26*	Week 27
	PIT STATUS	☑ Drilled ☑ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	Drilled Completed Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled☐ Completed☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up
ATION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
ŭ	Is the temporary well sign on location and visible from access road?	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
	Is the access road in good driving condition? (deep ruts, bladed)	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes ☐ No	✓ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
OMPLIAN	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☑ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
U	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No
ENVIRONMENTAL	Does the pit contain two feet of free board? (check the water levels)	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
RON	Is there any standing water on the blow pit?	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No
EN	Are the pits free of trash and oil?	✓ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	Is there a Manifold on location?	☑ Yes ☐ No	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
ى د	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
	PICTURE TAKEN	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes V No	Yes No	☐ Yes ☐ No	Yes No	Yes No	☐ Yes ☐ No
	COMMENTS		GOOD	GOOD	GOOD	CLOSED	CLOSED	CLOSED	CLOSED	