	Energy Minerals and Natural Resources	July 21, 2008
<u>District II</u> 301 W. Grand Ave., Artesia, NM 88210 <u>District III</u>	Department Oil Conservation Division 1220 South St. Francis Dr.	For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.
000 Rio Brazos Rd., Aztec, NM 87410 District IV 2005 St. Ferning Dr. Santo Fo. NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
220 S. St. Francis Di., Santa PC, NWI 87505	Pit, Closed-Loop System, Below-Grade	e Tank, or
A Prope	osed Alternative Method Permit or Clos	ure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade ta	nk, or proposed alternative method
mar	X Closure of a pit, closed-loop system, below-grade ta	ank, or proposed alternative method
•	Modification to an existing permit	
	Closure plan only submitted for an existing permitt below-grade tank, or proposed alternative method	ed or non-permitted pit, closed-loop system,
Instructions: Please submit one ap Please be advised that approval o environment. Nor does approval reli	pplication (Form C-144) per individual pit, closed-loop f this request does not relieve the operator of liability should operations re eve the operator of its responsibility to comply with any other applicable g	o system, below-grade tank or alternative request sult in pollution of surface water, ground water or the governmental authority's rules, regulations or ordinances.
Derator: <u>ConocoPhillips Company</u>	y	OGRID#: <u>217817</u>
Address: P.O. Box 4289, Farmingt	on, NM 87499	
Facility or well name: Scott Federa	16P	
API Number: 30	0-039-31010 OCD Permit Number	······································
J/L or Qtr/Qtr: N(SE/SW) Sector Center of Proposed Design: Latitude Surface Owner: X Federal	In: I/ Iownship Z6N Range: : 36.48365 ?N Longitude: State Private Tribal Trust or Indian	W County: Rio Afrida 107.49285 °W NAD: X Allotment X 1983
Dermonent Emergency	Cavitation P&A	
X Line Unlined Li X String-Reinforced Liner Seams: X Welded X	ner type: Thickness <u>20</u> mil X LLDPE	HDPE PVC Other DIST. 3
X Liner genery C X Liner Generation Liner Scams: X X String-Reinforced Liner Scams: X X Welded X Fi 3 Closed-loop System: Subsect Type of Operation: P&A Control of Cont	ner type: Thickness <u>20</u> mil X LLDPE	HDPE PVC Other DIST. 3
Image: Subsect X Liner Seams: X Welded X Final Subsect Type of Operation: P&A Drying Pad Above Grout Liner Seams: Welded Prince Closed-loop System: Subsect Type of Operation: P&A Closed Component	ner type: Thickness 20 mil X LLDPE	HDPE PVC Other DIST. 3 _bbl Dimensions L 120' x W 55' x D 12' activities which require prior approval of a permit or IDPE PVD Other
	ner type: Thickness 20 mil X LLDPE	HDPE PVC Other DIST. 3 _bbl Dimensions L 120' x W 55' x D 12' activities which require prior approval of a permit or IDPE PVD Other
4 Below-grade tank: Symbol Volume: below-grade tank: Symbol Subsect	ner type: Thickness 20 mil X LLDPE actory Other Volume: 7700' ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE hactory Other	HDPE PVC Other DIST. 3 _bbl Dimensions L 120' x W 55' x D 12' activities which require prior approval of a permit or IDPE PVD Other matic overflow shut-off
4 Below-grade tank: Subsection Volume: below by containment with leak de Visible sidewalls and liner Liner Type: Alternative Method:	ner type: Thickness 20 mil X LLDPE actory Other Volume: 7700' ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE Hactory Other	HDPE PVC Other DIST. 3 _bbl Dimensions L 120' x W 55' x D 12' activities which require prior approval of a permit or IDPE PVD Other matic overflow shut-off
4 Below-grade tank: Subsection Volume: Volume: Secondary containment with leak de Visible sidewalls and liner Liner Type: Thickness	ner type: Thickness 20 mil X LLDPE actory Other Volume: 7700' ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE actory Other	HDPE PVC Other DIST. 3 _bbl Dimensions L 120' x W 55' x D 12' activities which require prior approval of a permit or IDPE PVD Other
Alternative Method: Submittal of an exception request is req	ner type: Thickness 20 mil X LLDPE actory Other Volume: 7700' ion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to a notice of intent) nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE r type: Thickness mil LLDPE actory Other	HDPE PVC Other DIST. 3

.

6		
<u>Fencing:</u> Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins	titution or chui	rch)
Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate. Please specify		
7		
<u>Netting:</u> Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If nelling or screening is not physically feasible)		
8 Signer Subsection C of 10 15 17 11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	proval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for		
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No
(measured from the ordinary high-water mark).		
- Topographic map; Visual inspection (certification) of the proposed site	_	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits)		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal fect of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or writing from the municipality.	Yes	No
 Writen communities of vertication from the municipanty, written approval obtained from the municipanty Within 500 feet of a wetland. LIS Fish and Wildlife Wetland Identification many Tonographic many Visual inspection (certification) of the proposed site. 	Yes	No
Within the area overlying a subsurface mine.	Yes	No
- written communities or vertification of map from the NW EMINKD - Mining and Mineral Division		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		
Society; Topographic map	_	
Within a 100-year floodplain - FEMA map	Yes	∐No

,

It <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist:</u> Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Instructions: Each of the following items must be attached to the application. Placed provide the following items must be attached to the application. Placed provide the following items must be attached to the application. Placed provide the following items must be attached to the application. Placed provide the following items must be attached to the application. Placed provide the following items must be attached to the application. Placed provide the following items must be attached to the application. Placed provide the following items must be attached to the application. Placed provide the following items must be attached to the application. Placed provide the following items must be attached to the application.
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC
Design r har - based upon the appropriate requirements of 19.15.17.12 NMAC
Characteristic Control of the second
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
13 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the bax, that the documents are attached. Hydrogcologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Disance or Hazardous Odors, including H2S, Prevention Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids. drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

۰ I

•

1

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two	2								
facilities are required.									
Disposal Facility Name: Disposal Facility Permit #:									
Disposal Facility Name: Disposal Facility Permit #:									
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future Yes (If yes, please provide the information No	service and								
Required for impacted areas which will not be used for fitture service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC								
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	l below. Requests regarding changes to o the Santa Fe Environmental Bureau								
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No								
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	N/A								
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No								
Ground water is more than 100 feet below the bottom of the buried waste.									
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No								
- Topographic map: Visual inspection (certification) of the proposed site									
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image									
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No								
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No								
- Written confirmation or verification from the municipality; Written approval obtained from the municipality									
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site									
Within the area overlying a subsurface mine.	Yes No								
- which commandion of vertication of map from the NM EMNKD-Mining and Mineral Division									
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map									
Within a 100-year floodplain. - FEMA map	Ycs No								
- FEMA map									
<u>Un-stite Closure Plan Checklist</u> (19.15.17.15 NMAC) Instructions: Each of the following items must bee attached to the close by a check mark in the box, that the documents are attached.	ure plan. Please indicate,								
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC									
Construction/Design Plan of Buriol Tranch (if amplicable) based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC									
Construction/Design Plan of Temporary Pit (for in place burie) of a drying pad) - based upon the appropriate requirements of	19 15 17 11 NMAC								
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC									
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	2								
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC									
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards c	cannot be achieved)								
 Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC 									

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

.

.

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
#
OCD Approval: Permit Application (including closure plan) X Closure Plan (only)~ OCD Conditions (see attachment)
OCD Representative Signature: 7/9/2013
Title:OMPliance / Office QCD Permit Number:
21 Closure Depart (required within 60 days of closure completion), 5 (1) (1) (10) (5 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: March 21, 2013
22
Closure Method:
Waste Excavation and Removal XOn-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
#
" Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized. Disposal Facility Name:
Disposal Facility Name:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for an site closure)
N Plot Plan (for on-site closures and temporary pits)
X Confirmation Sampling Analytical Results (if annlicable)
Weste Meterial Sampling Analytical Results (if applicable)
V Disposal Facility Name and Permit Number
X Soil Backfilling and Cover Installation
X Re-vegetation Application Rates and Seeding Technique
X Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: 36.48265 °N Longitude: 107.49409 °W NAD 1927 X 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Kenny Davis . Title: Staff Regulatory Technician
Signature: 6/24/2013

Telephone:

Form C-144	Oil Conservation Division

kenny:r.davis@conocophillips.com

• •

e-mail address:

505-599-4045

Burlington Resources Oil Gas Company, LP San Juan Basin Closure Report

Lease Name: Scott Federal 6P API No.: 30-039-31010

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

General Plan:

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division–approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of COPC's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring COPC will ensure that temporary pits are closed, re-contoured, and reseeded.

The closure plan requirements were met due to rig move off date as noted on C-105.

- 5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via email, or verbally. The notification of closure will include the following:
 - i. Operator's name
 - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

ConocoPhillips mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	0.106 ug/kG
ТРН	EPA SW-846 418.1	2500	20mg/kg
GRO/DRO	EPA SW-846 8015M	500	11 mg/Kg
Chlorides	EPA 300.1	1000/500	89 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

.

.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Reshaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. COPC shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: COP, BLM, Scott Federal 6P, UL-N, Sec. 17, T 26N, R 6W, API # 30-039-31010

Goodwin, Jamie L

To: Subject: 'Mark_Kelly@blm.gov' SURFACE OWNER NOTIFICATION_SCOTT FEDERAL 6P

.

.

The subject well (SCOTT FEDERAL 6P) will have a temporary pit that will be closed on-site. Please let me know if you have any questions or concerns.

Thank you,

Jamie Goodwin ConocoPhillips 505-326-9784 Jamie L.Goodwin@conocophillips.com





Submit To Appropriate District Office Two Copies District 1	Enerov N	State of New Mexico				Form C-105						
1625 N. French Dr., Hobbs, NM 88240	Energy, winerars and Natural Resources					1. WELL API NO.						
1301 W. Grand Avenue, Artesia, NM 88210	Oil	Conservat	ion Di	visio	n	30-039-31010 .						
1000 Rio Brazos Rd., Aztec, NM 87410	122	20 South St	. Franc	cis D	r.		STA	TE	🗖 FEE	X FE	D/INDI	AN
1220 S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505							3. State Oil SF-07903	& Gas	Lease No.	,		
WELL COMPLETION OR R	ECOMPL	ETION REI	PORT	AND	LOG					2		1.1 月間
4. Reason for filing:							5. Lease Nan	ne or U	Jnit Agree	ment Na	me	
COMPLETION REPORT (Fill in boxes #	1 through #31 f	or State and Fee	wells onl	y)			6. Well Num	ber:	leral			
C-144 CLOSURE ATTACHMENT (Fill i #33; attach this and the plat to the C-144 closure	in boxes #1 thro report in accor	ough #9, #15 Da dance with 19.1:	te Rig Rel 5.17.13.K	leased a	and #32 and C)	/or	6P					
7. Type of Completion:	DEEPENING			CEDEN	IT DESEDV							
8. Name of Operator	DELI ENINO				I KLSEK		9. OGRID					
ConocoPhillips Company							217817	or W	ildeet			
PO Box 4298, Farmington, NM 87499							Blanco MV /	Basin	DK			
12.Location Unit Ltr Section	Township	Range	Lot		Feet from t	he	N/S Line	Feet	from the	E/W L	ine	County
Surface: N 17	26N	6W	-		1260		S	188	7	W		Rio Arriba
BH: L 1/	Z6N	6W			1840	latad	S (Readu to Dro	/10		W L Eleveti		Rio Arriba
13. Date Spudded 14. Date 1.D. Reached	8/15/12	2		10.	Date Compi	leteu	(Ready to Pro	uuce)	R	Γ, GR, et	c.)	and KKD,
18. Total Measured Depth of Well	19. Plug Bacl	k Measured Dep	th	20.	Was Direct	iona	I Survey Made	?	21. Typ	e Electri	c and O	ther Logs Run
22. Producing Interval(s), of this completion - To	op, Bottom, Na	me										
23.	CASI	ING RECO	ORD (Repo	ort all str	ring	gs_set in w	ell)				
CASING SIZE WEIGHT LB./F1	<u>ſ.</u>	DEPTH SET		HO	LE SIZE		CEMENTIN	IG RE	CORD	AM	IOUNT	PULLED
		·			~~~~		<u> </u>					
										1		
· · · · · · · · · · · · · · · · · · ·				· ·								
24.	LINF	ER RECORD				25		rubn	NG REC	ORD		
SIZE TOP BOTT	rom	SACKS CEMI	ENT SC	CREEN		SIZ	ZE	DI	EPTH SET	<u> </u>	РАСК	ER SET
26. Perforation record (interval, size, and num	ber)		27	ACI	D. SHOT,	FR.	ACTURE, CI	EMEN	IT, SQUI	EEZE, E	ETC.	
			DI	ЕРТН І	NTERVAL		AMOUNT	ND k	(IND MA	TERIAL	USED	
28.]	PROD	UCI	ΓΙΟΝ							
Date First Production Productio	on Method (Flo	wing, gas lift, pu	imping - S	Size and	l type pump,)	Well Statu	s (Pro	d. or Shut-	in)		
Date of Test Hours Tested Chok	e Size	Prod'n For Test Period	Oi	l - Bbl		Ga	s - MCF	w	ater - Bbl.		Gas - C	Dil Ratio
Flow Tubing Casing Pressure Calcu	ulated 24-	Oil - Bbl.		Gas -	MCF		Water - Bbl.	I	Oil Gra	vity - AP	l - (Cor	r.)
Press. Hour	Rate											
31 List Attachments	<u> </u>							50.				·
32. If a temporary nit was used at the well, attach	a plat with the	location of the	temnorary	, pit				<u> </u>				
33. If an on-site burial was used at the well, repo	rt the exact loc:	ation of the on-si	itë hurial	pre.			<u> </u>					
Latitude 36.482	265°N Long	itude 107.49409	<u>P°W NA</u>	D 🗌 19	927 X1983	í		<u></u>	has 1	<u>.</u>	11	ſ
I nereby certify that the information she Signature	own on both Prin Nam	ted Kennv Da	<i>torm is</i> vis	<i>true a</i> Fitle:	ind compl Staff Reg	<i>ete</i> ulat	to the best of tory Technic	o <i>f my</i> cian	<i>knowlec</i> Da	<i>ige and</i> te: 6/24	i beliej 1/13	1
Signature Name Kenny Davis Title: Staff Regulatory Technician Date: 6/24/13												

HALL ENVIRONMENTAL ANALYSIS LABORATORY

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: <u>www.hallenvironmental.com</u>

October 02, 2012

Mike Smith Conoco Phillips Farmington 3401 E 30th St Farmington, NM 87402 TEL: FAX

RE: Scott Fed #6P

OrderNo.: 1209939

Dear Mike Smith:

Hall Environmental Analysis Laboratory received 2 sample(s) on 9/21/2012 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <u>www.hallenvironmental.com</u> or the state specific web sites. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. All samples are reported as received unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

andia

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Analytical Report Lab Order 1209939 Date Reported: 10/2/2012

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Conoco Phillips FarmingtonClient Sample ID: Back GroundProject:Scott Fed #6PCollection Date: 9/20/2012 11:30:00 AMLab ID:1209939-001Matrix: SOILReceived Date: 9/21/2012 10:00:00 AM

Analyses	Result	RL Qual Units		DF	Date Analyzed
EPA METHOD 8015B: DIESEL RANG	GE ORGANICS				Analyst: JMP
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	9/25/2012 8:03:46 AM
Surr: DNOP	106	77.6-140	%REC	1	9/25/2012 8:03:46 AM
EPA METHOD 8015B: GASOLINE RA	ANGE				Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	9/27/2012 7:33:26 PM
Surr: BFB	102	84-116	%REC	1	9/27/2012 7:33:26 PM
EPA METHOD 8021B: VOLATILES					Analyst: NSB
Benzene	ND	0.048	mg/Kg	1	9/27/2012 2:20:15 AM
Toluene	ND	0.048	mg/Kg	1	9/27/2012 2:20:15 AM
Ethylbenzene	ND	0.048	mg/Kg	1	9/27/2012 2:20:15 AM
Xylenes, Total	ND	0.097	mg/Kg	1	9/27/2012 2:20:15 AM
Surr: 4-Bromofluorobenzene	97.8	80-120	%REC	1	9/27/2012 2:20:15 AM
EPA METHOD 300.0: ANIONS					Analyst: SRM
Chloride	23	7.5	mg/Kg	5	9/26/2012 10:31:05 AM
EPA METHOD 418.1: TPH					Analyst: JMP
Petroleum Hydrocarbons, TR	ND	21	mg/Kg	1	9/27/2012

Qualifiers:

* Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH greater than 2

RL Reporting Detection Limit

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

R RPD outside accepted recovery limits

S Spike Recovery outside accepted recovery limits

Analytical Report Lab Order 1209939

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 10/2/2012

CLIENT: Conoco Phillips Farmington Scott Fed #6P

1209939-002

Project:

Lab ID:

Client Sample ID: Reserve Pit Collection Date: 9/20/2012 12:00:00 PM Received Date: 9/21/2012 10:00:00 AM

Analyses	Result	RL Qual		RL Qual Units		Date Analyzed
EPA METHOD 8015B: DIESEL RANG					Analyst: JMP	
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	9/25/2012 9:08:31 AM
Surr: DNOP	107	77.6-140		%REC	1	9/25/2012 9:08:31 AM
EPA METHOD 8015B: GASOLINE RA	NGE					Analyst: NSB
Gasoline Range Organics (GRO)	11	4.9		mg/Kg	1	9/27/2012 8:02:10 PM
Surr: BFB	120	84-116	s	%REC	1	9/27/2012 8:02:10 PM
EPA METHOD 8021B: VOLATILES						Analyst: NSB
Benzene	ND	0.049		mg/Kg	1	9/27/2012 2:49:03 AM
Toluene	0.083	0.049		mg/Kg	1	9/27/2012 2:49:03 AM
Ethylbenzene	ND	0.049		mg/Kg	1	9/27/2012 2:49:03 AM
Xylenes, Total	0.23	0.098		mg/Kg	1	9/27/2012 2:49:03 AM
Surr: 4-Bromofluorobenzene	· 102	80-120		%REC	1	9/27/2012 2:49:03 AM
EPA METHOD 300.0: ANIONS						Analyst: SRM
Chloride	89	7.5		mg/Kg	5	9/26/2012 11:33:07 AM
EPA METHOD 418.1: TPH						Analyst: JMP
Petroleum Hydrocarbons, TR	20	20		mg/Kg	1	9/27/2012

Matrix: SOIL

Qualifiers:

*

Value exceeds Maximum Contaminant Level.

Value above quantitation range Ē

Analyte detected below quantitation limits J

Р Sample pH greater than 2

RL Reporting Detection Limit

В Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded Н

Not Detected at the Reporting Limit ND

R RPD outside accepted recovery limits

Spike Recovery outside accepted recovery limits S

QC SUMMARY REPORT

Client: Project:	Conoco P Scott Fed	Phillips Far #6P	mingto	n							
Sample ID	MB-3927	SampT	vpe: Mi	BLK	Tes	tCode: EF	PA Method	300.0: Anion	s		<u></u>
Client ID:	PBS	Batch	ID: 39	27	RunNo: 5793				-		
Prep Date:	9/26/2012	Analysis D	ate: 9		S	SeaNo: 16	66611	Units: ma/K	a		
Analyte		Posult	POI	SPK value	SPK Pof Val	%REC	Low imit	Highl imit	%ppn	RPDI imit	Qual
Chloride		ND	1.5						701(110		
Samala ID		CompT			 			200.0. Anion			
	1085-3927	Sampi			res		-A Methou	300.0: Anion	5		
Pron Dato:	0/26/2012	Analysis D	nto: 0	121	r c	Control 14	133	Lipite: ma/K	·~		
Thep Date.	5/20/2012			20/2012		in the second		units. myrk	y		. .
Analyte		Result		SPK value	SPK Ref Val	98.3	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Sample ID	1209939-001AMS	SampT	ype: M	S	Tes	tCode: EF	PA Method	300.0: Anion	S		
Client ID:	Back Ground	Batch	ID: 39	27	. F	RunNo: 5 7	793				
Prep Date:	9/26/2012	Analysis D	ate: 9	/26/2012	5	SeqNo: 16	66615	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride		36	7.5	15.00	22.53	91.3	64.4	117			
Sample ID	1209939-001AMS) SampT	ype: M	SD	Tes	tCode: EF	PA Method	300.0: Anion	s		
Client ID:	Back Ground	Batch	1D: 39	27	F	RunNo: 57	793				
Prep Date:	9/26/2012	Analysis D	ate: 9/	26/2012	5	6eqNo: 16	66616	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride		37	7.5	15.00	22.53	93.4	64.4	117	0.860	20	
Sample ID	1209974-001AMS	SampT	ype: M	s	Tes	tCode: EF	PA Method	300.0: Anion	s		
Client ID:	BatchQC	Batch	ID: 39	27	F	RunNo: 57	793				
Prep Date:	9/26/2012	Analysis D	ate: 9	/26/2012	5	SeqNo: 16	66623	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	·······	16	7.5	15.00	2.782	85.2	64.4	117			
Sample ID	1209974-001AMSI) SampT	ypė: MI	SD	Tes	tCode: EF	PA Method	300.0: Anion	s		
Client ID:	BatchQC	Batch	ID: 39	27	RunNo: 5793						
Prep Date:	9/26/2012	Analysis D	ate: 9/	/26/2012	S	SeqNo: 16	66624	Units: mg/K	g		

SPK value SPK Ref Val %REC

2.782

15.00

Hall Environmental Analysis Laboratory, Inc.

Qualifiers:

Analyte

Chloride

* Value exceeds Maximum Contaminant Level.

Result

16

PQL

7.5

- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded

LowLimit

64.4

HighLimit

117

- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

86.0

Page 3 of 7

RPDLimit

20

%RPD

0.809

Qual

1209939

WO#:

02-Oct-12

QC SUMMARY REPORT

.

Hall	Enviro	onmental	Analysis	Laboratory,	Inc.

WO#: 1209939

02-Oct-12

Client: Project:	Conoco Pl	nillips Far #6P	mingto	n							
		#01									
Sample ID MB-3	916	SampT	ype: MB	BLK	Tes	tCode: E	PA Method	418.1: TPH			
Client ID: PBS		Batch	n ID: 39	16	F	RunNo: 5	805				
Prep Date: 9/25	5/2012	Analysis D	ate: 9/	27/2012	S	SeqNo: 1	66941	Units: mg/k	۲g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbo	ons, TR	ND	20								
Sample ID LCS-	3916	SampT	ype: LC	S	Tes	tCode: E	PA Method	418.1: TPH			
Client ID: LCSS	6	Batch	n ID: 39	16	ਜ	RunNo: 5	805				
Prep Date: 9/25	5/2012	Analysis D	ate: 9/	27/2012	S	SeqNo: 1	66942	Units: mg/k	٢g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbo	ons, TR	93	20	100.0	0	92.9	80	120			
Sample ID LCSE	D-3916	SampT	ype: LC	SD	Tes	tCode: E	PA Method	418.1: TPH			
Client ID: LCSS	502	Batch	1D: 39	16	F	RunNo: 5	805				
Prep Date: 9/25	5/2012	Analysis D	ate: 9/	27/2012	S	SeqNo: 1	66943	Units: mg/k	٢g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbo	ons, TR	100	20	100.0	0	103	80	120	9.88	20	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range -
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Conoco Phillips Farmington

= **Client:**

Project:	Scott Fed	#6P	-				<u></u>				
Sample ID	MB-3891	SampT	ype: N	MBLK	Tes	tCode: El	PA Method	8015B: Dies	el Range (Organics	
Client ID:	PBS	Batch	n ID: 3	3891	F	≀unNo: 5	709				
Prep Date:	9/24/2012	Analysis D)ate:	9/24/2012	S	SeqNo: 1(64194	Units: mg/¥	٢g		
Analyte		Result	PQL	L SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	ND	1/	0							
Surr: DNOP		11		10.00		108	77.6	140			
Sample ID	LCS-3891	 SampT	Туре: І	LCS	Tes	tCode: El	PA Method	8015B: Dies	el Range (Drganics	
Client ID:	LCSS	Batch	n ID: 3	3891	F	≀unNo: 5	709				
Prep Date:	9/24/2012	Analysis D)ate:	9/24/2012	S	eqNo: 1	64208	Units: mg/⊮	ίg		
Analyte		Result	PQL	_ SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range	Organics (DRO)	35	1	0 50.00	0	70.7	52.6	130			
Surr: DNOP		4.5		5.000		90.7	77.6	140			
Sample ID	1209939-001AMS	SampT	ype: N	MS	Tes	tCode: El	PA Method	8015B: Dies	el Range C)rganics	
Client ID:	Back Ground	Batch	n ID: 3	3891	F	≀unNo: 5	734				
Prep Date:	9/24/2012	Analysis D)ate:	9/25/2012	S	SeqNo: 1(54622	Units: mg/¥	(g		
Analyte		Result	PQL	_ SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range (Organics (DRO)	31	1/	0 51.07	0	61.3	57.2	146			
Surr: DNOP		4.9		5.107		96.3	77.6	140		<u></u>	
Sample ID	1209939-001AMS[) SampT	ype: N	MSD	Tes	tCode: El	PA Method	8015B: Dies	el Range C	Organics	
Client ID:	Back Ground	Batch	n ID: 3	3891	F	≀unNo: 5 '	734				
Den Deter	010110010	A		0.000000	<i>c</i>		~	11-1			

Prep Date: 9/24/2012	Analysis D	ate: 9/	25/2012	S	SeqNo: 1	64744	Units: mg/K			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	37	10	51.55	0	72.5	57.2	146	17.7	24.5	-
Surr: DNOP	4.8		5.155		93.6	77.6	140	0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level,
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH greater than 2

- Analyte detected in the associated Method Blank В
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- RPD outside accepted recovery limits R

02-Oct-12

QC SUMMARY REPORT Hall Environmental Analysis Laboratory, Inc.

WO#:	1209939
	120//3/

02-Oct-12

Client: Co Project: Sco	noco Phillips Fa ott Fed #6P	armingto	n							
Sample ID MB-3881	Samp	Type: M1	3LK 81		tCode: E	PA Method 824	8015B: Gaso	oline Rang	e	
Prep Date: 9/22/2012	Analysis	Date: 9/	27/2012	ę	SeqNo: 1	67530	Units: mg/k	٢g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GF Surr: BFB	RO) ND 990	5.0	1000		99.3	84	116			
Sample ID. LCS-3881	Samp	Type: LC	s	Tes	tCode: E	PA Method	8015B: Gaso	oline Rang	e	
Client ID: LCSS	Bate	ch ID: 38	81	F	RunNo: 5	824				
Prep Date: 9/22/2012	Analysis	Date: <mark>, 9</mark> /	27/2012	5	SeqNo: 1	67531	Units: mg/H	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GF Surr: BFB	RO) 26 1000	5.0	25.00 1000	0	104 104	74 84	117 116			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH greater than 2

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- R RPD outside accepted recovery limits

Q

ч.

QC SUMMARY REPORT	
Hall Environmental Analysis Laboratory, Inc	

WO#: 1209939

> 02-Oct-12

Client:	Conoco P	hillips Fa	rmingto	n							
Project:	Scott Fed	#6P									
Sample ID	MB-3881	Samp	Гуре: МЕ	BLK	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID:	PBS	Batc	h ID: 388	81	ਜ	RunNo: 5	783				
Prep Date:	9/22/2012	Analysis [Date: 9/ :	26/2012	S	SeqNo: 1	66796	Units: mg/k	٢g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		ND	0.050								
Toluene		ND	0.050								
Ethylbenzene		ND	0.050								,
Xylenes, Total		ND	0.10								
Surr: 4-Brom	ofluorobenzene	1.0		1.000		99.7	80	120			
Sample ID	LCS-3881	Samp	Type: LC	S	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID:	LCSS	Batc	h ID: 38	81	F	RunNo: 5	783				
Prep Date:	9/22/2012	Analysis (Date: 9 /	26/2012	S	SeqNo: 1	66797	Units: mg/l	۲g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.95	0.050	1.000	0	95.3	76.3	117			
Toluene		0.98	0.050	1.000	0	97.8	80	120			
Ethylbenzene		1.0	0.050	1.000	0	101	77	116			
Xylenes, Total		3.1	0.10	3.000	0	102	76.7	117			
Surr: 4-Brom	ofluorobenzene	1.0		1.000		104	80	120			
Sample ID	1209929-003AMS	Samp	Type: MS	3	Tes	tCode: El	PA Method	8021B: Vola	tiles		
Client ID:	BatchQC	Batc	h ID: 38	81	F	RunNo: 5	783				
Prep Date:	9/22/2012	Analysis I	Date: 9/	26/2012	S	SeqNo: 1	66805	Units: mg/l	<g< td=""><td></td><td></td></g<>		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.88	0.048	0.9606	0	91.4	67.2	113			
Toluene		0.91	0.048	0.9606	0	94.8	62.1	116			
Ethylbenzene		0.92	0.048	0.9606	0.004087	95.5	67.9	127			
Xylenes, ⊺otal		2.8	0.096	2.882	0	97.9	60.6	134			
Surr: 4-Brom	ofluorobenzene	0.98		0.9606		102	80	120			
Sample ID	1209929-003AMS	D Samp	Туре: М \$	SD	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID:	BatchQC	Batc	h ID: 38	81	F	RunNo: 5	783				
Prep Date:	9/22/2012	Analysis I	Date: 9/	26/2012	S	SeqNo: 1	66844	Units: mg/l	Kg		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.90	0.048	0.9615	0	93.5	67.2	113	2.34	14.3	
Toluene		0.93	0.048	0.9615	0	96.4	62.1	116	1.73	15.9	
Ethylbenzene		0.94	0.048	0.9615	0.004087	97.3	67.9	127	1.95	14.4	
Xylenes, Total		2.8	0.096	2.885	0	97.8	60.6	134	0.0126	12.6	
Surr: 4-Bron	nofluorobenzene	0.99		0.9615		103	80	120	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.

Е Value above quantitation range

Analyte detected below quantitation limits J

Р Sample pH greater than 2 В Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded Н

ND Not Detected at the Reporting Limit

RPD outside accepted recovery limits R

HALL ENVIRONMENTAL ANALYSIS LABORATORY

. .

Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque. NM 87105 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com.

Sample Log-In Check List

Client Name: Conoco Phillips Farmington	Work Order Number: 1209939
Received by/date: AM 09/21/12	,
Logged By: Ashiey Gallegos 9/21/2012 10:00:00 Al	M
Completed By: Ashley Gallegos 9/21/2012 1:58:45 PM	AZ
Reviewed By: 09/21/12	ŭ
Chain of Custody	
1. Were seals intact?	Yes No Not Present 🗸
2. Is Chain of Custody complete?	Yes ✔ No 👘 Not Present
3. How was the sample delivered?	Courier
Log In	
4. Coolers are present? (see 19. for cooler specific information)	Yes 🗸 No : NA
5. Was an attempt made to cool the samples?	Yes 🗸 No NA
6. Were all samples received at a temperature of >0° C to 6.0°C	Yes 🖌 No 🐘 NA 🗄
7. Sample(s) in proper container(s)?	Yes 🗸 No
8. Sufficient sample volume for indicated test(s)?	Yes 🗸 No
9. Are samples (except VOA and ONG) properly preserved?	Yes 🗸 No
10. Was preservative added to bottles?	Yes No 🗸 NA
11 VOA vials have zero headspace?	Yes No No VOA Vials 🗸
12. Were any sample containers received broken?	Yes No 🗸
13. Does paperwork match bottle labels? (Note discrepancies on chain of custody)	Yes V No # of preserved bottles checked for pH:
14. Are matrices correctly identified on Chain of Custody?	Yes ✔ No (<2 or >12 unless noted)
15. Is it clear what analyses were requested?	Yes 🗸 No : Adjusted?
16. Were all holding times able to be met?	Yes 🗸 No
(in no, notify customer for authorization.)	Checked by:
17. Was client notified of all discrepancies with this order?	
Person Notified: Date:]	
By whom: Via:	· · eMail · · Phone Fax . In Person
Client Instructions:	anna an an an an an an an an ann an ann an a
19. Additional remarks:	
18, Auditional remarks:	

19. Cooler Information

Cooler No Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1 2.1	Good	Yes			

Page 1 of 1

						لله شي															
C	Chain	-of-Cu	istody Record	Turn-Around	Time:			ан. Энц.		B-	1A)			NV	тс	n	NF	MF	NT	' A I	
Client:	Com	NP)	nillia	Standard	🗆 Rush	۰ ۱					N	AL	YS	SIS	S L	A	BO	R	ATC)R)	r
		~ [Project Name	e:			Priore Alto		-		/ hali	lenvi	ironn	nent	alco	om				~
Mailing	Address	: 36 th	Street Forming by	Scatt Fed #60			4901 Hawkins NF - Albuquerque, NM 87109														
INM.			3101	Project #:			1	Te	el. 50)5-34	5-39	975	F	ax t	505-:	345-	-410	7			
Phone	#: 25	10-24	92	1023	6576				át s	Note in the		A	naly	sis	Req	üest					100 ···
email o	r Fax#: 🕅	1:Kel	U. Smith- DCa.P.Com	Project Mana	iger:			lly)	(lə					(†	Ĩ						
QA/QC	Package:	Freddie	Martinoz 69 @ Hetmal.com		0		021	s on	Dies					S,	B's						
I Star	ndard		Level 4 (Full Validation)	Mike S	Smith		s (8	(Ga	as/					Q	L L L						
Accred	itation			Sampler:	try Mar	tines		Ηd	О) В	÷	,	£		Š	3082						5
	AP	Othe	er	Ondce 2	¥ Yes			<u>+</u>	015	118 .	504	Ψ	s	°°	s / 8		Æ				ے ح
) (Type)	<u> </u>		Sampleatem	perature 🔨 💈			TBE	a bc	7 po	po	o	etal	z IJ	cide	(A)	i-V	ž			l≥
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type		BTEX r M	BTEX + M	TPH Metho	TPH (Meth	EDB (Meth	8310 (PNA	RCRA 8 M	Anions (F,(8081 Pesti	8260B (VC	8270 (Sem	لمتقامل			Air Ruhhle
9-20-17	11.30	Soil	Back-Ground	1-402	Cool		$\overline{\mathbf{V}}$		V	1								V			T
1-20-12	12.00	Stil	Reserve Pit	1-402	Cool	-002	V		V	1								V			
																	ĺ				
								7													Τ
																					\top
			······································																		
								-					-					-+			+
																		-		+	+
<u></u>		· · ·																	-+	+	+
·		<u> </u>								\rightarrow					-	_		\dashv			+
			/		· · ·													\dashv			
	-		· · · · ·				<u> </u>			-+											+-
	T	Dallassiah		Dessived hu		Doto Timo								,							
Date: 9-2017	17.30		Marting	Must	Weete	9/ 120/17 1736	Ren	narks	5:												
Tate:	Time:	Relinquish	ed by: atime la rollow	Received by	JI	Date Time						• •									
			very yuurur	10 martin	YKI WY											······					

.

-

ConocoPhillips

Pit	Clos	sure	Form:	
-----	------	------	-------	--

Date: $\frac{3/28/13}{28}$
Nell Name: Scott Federal GP
Footages: 1260 FSL 1887 FWL Unit Letter: N
Section: <u>17</u> , T- <u>26</u> -N, R- <u>6</u> -W, County: <u>RA</u> State: <u>NM</u>
Contractor Closing Pit: Azec. Excavation
Pit Closure Start Date: $\frac{3/13/13}{3/13}$
Pit Closure Complete Date: 3/11/13
Stave Mac Changes 1 Botos 3/2/13
onstruction inspector: <u>JEOUTION LASSON</u> Date. <u>JOO 10</u>
nspector Signature:

Revised 11/4/10

Office Use Only: Subtask _____ DSM _____ Folder _____

Davis, Kenny R

From:	Payne, Wendy F
Sent:	Thursday, March 07, 2013 8:26 AM
Το:	 Payne, Wendy F; (Brandon.Powell@state.nm.us); GRP:SJBU Regulatory; Jonathan Kelly; (lpuepke@cimarronsvc.com); Eli (Cimarron) (eliv@cimarronsvc.com); James (Cimarron) (jwood@cimarronsvc.com); Craig Willems; Mark Kelly; Mike Flaniken; Randy McKee; Robert Switzer; Roger Herrera; Sherrie Landon; Dee, Harry P; Eric Smith (sconsulting.eric@gmail.com); Faver Norman; Fred Martinez; Gardenhire, James E; Jared Chavez; Lowe, Terry; McCarty Jr, Chuck R; Peter, Dan J; Smith, Mike W; Steve McGlasson; Tally, Ethel; Becker, Joey W; Bowker, Terry D; Brant Fourr; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary Green J; GRP:SJBU Production Leads; Hockett, Christy R; Bassing, Kendal R.; Kennedy, Jim R; Leboeuf, Davin J; Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.; Peace, James T; Poulson, Mark E; Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Heriberto Blanco; Quintana Tony (tquintana@flintenergy.com); Barton, Austin; Blakley, Mac; Clugston, Danny K; Coats, Nathan W; Farrell, Juanita R; Maxwell, Mary Alice; Rhoads, Travis P; Saiz, Kooper K; Seabolt, Elmo F; Thompson, Trey
Cc:	'Aztec Excavation'
Subject:	Update: Reclamation Notice: Scott Federal 6P (Area 26 * Run 651)
Importance:	High

Corrected Date should read 3/13/13. Sorry for the confusion.

Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com

Aztec Excavation will move a tractor to the **Scott Federal 6P** to start the reclamation process on <u>Tuesday, March 3</u>, <u>2013</u>. Please contact Steve McGlasson (716-3285) if you have questions or need further assistance.

<< File: Scott Federal 6P.pdf >> ConocoPhillips Company Well - Network # 10336576 - Activity code D250 (reclamation) & D260 (pit closure) - PO: Kgarcia Rio Arriba County, NM

Scott Federal 6P - BLM surface/BLM minerals

Onsite: Janelle Alleman - 11-20-09 Twin: Scott 3 (P&A) 1260' FSL & 1887' FWL Sec. 17, T26N, R6W Unit Letter " N " Lease # SF-079035 CA # NM-76309 BH: NWSW, Sec.17, T26N, R6W Latitude: 36° 28' 58" N (NAD 83) Longitude: 107° 29' 38" W (NAD 83) Elevation: 6720' Total Acres Disturbed: 3.03 acres Access Road: n/a API # 30-039-31010 Within City Limits: No Pit Lined: YES NOTE: Arch monitoring is NOT required for this location.

-

Wendy Payne ConocoPhillips-SJBU 505-326-9533 Wendy.F.Payne@conocophillips.com

. .

ConocoPhillips

Reclamation Form:

.

+/12/12
Date: <u>//////</u>
Well Name: Fred GP
Footages: 1260 FSC 1887 FWE Unit Letter:
Section: 17, T-26-N, R-6-W, County: Rio Arrike State: 10
Reclamation Contractor: Aztec
Reclamation Start Date: 3/13/13
Reclamation Complete Date: 3/25/13
Road Completion Date:A
Seeding Date: 3/27/13
**PIT MARKER STATUS (When Required): Picture of Marker set needed
MARKER PLACED : $\frac{3/29/13}{(DATE)}$
LATATUDE:
LONGITUDE: 107,49398
Pit Manifold removed <u>3/4/13</u> (DATE)
Construction Inspector: $5. M = 6.19500$ Date: $\frac{4/17}{13}$
Inspector Signature:
Office Use Only: SubtaskDSMFolderPictures
Revised 6/14/2012

CONOCOPHILLIPS COMPAN SCOTT FEDERAL #6P 1260' FSL 1887' FWL UNIT N SEC 17 T26N R6W / LEASE# SF-079035 BH: NWSW SEC 17 T26N R6W API #30-039-31010 ELEV. 6720' CA # NM-76309 LATITUDE 36° 28 MIN. 58 SEC. N (NAD 83) LONGITUDE 107° 29 MIN. 38 SEC. W (NAD 83) RIO ARRIBA COUNTY, NEW MEXICO EMERGENCY CONTACT: 1-505-324-5170





and the state of the 585 - KAPE -and the second and the second and the second state of the se a share an the state of the second and the second and the second the second the second the second and the second and the second and the second and the second second and the second second and the second second and the second s and the second hades and the state of the stat

	WELL NAME: Scott Federal 6P	OPEN P	IT INSPE	CTION I	ConocoPhillips					
	INSPECTOR	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz
	*Please request for plt extention after 26 weeks	08/09/12 Week 1	08/23/12 Week 2	09/06/12 Week 3	09/13/12 Week 4	Week 5	09/27/12 Week 6	10/04/12 Week 7	Week 8	Week 9
	PIT STATUS	Drilled Completed	Drilled Completed	Drilled Completed	Drilled Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed Clean-Up	Drilled Completed	Drilled Completed Clean-Up	Drilled Completed Clean-Up
VIION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	V Yes No	☑ Yes 🗌 No	Yes No	✓ Yes 🗋 No	🗹 Yes 🗌 No	🗹 Yes 🗌 No	Yes No	🗸 Yes 🗌 No	☑ Yes 🗌 No
roc⊿	Is the temporary well sign on location and visible from access road?	Yes 🗋 No	☑ Yes 🗌 No	Yes No	✓ Yes 🗌 No	✓ Yes 🗌 No	🗹 Yes 🗌 No	Yes No	🖌 Yes 🗌 No	🗌 Yes 🗹 No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes 🗋 No	Yes 🗌 No	Yes No	☑ Yes 🗌 No	Yes No	☑ Yes 🗌 No	Yes No	🗸 Yes 🗌 No	🗹 Yes 🗌 No
	Are the culverts free from debris or any object preventing flow?	☑ Yes 🗌 No	🗹 Yes 🔲 No	Yes No	Yes 🗌 No	Yes 🗌 No	Ves 🗌 No	Yes No	✓ Yes □ No	🗸 Yes 🔲 No
	Is the top of the location bladed and in good operating condition?	⊡'Yes 🔲 No	🗸 Yes 🗌 No	Yes No	✓ Yes 🗌 No	Yes No	🗸 Yes 🗌 No	Yes No	✓ Yes 🗌 No	🖌 Yes 🗌 No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	⊡:Yes 🔲 No	☑ Yes 🔲 No	Yes No	✓ Yes 🗋 No	Ves No	✓ Yes 🗌 No	Yes No	🗸 Yes 🗌 No	✓ Yes 🗌 No
RONMENTAL COMPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	Yes 🗌 No	イYes 🗌 No	Yes No	✓ Yes 🗌 No	🗹 Yes 🗌 No	Ves 🗌 No	Yes No	✓ Yes 🗌 No	✓ Yes 🗌 No
	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	Ves No	マ Yes 🗌 No	Yes No	Ves 🗌 No	Yes No	✓ Yes 🗌 No	Yes No	Yes No	Yes No
	Does the pit contain two feet of free board? (check the water levels)	🗸 Yes 📋 No	Yes 🗌 No	Yes No	✓ Yes 🗌 No	🗸 Yes 🗌 No	ƳYes □No	Yes No	Yes 🗌 No	Yes 🗌 No
	Is there any standing water on the blow pit?	Ves No	✓ Yes 🗌 No	🗌 Yes 🔲 No	✓ Yes 🗋 No	🗸 Yes 🗌 No	✓ Yes 🗌 No	Yes No	☑ Yes 🔲 No	✓ Yes 🗌 No
ENV	Are the pits free of trash and oil?	Yes No	✓ Yes 🗌 No	Yes No	Ves 🔲 No	🗸 Yes 🗌 No	✓ Yes 🗌 No	Yes No	✓ Yes □ No	✓ Yes 🗌 No
	Are there diversion ditches around the pits for natural drainage?	🗌 Yes 🗹 No	🗸 Yes 🗌 No	Yes No	Ves No	Yes 🗸 No	Yes 🗸 No	Yes No	Yes 🗸 No	Yes 🖓 No
· • • • • • • •	Is there a Manifold on location?	Yes 🗌 No	🗌 Yes 🔽 No	Yes No	Yes 🗸 No	🗌 Yes 🔽 No	Yes 🕢 No	Yes No	Ves No	Ves 🔲 No
	Is the Manifold free of leaks? Are the hoses in good condition?	🗸 Yes 🗔 No	🗹 Yes 🔲 No	Yes No	Ves 🗌 No	Yes 🗌 No	🗹 Yes 🗌 No	Yes No	🗹 Yes 🗌 No	🗸 Yes 🗌 No
OCD	Was the OCD contacted?	T Yes 🗹 No	🗌 Yes 🗹 No	🗌 Yes 🔲 No	🗌 Yes 🔽 No	🗌 Yes 🔽 No	🗌 Yes 🔽 No	🗋 Yes 🗌 No	🗋 Yes 🔽 No	🗌 Yes 🔽 No
	PICTURE TAKEN	🗌 Yes 🔽 No	🗌 Yes 🔽 No	Yes No	🗌 Yes 🔽 No	🗋 Yes 🔽 No	🔲 Yes 🗹 No	Yes No	Yes 🗸 No	Yes 🗹 No
	COMMENTS		Rig getting ready to move on location.	Rig On location	Debri in pit No ditches have M- N-R pull pit.	Debri in pit no ditches sample pit.	Debri in pit no ditches.	Frack and flowback crew on location.	Debri in pit facility set.	Debri In pit sign on fence

	WELL NAME:										
	Scott Federal 6P	F	Fac al Adda	Free of AAA							
		Fred Mtz	01/16/13	01/23/13	02/06/13		- ····				
	*Please request for pit extention after 26 weeks	Week 10	/eek 10 Week 11 Week 12 Week 13 Week 14 Week		Week 15	Week 16	Week 17	Week 18			
	· · · · · · · · · · · · · · · · · · ·	Drilled	✓ Drilled	✓ Drilled	✓ Drilled	Drilled	Drilled	Drilled	Drilled	Drilled	
	PIT STATUS	Completed	Completed	Completed	Completed	Completed	Completed	Completed	Completed	Completed	
		Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	Clean-Up	
TION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	✔ Yes 🗋 No	✓ Yes 🗌 No	VYes No	Yes No	Yes No	Yes No	Yes No	Yes No	
LOCA	Is the temporary well sign on location and visible from access road?	Yes 🗹 No	Yes 🗹 No	🗌 Yes 🗹 No	Yes 🗸 No	Yes No	Yes No	Yes No	Yes No	Yes 🗌 No	
	Is the access road in good driving condition? (deep ruts, bladed)	🗸 Yes 🗌 No	🗹 Yes 🗌 No	Yes 🗸 No	V Yes 🗌 No	Yes No	Yes No	Yes No	Yes No	Yes No	
	Are the culverts free from debris or any object preventing flow?	Yes 🗌 No	☑ Yes 🛄 No	🗹 Yes 🔲 No	Yes 🗸 No	Yes No	Yes No	Yes 🗌 No	Yes No	Yes No	
	Is the top of the location bladed and in good operating condition?	✓ Yes 🗋 No	Yes 🗸 No	✓ Yes 🗌 No	Yes 🔽 No	Yes No	Yes No	Yes No	Yes No	Yes 🚺 No	
IENTAL COMPLIANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	√Yes 🗌 No	🗹 Yes 🗌 No	☑ Yes 🔲 No	✓ Yes 🗌 No	Yes No]Yes No Yes No		Yes No	Yes No	
	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes 🗌 No	🗹 Yes 🗌 No	Yes No	🗹 Yes 🗌 No	Yes No	Yes No	Yes No	Yes No	Yes No	
	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	Yes 🗌 No	☑ Yes 🗌 No	☑ Yes 🗌 No	☑ Yes 🗌 No	Yes No	Yes No	Yes No	Yes 🗌 No	Yes No	
	Does the pit contain two feet of free board? (check the water levels)	Yes 🗌 No	☑ Yes 🗌 No	🗹 Yes 🗌 No	🗹 Yes 🔲 No	Yes 🗌 No	Yes 🗌 No	Yes No	Yes No	Yes No	
RONA	Is there any standing water on the blow pit?	✓ Yes 🗌 No	☑ Yes 🗌 No	✓ Yes 🗋 No	✓ Yes 🗌 No	Yes No	Yes No	Yes No	Yes No	Yes No	
ENV	Are the pits free of trash and oil?	🗹 Yes 🔲 No	🗸 Yes 🗌 No	🗹 Yes 🔲 No	✓ Yes 🗌 No	Yes No	Yes No	Yes No	Yes No	Yes No	
1	Are there diversion ditches around the pits for natural drainage?	🗸 Yes 🗌 No	✓ Yes 🗌 No	🗸 Yes 🔲 No	Ves 🗌 No	Yes No	Yes No	Yes No	Yes No	Yes No	
	Is there a Manifold on location?	Yes 🗸 No	Yes 🗸 No	Yes 🗸 No	🗹 Yes 🗌 No	Yes No	Yes No	Yes No	🗌 Yes 🔲 No	Yes No	
	Is the Manifold free of leaks? Are the hoses in good condition?	🗸 Yes 🗌 No	🗸 Yes 🗌 No	🗹 Yes 🗌 No	🗹 Yes 🔲 No	Yes No	Yes No	🗌 Yes 🔲 No	Yes No	Yes No	
оср	Was the OCD contacted?	🗌 Yes 🗹 No	🗌 Yes 🔽 No	🗌 Yes 🔽 No	🗌 Yes 🔽 No	🗋 Yes 📋 No	Yes No	Yes No	Yes No	🗌 Yes 🔲 No	
	PICTURE TAKEN	🗌 Yes 🔽 No	Yes 🗸 No	Yes 📝 No	Yes 🗸 No	🗌 Yes 🗌 No	Yes No	Yes No	Yes No	Yes No	
	COMMENTS	Sign on fenceno ditches locations snow over pit has debri and iced over .	Debri in pit under ice location needs bladed	Debri in pit undet ice location and road muddy .	Locations muddy debri in pit .						

Attn: Jonathan Kelly

٩,

. ..

7/8/13

RE: Scott Federal 6P

Please see attached corrected C-105 for Closure Permit # 7539

.

OIL CONS. DIV DIST. 3 JUL 08 2013

,

Submit To Approp		State of New Mexico							Form C-105								
District I 1625 N. French Dr	., Hobbs, NN	M 88240	Energy, Minerals and Natural Resources							July 17, 2008							
District II 1301 W. Grand Av	enue, Artesi	a, NM 88210	Oil Conservation Division							30-039-31010							
1000 Rio Brazos R	d., Aztec, N	M 87410	1220 South St. Francis Dr.							2. Type of Lease ☐ FEE X FED/INDIAN							
1220 S. St. Francis	Dr., Santa F	e, NM 87505		Santa Fe, 1	3. State Oil & Gas Lease No. SE 079035												
WELL	COMPL	ETION O		OMPL	ETION RE	POF		D LOG									
4. Reason for fil	ing:				5. Lease Name or Unit Agreement Name												
COMPLET	ION REPO	ORT (Fill in bo	es #1 through #31 for State and Fee wells only)							6. Well Number;							
C-144 CLOS #33; attach this a	SURE AT	TACHMENT to the C-144 cl	(Fill in bo: osure repo	OIL CONS. DIV DIST 3													
7. Type of Completion:													<u> </u>				
8. Name of Oper	ator	1 WORRO <u>TE</u>		12111110						9. OGRID JUL 0 8 2013							
ConocoPhilli 10. Address of O	ps Comperator	pany			·		. <u> </u>			217817	e or Wi	ildcat			<u> </u>		
PO Box 4298, Fa	irmington,	NM 87499	_			_				Blanco MV /	Basin I	DK					
12.Location	Unit Ltr	Section	Town	iship	Range	Lot		Feet from	n the	N/S Line	Feet	from the	E/W L	Line	County Dia Arriba		
BH:	1N 1.		26N		6W			1840		S	710		W	_	Río Arriba		
13. Date Spudded	1 14. Da	te T.D. Reache	d 15.	Date Ri	g Released		16	Date Com	pleted	1 (Ready to Pro	duce)	1	7. Elevat	tions (D	F and RKB,		
10 Tetel M		<u>ent 11</u>		29/12				W D'				R	T, GR, e	etc.)			
18. Total Measur	ed Depth o	or well	19.	Plug Ba	ck Measured De	pth	20	· was Dire	ctiona	al Survey Made	1	21. Ty	be Electri	ic and U	uner Logs Run		
22. Producing Int	terval(s), of	f this completic	n - Top, B	ottom, N	ame							<u> </u>			······		
23				CAS	SING REC	ORI) (Rep	ort all s	trin	gs set in w	ell)						
CASING SI	ZE	WEIGHT I	.B./FT.		DEPTH SET		HC	DLE SIZE		CEMEN	GRE	₫ Ф ₿₽Г	IV DAS	MDUS T	PULLED		
										<u> </u>							
												<u>, , , , , , , , , , , , , , , , , , , </u>					
24.				LIN	ER RECORD	l		25.			TUBING RECORD						
SIZE			BOTTOM		SACKS CEM	<u>IENT</u>	SCREE	N	SL	ZE	DE	EPTH SE	<u> </u>	PACK	ER SET		
				,													
26. Perforation	record (in	terval, size, and	number)				27. AC	ID, SHOT	<u>г, FR</u> 1.	ACTURE, CE	EMEN	IT, SQU	EEZE,	ETC.			
							DEITH	INTERVIT							i		
i										_			<u> </u>				
28						PRO	DUC	TION		_1							
Date First Produc	ction	Pro	duction Me	thod (Fl	owing, gas lift, p	numping	g - Size an	d type pum	p)	Well Statu	s (Proa	l. or Shut	-in)				
					<u>,</u>					_							
Date of Test	Hours	Tested	Choke Siz	e	Prod'n For Test Period		Oil - Bb	I	Ga	is - MCF	Wa	ater - Bbl		Gas -	Oil Ratio		
Flow Tubing Casing Pressure Calculated 24- Oil - Bbl. Press Hour Rate				Oil - Bbl.		Gas - MCF			Water - Bbl. Oil G			Gravity - API - (Corr.)					
29. Disposition of Gas (Sold, used for fuel, vented, etc.) 30. Test Witnessed By																	
31. List Attachments																	
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																	
33. If an on-site burial was used at the well, report the exact location of the on-site burial:																	
I hereby certij	fy that th	e informatio	<u>0.48205 N</u> n shown	on bot	h sides of this	s form	is true	and com	<u>s</u> plete	to the best of	of my	knowle	dge and	d belie	f		
Signature				Pri: Nar	nted ne Kenny Da	avis	Title:	Staff Re	gula	tory Technic	ian	Da	ate: 6/2	4/13			
E-mail Addre	<u>ss</u>	k	enny.r.d	avis @	conocophilli	ps.com	<u>n</u>										