



NEW MEXICO ENERGY, MINERALS
& NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION
AZTEC DISTRICT OFFICE
1000 RIO BRAZOS ROAD
AZTEC NM 87410
(505) 334-6178 FAX: (505) 334-6170
[http://emnrd.state.nm.us/ocd/District III/3district.htm](http://emnrd.state.nm.us/ocd/District%20III/3district.htm)

BRADENHEAD TEST REPORT

(submit 1 copy to above address)

RCVD AUG 2 '13

OIL CONS. DIV.
DIST. 3

Date of Test 8-2-13 Operator BP America API #30-0 45-26735
Property Name City of Farmington Well No. 2 Location: Unit J Section 10 Township 29 Range 13
Well Status (Shut-In or Producing) Initial PSI: Tubing 180 Intermediate N/A Casing 190 Bradenhead 200

OPEN BRADENHEAD AND INTERMEDIATE TO ATMOSPHERE INDIVIDUALLY FOR 15 MINUTES EACH

Testing	PRESSURE			INTERM		
	BH	Int	Csg	Int	Csg	
TIME						
5 min	1		185			
10 min	1		190			
15 min	0		194			
20 min	0		196			
25 min	0		200			
30 min	0		200			

FLOW CHARACTERISTICS
BRADENHEAD INTERMEDIATE

Steady Flow		/
Surges		
Down to Nothing		
Nothing		
Gas		/
Gas & Water		
Water		

If bradenhead flowed water, check all of the descriptions that apply below:

CLEAR _____ FRESH _____ SALTY _____ SULFUR _____ BLACK _____

5 MINUTE SHUT-IN PRESSURE

BRADENHEAD 18

INTERMEDIATE N/A

REMARKS:

Gas Sample taken - Hand blow 7 seconds.
to light blow - 5-10-15-20-25-30

By

Ray Teck

(Position)

Witness

Monica Kuehling

E-mail address _____




City of Farmington 2

Dakota
API # 30-045-26735
Sec. 10, T29N, R13W
San Juan County, New Mexico

Well History

1/20/66 Spud date

2/24/66: Completion daet



Surface Casing Data

9 5/8", 36# csg at 550'

Cmt circulated to surface

Well kicked off at 743'

DV Tool at 1757'

Squeezed hole in casing between 4523-4550'
3/1/1996

DV Tool at 4668'

Tubing Details

2.375" tbg

Length
201 jts

Perforation Data

6162-6308'

Top plug at 5901'
sand/ barite plug
capped w/ 1 sk cmt

Production Casing Data

4 1/2", 10.5#, Casing at 6420'

Tubing Depth
6239'

PBTB at 6376'
TD: 6420