<ul> <li><u>District 1</u></li> <li>1625 N. French Dr., Hobbs, NM 88240</li> <li><u>District 11</u></li> <li>1301 W. Grand Ave., Artesia, NM 88210</li> <li><u>District 111</u></li> <li>1000 Rio Brazos Rd., Aztec, NM 87410</li> <li><u>District 1V</u></li> <li>1220 S. St. Francis Dr., Santa Fe, NM 87505</li> </ul>	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade. tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
	Pit, Closed-Loop System, Below-Grad	
Type of action:	osed Alternative Method Permit or Closs Permit of a pit, closed-loop system, below-grade ta Closure of a pit, closed-loop system, below-grade ta Modification to an existing permit Closure plan only submitted for an existing permit below-grade tank, or proposed alternative method	ank, or proposed alternative method tank, or proposed alternative method ted or non-permitted pit, closed-loop system,
Please be advised that approval	<b>pplication (Form C-144) per individual pit, closed-loo</b> of this request does not relieve the operator of liability should operations re- lieve the operator of its responsibility to comply with any other applicable	esult in pollution of surface water, ground water or the
I Operator: <u>ConocoPhillips Compar</u> Address: <u>PO Box 4289, Farmingt</u>		OGRID#: <u>217817</u>
Facility or well name:       Culpepper N         API Number:       3         U/L or Qtr/Qtr:       N(SE/SW)         Center of Proposed Design:       Latitud         Surface Owner:       Federal	0-045-31754         OCD Permit Numbe           on:         20         Township         32N         Range:         1	2W         County:         San Juan           108.12141         °W         NAD:         X         ###         1983
Permanent Emergency Lincd Unlincd L String-Reinforced	rkover Cavitation P&A	RCVD JUN 28 '13         OIL CONS. DIV.         HDPE       PVC       Other      3
Type of Operation:       X       P&A       [         Drying Pad       X       Above Group         Lined       Unlined       Lined	tion H of 19.15.17.11 NMAC Drilling a new well Workover or Drilling (Applies to notice of intent) Ind Steel Tanks Haul-off Bins Other er type: Thickness mil LLDPE H actory Other	activities which require prior approval of a permit or
4       Below-grade tank:       Subsection         Volume:       I         Tank Construction material:       I         Secondary containment with leak de       I         Visible sidewalls and liner       I         Liner Type:       Thickness	obl Type of fluid:	matic overflow shut-off
5 Alternative Method: Submittal of an exception request is rea	quired. Exceptions must be submitted to the Santa Fe Environr	nental Bureau office for consideration of approval.

5

5 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link six feet in height two strands of barbed wire at ton (Required if located within 1000 feet of a permanent residence, school, hospital, inst	titution or chu	wh)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet	Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify					
7					
<u>Netting:</u> Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19.15.17.11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC					
9	PP-88-0.5.	=			
Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	ideration of ap	proval.			
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site		No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	No			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	No			
Society; Topographic map Within a 100-year floodplain - FEMA map	TYes	No			

.

Instructions: Each of the folle			Attachment Checklist: Subsection B of 19.15.17.9 NMAC
			ite, by a check mark in the box, that the documents are attached.
			f Paragraph (4) of Subsection B of 19.15.17.9 NMAC
		· · ·	rements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Com	pliance Demonstrations - based	d upon the appropriate requ	irements of 19.15.17.10 NMAC
Design Plan - based	upon the appropriate requirem	ents of 19.15.17.11 NMAC	0
Operating and Main	stenance Plan - based upon the	appropriate requirements o	of 19.15.17.12 NMAC
	e complete Boxes 14 through 1 and 19.15.17.13 NMAC	8, if applicable) - based up	on the appropriate requirements of Subsection C of
Previously Approved D	esign (attach copy of design)	API	or Permit
Instructions: Each of the follo Geologic and Hydro Siting Criteria Com Design Plan - based Operating and Main Closure Plan (Please NMAC and 19.15.1 Previously Approved D Previously Approved O	pgeologic Data (only for on-site pliance Demonstrations (only fi 1 upon the appropriate requirem ntenance Plan - based upon the e complete Boxes 14 through 1 17.13 NMAC Design (attach copy of design) Operating and Maintenance Plan	he application. Please indicate closure) - based upon the n for on-site closure) - based in orents of 19.15.17.11 NMAG appropriate requirements o 8, if applicable) - based up API API API	te, by a check mark in the box, that the documents are attached. requirements of Paragraph (3) of Subsection B of 19.15.17.9 upon the appropriate requirements of 19.15.17.10 NMAC C of 19.15.17.12 NMAC bon the appropriate requirements of Subsection C of 19.15.17.1
Siting Criteria Com Climatological Facture Certified Engineering Dike Protection and Leak Detection Des Liner Specifications Quality Control/Qua Operating and Main Freeboard and Over Nuisance or Hazard Emergency Respons Oil Field Waste Stree Monitoring and Insp Erosion Control Pla	pliance Demonstrations - based ors. Assessment ng Design Plans - based upon th Structural Integrity Design: based ign - based upon the appropriat s and Compatibility Assessment ality Assurance Construction are netenance Plan - based upon the rtopping Prevention Plan - base Jous Odors, including H2S, Pre- se Plan eam Characterization pection Plan	d upon the appropriate requirement ased upon the appropriate re te requirements of 19.15.17 tt - based upon the appropriate appropriate requirements of upon the appropriate requirements of wonthe appropriate requirements of the upon the appropriate requirements of the upon the appropriate requirements of the upon the appropriate requirements of the upon the	equirements of 19.15.17.11 NMAC 7.11 NMAC iate requirements of 19.15.17.11 NMAC
-	te the applicable boxes, Boxes 14 orkover Emergency Ca Waste Excavation and Rer Waste Removal (Closed-lo On-site Closure Method (c	avitation P&A Pe moval oop systems only) only for temporary pits and c al On-site Trench	ermanent Pit Below-grade Tank Closed-loop System
	mark in the box, that the docume	nts are attached.	tructions: Each of the following items must be attached to the clos
Protocols and Proce	dures - based upon the appropr ling Plan (if applicable) - based		urements of Subsection F of 19.15.17.13 NMAC

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two	)			
facilities are required. Disposed Facility Name:				
Disposal Facility Name:       Disposal Facility Permit #:         Disposal Facility Name:       Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future         Yes (If yes, please provide the information				
Required for impacted areas which will not be used for future service and operations:         Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NM.         Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC			
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	Yes No			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; satellite image</li> </ul>	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No			
<ul> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No			
Within the area overlying a subsurface mine.	Yes No			
<ul> <li>Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division</li> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society;</li> </ul>	Ycs No			
Topographic map Within a 100-year floodplain. - FEMA map	Yes No			
<sup>18</sup> <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the clos by a check mark in the box, that the documents are attached.	ure plan. Please indicate,			
<ul> <li>Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC</li> <li>Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC</li> <li>Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC</li> <li>Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC</li> <li>Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC</li> <li>Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) - Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC</li> </ul>				

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

• 1

•

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
c-mail address: Telephone:
# <u>OCD Approval:</u> Permit Application (including closureplan) X Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:
Title: Compance Office of Permit Number:
21         Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC         Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.         Image: Closure Completion Date:       5/31/2013
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
#
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005 Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below) $\mathbf{X}$ No
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
Operator Closure Certification:
I berefy certify that the information and attachments submitted with this closure concerts there accurate and complete to the best of my knowledge and belief. I also contify that
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Signature:	alla Susa	, Date:	6/28/13	
e-mail address:	dollie I. busse@conocophillips.com	Telephone:	(505) 324-6104	

٠

د

Oil Conservation Division