District 1	State of New Mexico	Form C-1
1625 N. French Dr., Hobbs, NM 88240	Energy Minerals and Natural Resources	July 21, 24
District 11	Department	For temporary pits, closed-loop sytems, and below-grade
1301 W. Grand Ave., Artesia, NM 88210	Oil Conservation Division	tanks, submit to the appropriate NMOCD District Office.
District III	1220 South St. Francis Dr.	
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe
District IV		Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220 S. St. Francis Dr., Santa Fe, NM 87505	D'4 Class I I and Castor Dalam Cast	
N Prope	Pit, Closed-Loop System, Below-Grac osed Alternative Method Permit or Close	
Type of action:	Permit of a pit, closed-loop system, below-grade ta	nk, or proposed alternative method
,	<b>X</b> Closure of a pit, closed-loop system, below-grade t	ank, or proposed alternative method
	Modification to an existing permit	
	Closure plan only submitted for an existing permit below-grade tank, or proposed alternative method	ted or non-permitted pit, closed-loop system,
Instructions: Please submit one ap	pplication (Form C-144) per individual pit, closed-loo	p system, below-grade tank or alternative reques
	this request does not relieve the operator of liability should operations reve the operator of its responsibility to comply with any other applicable	-
1 Operator: <u>ConocoPhillips Company</u>	/	OGRID#: <u>217817</u>
Address: PO Box 4289, Farmingto	n, NM 87499	
Facility or well name: San Juan 31-	6 Unit 24	
U/L or Qtr/Qtr: <u>K(NE/SW)</u> Sectio		W County: Rio Arriba
Center of Proposed Design: Latitude	: <u>36.86734</u> °N Longitude:	-107.453598 °W NAD: X 1927 198
Surface Owner: X Federal	State Private Tribal Trust or Indian	Allotment
Temporary: Drilling Work	_	UIL CONS. DIV
Lined Unlined Lir		DIST. 3
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau 3	ner type: Thickness mil [] LLDPE [] I	
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau 3 X Closed-loop System: Subsecti	on H of 19.15.17.11 NMAC <b>5/24/2013</b>	IDPE PVC Other
Lined Unlined Lir String-Reinforced Liner Scams: Welded Fau <u>3</u> X <u>Closed-loop System:</u> Subsecti Type of Operation: <b>S</b> P&A	on H of 19.15.17.11 NMAC 514 8/24/2013 Drilling a new well Workover or Drilling (Applies to notice of intent)	IDPE PVC Other
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau 3 X <u>Closed-loop System:</u> Subsecti Type of Operation: <b>S</b> P&A	ner type:       Thickness       mil       LLDPE       I         ctory       Other       Volume:	IDPE       PVC       Other         bbl       Dimensions L       x W       x D         activities which require prior approval of a permit or
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau 3 X <u>Closed-loop System:</u> Subsecti Type of Operation: RP&A	ner type:       Thickness       mil       LLDPE       I         ctory       Other       Volume:	IDPE PVC Other
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau 3 X Closed-loop System: Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner	ner type:       Thickness       mil       LLDPE       I         ctory       Other       Volume:	IDPE       PVC       Other         bbl       Dimensions L       x W       x D         activities which require prior approval of a permit or
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau 3 X Closed-loop System: Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner	ner type:       Thickness       mil       LLDPE       I         ctory       Other       Volume:	IDPE       PVC       Other         bbl       Dimensions       L       x W       x D         activities which require prior approval of a permit or
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau 3 X Closed-loop System: Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner Liner Seams: Welded Fau 4	her type: Thickness mil LLDPE I   ctory Other Volume:	IDPE       PVC       Other         bbl       Dimensions       L       x W       x D         activities which require prior approval of a permit or
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau 3 X <u>Closed-loop System:</u> Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner Liner Seams: Welded Fau 4 Below-grade tank: Subsection I	her type: Thickness mil LLDPE I   ctory Other Volume:	IDPE       PVC       Other         bbl       Dimensions L       x W       x D         activities which require prior approval of a permit or
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau Closed-loop System: Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner Liner Seams: Welded Fau 4 Below-grade tank: Subsection I Volume:bt	her type: Thickness mil LLDPE I   ctory Other Volume:	IDPE       PVC       Other         bbl       Dimensions       L       x W       x D         activities which require prior approval of a permit or
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau Closed-loop System: Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner Liner Seams: Welded Fau Below-grade tank: Subsection I Volume:bt Tank Construction material:	her type: Thickness mil LLDPE I ctoryOtherVolume: on H of 19.15.17.11 NMAC <b>54 8/24/2013</b> Drilling a new well Workover or Drilling (Applies to notice of intent) nd Steel TanksMall-off BinsOther type: ThicknessmilLLDPEH ctoryOther of 19.15.17.11 NMAC	IDPE       PVC       Other         bbl       Dimensions L       x W       x D         activities which require prior approval of a permit or
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau Closed-loop System: Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner Liner Seams: Welded Fau 4 Below-grade tank: Subsection I Volume:bt	her type: Thickness mil LLDPE I ctoryOtherVolume: on H of 19.15.17.11 NMAC <b>54 8/24/2013</b> Drilling a new well Workover or Drilling (Applies to notice of intent) nd Steel TanksMall-off BinsOther type: ThicknessmilLLDPEH ctoryOther of 19.15.17.11 NMAC	IDPE       PVC       Other
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau Closed-loop System: Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner Liner Seams: Welded Fau Below-grade tank: Subsection I Volume:bt Tank Construction material:	her type: Thickness mil LLDPE I ctoryOtherVolume: on H of 19.15.17.11 NMAC <b>54 8/24/2013</b> Drilling a new well Workover or Drilling (Applies to notice of intent) nd Steel TanksMaul-off BinsOther type: ThicknessmilLLDPEH ctoryOther of 19.15.17.11 NMAC	IDPE       PVC       Other
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau Closed-loop System: Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner Liner Seams: Welded Fau 4 Below-grade tank: Subsection I Volume: bt Tank Construction material: Secondary containment with leak de Visible sidewalls and liner	her type: Thickness mil LLDPE I   ctory Other Volume:	IDPE       PVC       Other
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau Closed-loop System: Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner Liner Seams: Welded Fau Welded Fau Helder Fau Construction material: Secondary containment with leak de	her type:       Thickness       mil       LLDPE       I         ctory       Other       Volume:	IDPE       PVC       Other         bbl       Dimensions L       x W       x D         activities which require prior approval of a permit or         DPE       PVD       Other
Lined Unlined Lir String-Reinforced Liner Seams: Welded Fau 3 X <u>Closed-loop System:</u> Subsecti Type of Operation: P&A Drying Pad X Above Grour Lined Unlined Liner Liner Seams: Welded Fau 4 Below-grade tank: Subsection I Volume: bb Tank Construction material: Secondary containment with leak de Visible sidewalls and liner Liner Type: Thickness	her type: Thickness mil LLDPE I   ctory Other Volume:	IDPE       PVC       Other
Lined       Unlined       Lir         String-Reinforced       Liner Seams:       Welded       Fau         3       Closed-loop System:       Subsecti         Type of Operation:       P&A       Image: Subsection of the system of the s	her type: Thickness mil LLDPE I   ctory Other Volume:	IDPE       PVC       Other
Lined       Unlined       Lir         String-Reinforced       Liner Seams:       Welded       Fau         3       Closed-loop System:       Subsecti         Type of Operation:       P&A       Image: Subsection in the subsectin the subsection in the subsection in the subsection in the subse	her type: Thickness mil LLDPE I   ctory Other Volume:	iDPE       PVC       Other

5 dib

.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)     Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)     Four foot height, four strands of barbed wire evenly spaced between one and four feet     Alternate. Please specify				
7         Netting:       Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Screen       Netting         Other				
<ul> <li>Signs: Subsection C of 19.15.17.11 NMAC</li> <li>12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers</li> <li>Signed in compliance with 19.15.3.103 NMAC</li> </ul>				
9         Administrative Approvals and Exceptions:         Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.         Please check a box if one or more of the following is requested, if not leave blank:         Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)         Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10 Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
<ul> <li>Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.</li> <li>NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells</li> <li>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</li> <li>Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes No			
<ul> <li>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applies to temporary, emergency, or cavitation pits and below-grade tanks) <ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul> </li> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applied to permanent pits)</li> </ul>	Yes No			
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes No			
<ul> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality: Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> <li>Within the area overlying a subsurface mine.</li> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> <li>Within an unstable area.</li> </ul>	☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No ☐ Yes ☐ No			
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> <li>Within a 100-year floodplain</li> <li>FEMA map</li> </ul>	Yes No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
<ul> <li>Erosion Control Plan</li> <li>Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC</li> </ul>				
14 Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure				
plan. Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

-

•

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)				
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than facilities are required.	110)			
osal Facility Name: Disposal Facility Permit #:				
Disposal Facility Name: Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations:         Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC         Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC         Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17				
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A			
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.				
<ul> <li>NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance</li> <li>adopted pursuant to NMSA 1978, Section 3-27-3, as amended.</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes No			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine. - Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No			
Within a 100-year floodplain. - FEMA map	Yes No			
18	· · · · · · · · · · · · · · · · · · ·			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				

Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19 Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and com	plete to the best of my knowledge and belief.			
Name (Print): Title:				
Signature: Date:				
e-mail address: Telepho	one:			
20 <u>OCD Approval:</u> Permit Application (including closure plan) <b>X</b> (flosure Pl	an-(only) OCD Conditions (see attachment)			
OCD Representative Signature:	Approval Date: <u>8/21/2013</u>			
	4-1			
Title: Compliance Office o	CD Permit Number:			
21				
Closure Report (required within 60 days of closure completion): Subsection K of 19.1 Instructions: Operators are required to obtain an approved closure plan prior to implement report is required to be submitted to the division within 60 days of the completion of the clos approved closure plan has been obtained and the closure activities have been completed.	ing any closure activities and submitting the closure report. The closure			
X	Closure Completion Date: <u>8/20/2013</u>			
22 Closure Method:				
	ve Closure Method X Waste Removal (Closed-loop systems only)			
If different from approved plan, please explain.	A music removal (closed loop systems only)			
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Util Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and				
facilities were utilized.	ia ann canngs were asposed. Ose anachment if more man two			
-	sal Facility Permit Number: NM-01-0011 / NM-01-0010B			
Disposal Facility Name: Basin Disposal Facility Dispo	sal Facility Permit Number: NM-01-005			
Were the closed-loop system operations and associated activities performed on or in areas	s that will not be used for future service and opeartions?			
Yes (If yes, please demonstrate compliane to the items below)				
Required for impacted areas which will not be used for future service and operations:				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
- 24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.				
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Sceding Technique				
Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude:Longitu	de:NAD [] 1927 [] 1983			
25				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is tu that the closure complies with all ambigable closure requirements and conditions specified				
that the closure complies with all applicable closure requirements and conditions specified i	n me approved closure plan.			

Name (Print):	Denise Journey	Title:	Regulatory Technician
Signature:	Denie Journey	- Date:	8/22/2013
e-mail address:	Denise.Journey@conocophillbs.com	Telephone:	505-326-9556

. . . .

~

.

•

~

Oil Conservation Division

- -

.