• <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240	State of New Mexico Energy Minerals and Natural Resource	Form C-144 July 21, 2008				
<u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210 <u>District III</u>	Department Oil Conservation Division 1220 South St. Francis Dr.	For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.				
1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.				
1 1	Pit, Closed-Loop System, Below-Gra	ade Tank or				
Prop	osed Alternative Method Permit or Clo					
n'r						
Type of action:	Permit of a pit, closed-loop system, below-grade	e tank, or proposed alternative method				
\`	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method					
	Modification to an existing permit					
	Closure plan only submitted for an existing perm below-grade tank, or proposed alternative metho					
Instructions: Please submit one ap	pplication (Form C-144) per individual pit, closed-l	oop system, below-grade tank or alternative request				
	f this request does not relieve the operator of liability should operation eve the operator of its responsibility to comply with any other applicat					
1 Operator: <u>ConocoPhillips Company</u>		OGRID#: <u>217817</u>				
Address: PO Box 4289, Farmingto						
Facility or well name: Axi Apache	M 8A					
API Number:30	0-039-23268 OCD Permit Nur	ıber:				
U/L or Qtr/Qtr: <u>P(SE/SE)</u> Section	on: <u>14</u> Township <u>25N</u> Range:	4W County: Rio Arriba				
Center of Proposed Design: Latitude	: <u>36.395222</u> <u>°N</u> Longitude:	<u>-107.21588</u> <u>•</u> W NAD: X ### 1983				
Surface Owner: 🔲 Federal	State Private X Tribal Trust or Ind	lian Allotment				
² <u>Pit:</u> Subsection F or G of 19.15.17 Temporary: Drilling Wor		RCVD AUG 27 '13 OIL CONS. DIV.				
Permanent Emergency Cavitation P&A DIST. 3 Lined Unlined Liner type: Thickness mil LLDPE PVC Other						
Liner Seams: Welded Fa	actory Other Volume:	bbl Dimensions Lx Wx D				
3 X Closed-loop System: Subsect Type of Operation: P&A Closed	X Closed-loop System: Subsection H of 19.15.17.11 NMAC					
Lined Unlined Line	nd Steel Tanks Haul-off Bins Other r type: Thickness mil LLDPE actory Other	HDPE PVD Other				
Below-grade tank: Subsection Volume:b Tank Construction material:	l of 19.15.17.11 NMAC bl Type of fluid:					
Secondary containment with leak de Visible sidewalls and liner	tection Visible sidewalls, liner, 6-inch lift and a Visible sidewalls only Other mil HDPE PVC Other	utomatic overflow shut-off				
5 Alternative Method:						
Submittal of an exception request is req	uired. Exceptions must be submitted to the Santa Fe Envir	onmental Bureau office for consideration of approval.				

,

6					
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (<i>Required if located within 1000 feet of a permanent residence, school, hospital, institution or church</i>)					
Alternate. Please specify					
7 <u>Netting:</u> Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
<u>Netting:</u> Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
Monthly inspections (If netting or screening is not physically feasible)					
8 Signs: Subsection C of 19.15.17.11 NMAC					
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15.3.103 NMAC					
9 Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ap	oproval.			
(Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	<u>-</u>				
10					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	ĺ				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.	l				
ace not appris to a fing place of above grave tanks associated what a closed holp system.		_			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	·				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes	[]No			
- Topographic map; Visual inspection (certification) of the proposed site	l				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial					
application.					
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)					
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	No			
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No			
adopted pursuant to NMSA 1978, Section 3-27-3, as amended					
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	[
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No			
- US Fish and whenthe wehand identification map, Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.	TYes	No			
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division					
Within an unstable area.	Yes	No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		<u> </u>			
Society; Topographic map					
Within a 100-year floodplain - FEMA map	Yes	<u>No</u>			

.

11 Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API				
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API				
13 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

х **.**

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: ((19 15 17 13 D NMAC)				
<u>Waste Removal Closure for Closed-loop Systems That Unitze Above Ground Steel Tanks of mail-oil bus Ours</u> (Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use atta facilities are required.	achment if more than two				
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit #: NM	M-01-0011 / NM-01-0010B]			
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit #: NM	M-01-005				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will n Yes (If yes, please provide the information No	not be used for future service and				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	Yes No				
Ground water is between 50 and 100 feet below the bottom of the buried waste					
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A				
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkho (measured from the ordinary high-water mark).	ole, or playa lake Yes No				
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial applic - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	cation. Yes No				
	Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial applica - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	-	Ĩ			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal of pursuant to NMSA 1978, Section 3-27-3, as amended.	ordinance adopted	i			
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland 					
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the propose		1			
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No				
Within an unstable area.	Yes No				
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geology Topographic map 	logical Society;				
Within a 100-year floodplain. - FEMA map	Yes No				
 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC 					

Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC

Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC

Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

×., •

19					
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurated	te and complete to the best	of my knowledge and belief.			
Name (Print):		· · · · · · · · · · · · · · · · · · ·			
e-mail address:	1 elephone:				
# OCD Approval: Permit Application (including closure plan) Closure from (only) OCD Conditions (see attachment) OCD Representative Signature: OCD Free from (only) OCD Conditions (see attachment) Title: OCD Permit Number:					
21 Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 8/22/2013					
22 Closure Method: Waste Excavation and Removal If different from approved plan, please explain.	Alternative Closure Me	thod X Waste Removal (Closed-loop systems only)			
· · · · · · · · · · · · · · · · · · ·					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005 Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) X No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Re-vegetation Application Rates and Seeding Technique Seeding Technique					
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the follow the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Report of Dead Native (required for on gits alogue)	wing items must be attach	ed to the closure report. Please indicate, by a check mark in			
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location: Latitude:	Longitude:	NAD 1927 1983			
25 <u>Operator Closure Certification:</u> I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print): Kenny Davis	Title:	Staff Regulatory Technician			
Signature:	Date:	8/26/2013			
e-mail address: kenny.r.davis@conocophillips.com	Telephone:	505-599-4045			

• •