District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St.

## State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

S. St. Francis Dr., Santa Fe, NM 87505	appropriate the control of the contr	
A Prop	Pit, Closed-Loop System, Below-Grade Tank, or osed Alternative Method Permit or Closure Plan Application	
$\mathcal{V}$ Prop	osed 7 methative inethod 1 errint of closure 1 lan 71ppheation	
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method	
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method	
	Modification to an existing permit	
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method	
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request		
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.		
onotoni. Divilington Doscumos Oi	1.6. Coo Company 1.D. OCDUD#, 14529	

environment. Nor does approval relieve the operator of its responsibility to compl	ly with any other applicable governmental authority's rules, regulations or ordinances.			
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538			
Address: PO Box 4289, Farmington, NM 87499				
Facility or well name: SAN JUAN 29-7 UNIT 99C				
API Number: 30-039-31154	OCD Permit Number:			
U/L or Qtr/Qtr: C(NE/NW) Section: 29 Township: 29N	Range: 7W County: RIO ARRIBA			
Center of Proposed Design: Latitude: 36.7019859 °N	Longitude: <u>107.5981682</u> <u>°W</u> NAD: <u>1927</u> <u>X</u> 1983			
Surface Owner: X Federal State Private	Tribal Trust or Indian Allotment			
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: Drilling Workover  Permanent Emergency Cavitation P&A  Lined Unlined Liner type: Thickness mi  String-Reinforced  Liner Seams: Welded Factory Other	RCUD NOV 20 '13  OIL CONS. DIV.  I LLDPE HDPE PVC Other DIST. 3  Volume: bbl Dimensions L x W x D			
X   Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   X   Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   X   Drying Pad   X   Above Ground Steel Tanks   Haul-off Bins Other     X   Lined   Unlined Liner type: Thickness   20   mil   X   LLDPE   HDPE PVD Other     Liner Seams:   X   Welded   X   Factory Other				
	ner, 6-inch lift and automatic overflow shut-off  Other  Other			
Alternative Method:  Submittal of an exception request is required. Exceptions must be submitted to	to the Santa Fe Environmental Bureau office for consideration of approval.			



Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	D		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site		D		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No	O		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	)		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No	)		
<ul> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes No	3		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within on unstable area.	Yes No	o o		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map  Within a 100-year floodplain  - FEMA map	Yes No	0		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19,15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design)  API or Permit					
12					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Coolegie and Hydrogoologic Data (only for one site alocays), based upon the requirements of Passagger (2) of Cylegotica Passagger.					
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design)  API					
Previously Approved Operating and Maintenance Plan API					
13					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuísance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
14					
Proposed Closure: 19.15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Deilling Dynamous Discourse Dead December 19, December					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System					
Alternative   Proposed Closure Method:					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St	eel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)			
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling facilities are required.				
Disposal Facility Name:	Disposal Facility Permit #:			
Disposal Facility Name:				
Will any of the proposed closed-loop system operations and associated activit				
Yes (If yes, please provide the information   No   Required for impacted areas which will not be used for future service and operations:   Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC   Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC   Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NM/ Instructions: Each siting criteria requires a demonstration of compliance in the closure placeriain siting criteria may require administrative approval from the appropriate district office for consideration of approval. Justifications and/or demonstrations of equivalency and	n. Recommendations of acceptable source material are provided ice or may be considered an exception which must be submitted to			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS: Data of	otained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried was	te	☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob				
	1			
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby wells	Yes No		
	•			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).				
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in  - Visual inspection (certification) of the proposed site; Aerial photo; satellite image		Yes No		
		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality		Yes No		
Within 500 feet of a wetland	tailed from the municipanty	Yes No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual ins	spection (certification) of the proposed site			
Within the area overlying a subsurface mine.		Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and	Mineral Division			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & M	Mineral Resources: LISGS: NM Geological Society	Yes No		
Topographic map	America resources, OBOS, TWI Geological Society,			
Within a 100-year floodplain. - FEMA map		Yes No		
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Eac	ch of the following items must bee attached to the clos	ure plan. Please indicate.		
by a check mark in the box, that the documents are attached.		-		
Siting Criteria Compliance Demonstrations - based upon the appropria	•			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon				
Construction/Design Plan of Temporary Pit (for in place burial of a dr		19.15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

Form C-144 Oil Conservation Division Page 4 of 5

19				
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and co	omplete to the best of my knowledge and belief.			
Name (Print):	itle:			
Signature: D	Pate:			
e-mail address: Tel	ephone:			
	re <del>Plan (only)</del> OCD Conditions (see attachment)			
OCD Representative Signature:	Approval Date: 1/25/2013			
Title: Configure Ofter	OCD Permit Number:			
Closure Report (required within 60 days of closure completion): Subsection K of Instructions: Operators are required to obtain an approved closure plan prior to impleme report is required to be submitted to the division within 60 days of the completion of the capproved closure plan has been obtained and the closure activities have been completed.	enting any closure activities and submitting the closure report. The closure closure activities. Please do not complete this section of the form until an			
22				
Closure Method:	rnative Closure Method X Waste Removal (Closed-loop systems only)			
# Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Us Instructions: Please identify the facility or facilities for where the liquids, drilling fluids were utilized.				
	Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B			
	Disposal Facility Permit Number: NM-01-005			
Were the closed-loop system operations and associated activities performed on or in ar	-			
	Original Approved Drying Pad was not utilized for this location)			
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
24				
Closure Report Attachment Checklist: Instructions: Each of the following iter	ms must be attached to the closure report. Please indicate, by a check mark in			
the box, that the documents are attached.				
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)	•			
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude: Lon	ngitude: NAD   1927   1983			
On-site Closure Location. Latitude.	Ignude			
25 Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): , PATSY CLUSTON ,	Title: STAFF REGULATORY TECHNICIAN			
Signature: Tatsy lugs X	Date: 11/14/2013			
e-mail address: <u>clugspl@conocophillips.com</u> T	Telephone: 505-326-9518			