istrict I 525 N. French Dr., Hobbs, NM 88240	State of New Mexico Energy Minerals and Natural Resources	Form C-144 July 21, 2008
istrict II 301 W. Grand Ave., Artesia, NM 88210	Department Oil Conservation Division	For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.
istrict III	1220 South St. Francis Dr.	
000 Rio Brazos Rd., Aztec, NM 87410 istrict IV	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMOCD District Office.
. A Prop	Pit, Closed-Loop System, Below-Grad- osed Alternative Method Permit or Clos	
ら` <u></u>		1.1.
Type of action:	Permit of a pit, closed-loop system, below-grade ta X Closure of a pit, closed-loop system, below-grade t	•••
	Modification to an existing permit	and, of proposed anomalive method
	Closure plan only submitted for an existing permitt	ed or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method	
	pplication (Form C-144) per individual pit, closed-loop	
	of this request does not relieve the operator of liability should operations re ieve the operator of its responsibility to comply with any other applicable ϵ	
berator: Burlington Resources O ddress: PO Box 4289, Farmingto		OGRID#: <u>14538</u>
acility or well name: San Juan 30		
•	0-039-31092 OCD Permit Number	r.
/L or Qtr/Qtr: D(NW/NW) Section		5W County: Rio Arriba
enter of Proposed Design: Latitude	······································	107.51044 W NAD: ### X 1983
urface Owner: X Federal	State Private Tribal Trust or Indian	
Pit: Subsection F or G of 19.15.17	7 11 NMAC	
		RCVD NOV 20'13
		DIL CONS. DIV.
	Cavitation LP&A iner type: Thickness mil LLDPE	HDPE PVC Other DIST. 3
String-Reinforced		
Liner Seams: Welded F	actory Other Volume:	bbl Dimensions L x W x D
······································		
	tion H of 19.15.17.11 NMAC	activities which require prior approval of a permit or
		activities which require prior approval of a permit or
Type of Operation: P&A	Drilling a new well Workover or Drilling (Applies to a notice of intent) and Steel Tanks Haul-off Bins Other (PRE-S	ET) MUD
Type of Operation: P&A	Drilling a new well Workover or Drilling (Applies to a notice of intent)	ET) MUD
Type of Operation: P&A Drying Pad Above Grou Lined Unlined	Drilling a new well Workover or Drilling (Applies to a notice of intent) and Steel Tanks Haul-off Bins Other (PRE-S	ET) MUD
Type of Operation: P&A 2	Drilling a new well Workover or Drilling (Applies to a notice of intent) Ind Steel Tanks Haul-off Bins Other (PRE-S er type: Thickness mil LLDPE H actory Other	ET) MUD
Type of Operation: P&A Nove Group Drying Pad Above Group Lined Unlined Line Liner Seams: Welded Factor Below-grade tank: Subsection	Drilling a new well Workover or Drilling (Applies to a notice of intent) ind Steel Tanks Haul-off Bins Other (PRE-S er type: Thickness mil LLDPE H actory Other I of 19.15.17.11 NMAC	ET) MUD
Type of Operation: P&A Note State Drying Pad Above Grout Lined Unlined Line Liner Seams: Welded Fa Below-grade tank: Subsection Volume: b	Drilling a new well Workover or Drilling (Applies to a notice of intent) Ind Steel Tanks Haul-off Bins Other (PRE-S er type: Thickness mil LLDPE H actory Other	ET) MUD
Type of Operation: P&A 2 Drying Pad Above Grout Lined Unlined Line Liner Seams: Welded Fa Below-grade tank: Subsection Volume: b Tank Construction material:	Drilling a new well Workover or Drilling (Applies to a notice of intent) Ind Steel Tanks Haul-off Bins Other (PRE-S er type: Thickness mil LLDPE H actory Other I of 19.15.17.11 NMAC bbl Type of fluid:	ET) MUD DPE PVD Other
Type of Operation: P&A Nove Group Drying Pad Above Group Lined Unlined Line Liner Seams: Welded Fa Below-grade tank: Subsection Volume: b Tank Construction material: Secondary containment with leak de	Drilling a new well Workover or Drilling (Applies to a notice of intent) ind Steel Tanks Haul-off Bins Other (PRE-S pr type: Thickness mil LLDPE H actory Other I of 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, liner, 6-inch lift and autor	ET) MUD DPE PVD Other
Type of Operation: P&A 2 Drying Pad Above Grouth Lined Unlined Line Liner Seams: Welded Faile Below-grade tank: Subsection Volume: b Tank Construction material: b Secondary containment with leak de Visible sidewalls and liner	Drilling a new well Workover or Drilling (Applies to a notice of intent) I of 19.15.17.11 NMAC Steet Type of fluid: Steetction Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other	ET) MUD DPE PVD Other
Type of Operation: P&A Nove Group Drying Pad Above Group Lined Unlined Line Liner Seams: Welded Fa Below-grade tank: Subsection Volume: b Tank Construction material: Secondary containment with leak de	Drilling a new well Workover or Drilling (Applies to a notice of intent) ind Steel Tanks Haul-off Bins Other (PRE-S pr type: Thickness mil LLDPE H actory Other I of 19.15.17.11 NMAC bl Type of fluid: tection Visible sidewalls, liner, 6-inch lift and autor	ET) MUD DPE PVD Other
Type of Operation: P&A Nove Grout Drying Pad Above Grout Lined Unlined Line Liner Seams: Welded Fat Below-grade tank: Subsection Volume: b Tank Construction material: b Secondary containment with leak de Visible sidewalls and liner Liner Type: Thickness	Drilling a new well Workover or Drilling (Applies to a notice of intent) I of 19.15.17.11 NMAC Steet Type of fluid: Steetction Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other	ET) MUD DPE PVD Other
Type of Operation: P&A Notestime Drying Pad Above Grouter Lined Unlined Line Liner Seams: Welded Fatter Below-grade tank: Subsection Volume: b Tank Construction material: b Secondary containment with leak de Visible sidewalls and liner Liner Type: Thickness	Drilling a new well Workover or Drilling (Applies to a notice of intent) and Steel Tanks Haul-off Bins Other (PRE-S prype: Thicknessmil LLDPE H actory Other I of 19.15.17.11 NMAC bbl Type of fluid: etection Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other mil HDPE PVC Other	ET) MUD DPE PVD Other
Type of Operation: P&A Notestime Drying Pad Above Grouter Lined Unlined Line Liner Seams: Welded Fatter Below-grade tank: Subsection Volume: b Tank Construction material: b Secondary containment with leak de Visible sidewalls and liner Liner Type: Thickness	Drilling a new well Workover or Drilling (Applies to a notice of intent) I of 19.15.17.11 NMAC Steet Type of fluid: Steetction Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other	ET) MUD DPE PVD Other
Type of Operation: P&A Notestime Drying Pad Above Grouter Lined Unlined Line Liner Seams: Welded Fatter Below-grade tank: Subsection Volume: b Tank Construction material: b Secondary containment with leak de Visible sidewalls and liner Liner Type: Thickness	Drilling a new well Workover or Drilling (Applies to a notice of intent) and Steel Tanks Haul-off Bins Other (PRE-S prype: Thicknessmil LLDPE H actory Other I of 19.15.17.11 NMAC bbl Type of fluid: etection Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other mil HDPE PVC Other	ET) MUD DPE PVD Other

5 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19.15.17.11 NMAC				
 I2" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC 				
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank: X Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for const	sideration of ar	oproval.		
(Closed Loop Pre-set)				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
<u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No		
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pits)	□ NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizonal fect of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering				
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division 	Yes	No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

۲

,

11 <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
¹³ Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
14 Proposed Closure: 19.15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System					
Alternative (PRE-SET)					
Proposed Closure Method: Waste Excavation and Removal					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

..

٠

.

..

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off B</u> Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cutting facilities are required.	tins Only: (19.15.17.13.D NMAC) s. Use attachment if more than two				
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Per	mit #: <u>NM-01-0011 / NM-01-0010B</u>				
Disposal Facility Name: Basin Disposal Facility Disposal Facility Per	mit #: NM-01-005				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of S Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.1	NMAC				
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of ac certain siting criteria may require administrative approval from the appropriate district office or may be considered a office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to	in exception which must be submitted to the Santa Fe Environmental Bureau				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	s N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A				
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lake (measured from the ordinary high-water mark).	ebed, sinkhole, or playa lake				
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of i - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	initial application.				
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use f purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the i NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a pursuant to NMSA 1978, Section 3-27-3, as amended. 	nitial application.				
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland 	lity				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of					
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USG	S; NM Geological Society;				
Topographic map					
Within a 100-year floodplain. - FEMA map					
¹⁸ On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following iten by a check mark in the box, that the documents are attached.	ns must bee attached to the closure plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.	15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
X Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Sul					
X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of Disposal Eacility Name and Permit Number (for liquids, drilling fluids, and drill cuttings or it					
 X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 					
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.1 	3 NMAC				

•

· ·

....

..

19 Operator Application Certification:	d complete to the best of my larger lades and belief	
I hereby certify that the information submitted with this application is true, accurate		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	
# <u>OCD Approval:</u> Permit Application (including Hosure plan) OCD Representative Signature: Title:	osure Plan (only) OCD Conditions (see attachment) Approval Date: <u>1/2</u> OCD Permit Number:	5/2013
21 <u>Closure Report (required within 60 days of closure completion)</u> : Subsect Instructions: Operators are required to obtain an approved closure plan prior to i report is required to be submitted to the division within 60 days of the completion of approved closure plan has been obtained and the closure activities have been com-	lementing any closure activities and submitting the closure repor he closure activities. Please do not complete this section of the fo	
22 Closure Method: Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain.	Alternative Closure Method Waste Removal (Closed-loop	systems only)
r Closure Report Regarding Waste Removal Closure For Closed-loop Systems T Instructions: Please identify the facility or facilities for where the liquids, drilling were utilized. Disposal Facility Name: Disposal Facility Name: Were the closed-loop system operations and associated activities performed on of Yes (If yes, please demonstrate complilane to the items below) Image: Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	uids and drill cuttings were disposed. Use attachment if more to Disposal Facility Permit Number: Disposal Facility Permit Number: n areas that will not be used for future service and opeartions?	
24 Closure Report Attachment Checklist: Instructions: Each of the follow the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location:	titems must be attached to the closure report. Please indicate, b Longitude:NAD1927	ny a check mark in
25 <u>Operator Closure Certification:</u> I hereby certify that the information and attachments submitted with this closure re the closure complies with all applicable closure requirements and conditions spect		belief. 1 also certify that
Name (Print): Kenny Davis.	Title: Staff Regulatory Technician	
Signature	Date:1	1/14/2013
e-mail aldress: kenny.r.davis@conocophillips.com	Telephone:505-599-4045	

· .