1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

# Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: ConocoPhillips Company OGRID#: 217817
Address: P.O. Box 4289, Farmington, NM 87499
Facility or well name: Hardie 2N
API Number: 30-045-35070 OCD Permit Number:
U/L or Qtr/Qtr: K(NE/SW) Section: 28 Township 29N Range: 8W County: SAN JUAN
Center of Proposed Design: Latitude: 36.6962102 °N Longitude: 107.6849739 °W NAD: ### X 1983
Surface Owner: x Federal State Private Tribal Trust or Indian Allotment
Record NOV 20 13   Record NOV
Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  Drying Pad Above Ground Steel Tanks Haul-off Bins Other  Lined Unlined Liner type: Thickness mil LLDPE HDPE PVD Other  Liner Seams: Welded Factory Other
Below-grade tank: Subsection 1 of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thickness mil HDPE PVC Other
Alternative Method:  Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify									
7  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)									
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC									
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of approval.								
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.									
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No								
- Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Yes No								
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</li> <li>(Applied to permanent pits)</li> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> </ul>	Yes No								
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	Yes No								
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No								
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - "Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division """ """	Yes No								
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> <li>Within a 100-year floodplain</li> <li>FEMA map</li> </ul>	Yes No								

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API  or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design; based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
Alternative Proposed Closure Method: Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist; (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.
Waste Excavation and Removal Closure Plan Unecklist: (19.15.17.13 NMAC) Instructions: Each of the following tiems must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only; (19.15.17.13.D NM										
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more that facilities are required.	n two									
Disposal Facility Name: Disposal Facility Permit #:										
Disposal Facility Name: Disposal Facility Permit #:										
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information No										
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	NMAC									
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are procertain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submit office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance	tted to the Santa Fe Environmental Bureau									
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	Yes No									
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐Yes ☐No									
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A									
Ground water is more than 100 feet below the bottom of the buried waste.	☐Yes ☐No									
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□N/A									
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No									
- Topographic map; Visual inspection (certification) of the proposed site										
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No									
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No									
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No									
Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No									
Within the area overlying a subsurface mine.	☐Yes ☐No									
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division										
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;	Yes No									
Topographic map Within a 100-year floodplain FEMA map	Yes No									
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the by a check mark in the box, that the documents are attached.	closure plan. Please indicate,									
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC										
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC										
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMA	.c									
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirement	ts of 19.15.17.11 NMAC									
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC										
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 N  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	WIAC									
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards).	rds cannot be achieved)									
Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	rus cannot be acmeved)									
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC										

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
e man dudress.
OCD Approval: Permit Application (including closure plan) Cosure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 1/25/2013  Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:  October 5, 2013
Closure Method:  Waste Excavation and Removal X On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.
#
" Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Ne-vegetation Application Rates and Security Ferningae
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  X Proof of Closure Notice (surface owner and division) X Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.6964726 °N Longitude: 107.6849536 °W NAD 1927 X 1983
25 Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print): PATSY CLUGSTON Title: STAFF REGULATORY TECH.
Signature: Date: 11/18/2013
e-mail address: <u>clugspl@conocophillipslcom</u> Telephone: 505-326-9518

# ConocoPhillips Company San Juan Basin Closure Report

Lease Name: Hardie 2N API No.: 30-045-35070

In accordance with Rule 19.15.17.13 NMAC the following information describes the closure of the temporary pit referenced above. All proper documentation regarding closure activities is being included with the C-144. The temporary pit for this location was constructed and location drilled before June 16, 2008 (effective date for Rule 19.15.17). While closure of the temporary pit did fall within the rule some dates for submittals are after the rig release date.

- Details on Capping and Covering, where applicable. (See report)
- Plot Plan (Pit Diagram) (Included as an attachment)
- Inspection Reports (Included as an attachment)
- Sampling Results (Included as an attachment)
- C-105 (Included as an attachment)
- Copy of Deed Notice will be filed with County Clerk (Not required on Federal, State, or Tribal land as stated by FAQ dated October 30, 2008)

#### **General Plan:**

1. All free standing liquids will be removed at the start of the pit closure process from the pit and disposed of in a division—approved facility or recycle, reuse or reclaim the liquids in a manner that the appropriate division district office approves.

All recovered liquids were disposed of at Basin Disposal (Permit #NM-01-005) and any sludge or soil required to be removed to facilitate closure was hauled to Envirotech Land Farm (Permit #NM-01-011) and JFJ Landfarm % IEI (Permit #NM-01-0010B).

2. The preferred method of closure for all temporary pits will be on-site burial, assuming that all the criteria listed in sub-section (B) of 19.15.17.13 are met.

The pit was closed using onsite burial.

3. The surface owner shall be notified of COPC's closing of the temporary pit as per the approved closure plan using certified mail, return receipt requested.

The closure process notification to the landowner was sent via email. (See Attached)(Well located on Federal Land, certified mail is not required for Federal Land per BLM/OCD MOU.)

4. Within 6 months of the Rig Off status occurring COPC will ensure that temporary pits are closed, re-contoured, and reseeded.

The closure plan requirements were met due to rig move off date as noted on C-105.

- \_5. Notice of Closure will be given to the Aztec Division office between 72 hours and one week of closure via \_ email, or verbally. The notification of closure will include the following:
  - i. Operator's name
  - ii. Location by Unit Letter, Section, Township, and Range. Well name and API number.

Notification is attached.

6. Liner of temporary pit shall be removed above "mud level" after stabilization. Removal of liner will consist of manually or mechanically cutting liner at mud level and removing all remaining liner. Care will be taken to remove "All" of the liner i.e., edges of liner entrenched or buried. All excessive liner will be disposed of at a licensed disposal facility.

Liner of temporary pit was removed above "mud level" after stabilization. Removal of the liner consisted of manually cutting liner at mud level and removing all remaining liner. Care was taken to remove "ALL" of the liner i.e., edges of liner entrenched or buried. All excessive liner was disposed of at a licensed disposal facility, (San Juan County Landfill).

7. Pit contents shall be mixed with non-waste containing, earthen material in order to achieve the solidification process. The solidification process will be accomplished using a combination of natural drying and mechanically mixing. Pit contents will be mixed with non-waste, earthen material to a consistency that is deemed a safe and stable. The mixing ratio shall not exceed 3 parts clean soil to 1 part pit contents.

ConocoPhillips mixed the Pit contents with non-waste containing, earthen material in order to achieve the solidification process. The solidification process was accomplished by using a combination of natural drying and mechanically mixing. Pit contents were mixed with non-waste, earthen material to a consistency that is deemed as safe and stable. The mixing ratio consisted of approximately 3 parts clean soil to 1 part pit contents.

8. A five point composite sample will be taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the criteria are not met, all contents will be handled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e., Dig and haul.

A five point composite sample was taken of the pit using sampling tools and all samples tested per Subsection B of 19.15.17.1 3(B)(1)(b). (Sample results attached).

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND ug/kg
BTEX	EPA SW-846 8021B or 8260B	50	.372 ug/kG
TPH	EPA SW-846 418.1	2500	410mg/kg
GRO/DRO	EPA SW-846 8015M	500	120 mg/Kg
Chlorides	EPA 300.1	1000/500	350 mg/L

9. Upon completion of solidification and testing standards being passed, the pit area will be backfilled with compacted, non-waste containing, earthen material. A minimum of four feet of cover shall be achieved and the cover shall include one foot of suitable material to establish vegetation at the site, or the background thickness of topsoil, whichever is greater. If standard testing fails BR will dig and haul all contents pursuant to 19.15.17.13.i.a. After doing such, confirmation sampling will be conducted to ensure a release has not occurred.

The pit material passed solidification and testing standards. The pit area was then backfilled with compacted, non-waste containing, earthen material. More than four feet of cover was achieved and the cover included one foot of suitable material to establish vegetation at the site.

10. During the stabilization process if the liner is ripped by equipment the Aztec OCD office will be notified within 48 hours and the liner will be repaired if possible. If the liner can not be repaired then all contents will be excavated and removed.

The integrity of the liner was not damaged in the pit closure process.

11. Dig and Haul Material will be transported to the Envirotech Land Farm located 16 miles south of Bloomfield on Angel Peak Road, CR 7175. Permit # NM010011

Dig and Haul was not required.

12. Re-contouring of location will match fit, shape, line, form and texture of the surrounding. Re-shaping will include drainage control, prevent ponding, and prevent erosion. Natural drainages will be unimpeded and water bars and/or silt traps will be place in areas where needed to prevent erosion on a large scale. Final recontour shall have a uniform appearance with smooth surface, fitting the natural landscape.

The pit area was re-contoured to match fit, shape, line, form and texture of the surrounding area. Re-shaping included drainage control, to prevent ponding and erosion. Natural drainages were unimpeded and water bars and/or silt traps were placed in areas where needed to prevent erosion on a large scale. Final recontour has a uniform appearance with smooth surface, fitting the natural landscape.

13. Notification will be sent to OCD when the reclaimed area is seeded.

Provision 13 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

14. COPC shall seed the disturbed areas the first growing season after the operator closes the pit. Seeding will be accomplished via drilling on the contour whenever practical or by other division-approved methods. BLM or Forest Service stipulated seed mixes will used on federal lands. Vegetative cover will equal 70% of the native perennial vegetative cover (un-impacted) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. Repeat seeding or planting will be continued until successful vegetative growth occurs.

Provision 14 was accomplished through complying with BLM seeding requirements as allowed by the BLM/OCD MOU.

15. The temporary pit will be located with a steel marker, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial upon the abandonment of all the wells on the pad. The marker will be flush with the ground to allow access of the active well pad and for safety concerns. The marker will include a threaded collar to be used for future abandonment. The top of the marker will contain a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the operator's information at the time of all wells on the pad are abandoned. The operator's information will include the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

Provision 15 was accomplished by installing a steel marker in the temporary pit, no less than four inches in diameter, cemented in a hole three feet deep in the center of the onsite burial. The marker is flush with the ground to allow access of the active well pad and for safety concerns. The top of the marker contains a welded steel 12" square plate that indicates the onsite burial of the temporary pit. The plate contains the following: Operator Name, Lease Name, Well Name and number, Unit Number, Section, Township, Range and an indicator that the marker is an onsite burial location.

The plate will be easily removable and a four foot tall riser will be threaded into the top of the collar marker and welded around the base with the following operator's information at the time of all wells on the pad are abandoned. The riser will be labeled: COP, BLM, HARDIE 2N, UL-K, Sec. 28, T 29N, R 8W, API # 30-045-35070

## Busse, Dollle L

From:

Busse, Dollie L

Sent:

Thursday, December 10, 2009 10:32 AM

To:

Mark\_Kelly@blm.gov

Cc:

Jaramillo, Marie E; Tafoya, Crystal; Sessions, Tamra D

Subject:

Surface Owner Notification

The following locations will have a temporary pit closed on-site. Please let me know if you have any questions.

San Juan 28-7 Unit 100N Turner Federal 2M Hardie 2N 2007 Canyon Largo Unit 250P Canyon Largo Unit 239P San Juan 32-8 Unit 29P Jicarilla E 15F Jicarilla E 10N San Juan 28-7 Unit 243P Delhi Turner 1M

Thank you.

## Dollie L. Busse

ConocoPhillips Company-SJBU
Regulatory
Staff Regulatory Tech
505-324-6104
505-599-4062 (fax)
Dollie.L.Busse@conocophillips.com

"Before someone's tomorrow has been taken away, cherish those you love, appreciate them today."

DISTRICT I 1625 N. French Dr., Hobbs, N.M. 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 DISTRICT II

DISTRICT II 811 S. First St., Artesia, N.M. 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 DISTRICT III

DISTRICT III
1000 Rto Brazos Rd., Aztec, N.M. 87410
Phone: (505) 334-8178 Fax: (505) 334-8170
DISTRICT IV

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, N.M. 87505 Phone: (505) 476-3480 Fax: (505) 476-3482 State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, N.M. 87505 Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office

☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT


<sup>1</sup> API Number 30-045-	*Pool Code 71599 / 72319	BASIN DAKOTA / BLANCO	MESA VERDE
Property Code	<sup>6</sup> Proper	Well Number	
31728	HAF	2N	
OGRID No.	*Opera	<sup>9</sup> Elevation	
217817	CONOCOPHILL	6399	

<sup>10</sup> Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Κ	28	29 N	8 W		2363	SOUTH	1694	WEST	SAN JUAN
<sup>11</sup> Bottom Hole Location If Different From Su									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	28	29 N	8 W		2163	SOUTH	1694	WEST	SAN JUAN
Dedicated Acre	s	18 Joint or I	nfill	14 Con	solidation Code	18 Order No.			
320 (W	/2)								

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<b></b>		<b>N</b>		
118	N 89°12'37" E 2603.55'	N 89°18' E	2605.68' (R)	<sup>17</sup> OPERATOR CERTIFICATION
1	LEGEND:		€]	I hereby certify that the information contained herein is
11=		.1.	<b>5</b> ∥	true and complete to the best of my knowledge and belief, and that this organization either owns a working interest
=	O = SURFACE LOCATION  Ø = BOTTOM HOLE LOCATION	<b>  18  </b>	ાં	or unleased mineral interest in the land including the
10	= BOTTOM HOLE LOCATION  = FOUND 1955 U.S.G.L.O. BRA	III		proposed bottom hole location or has a right to drill this
52	(i) = FOUND 1955 B.L.M. BRASS (ii)	1	[2]	well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a
Į.			χ̈́	voluntary pooling agreement or a compulsory pooling order
A.	USA SF-078049-A	USA SF-0	)78049  ∥	heretofore entered by the division.
1				
Ι'			5 <u>£</u>	
11.	CUREACE	L	00'05'19" ш	
13	SURFACE	111	_ <u> </u>	Signature Date
2°20'43	LAT: 36.6962102° N LONG: 107.6849739° W	G.N.=GRII	D NORTH N	
100	NAD 83	T.N.=TRU		Printed Name
Z	LAT: 36°41.77222' N	CONVERG	ENCE AT Z	
11		SURFACE I	LOCATION III	E-mail Address
Д.		1014 28		
M	1694'		Th.	18 SURVEYOR CERTIFICATION
- 1		S 2°07'15" W	ų.	I hereby certify that the well location shown on this plat
<u> </u>		199.38'	الم	was plotted from field notes of actual surveys made by me
22	1694'	<b>   </b>	ŏ	or under my supervision, and that the same is true and
80	BOTTOM HOLE LOCATION		4	correct to the best of my belief.
20	LAT: 36.6956630° N		9	4/29/09 NI W. L/M
lo.	LONG: 107.6850001° W		1	
lı .	NAD 83		i	Date of Survey Charles Surveyor.
	LAT: 36°41.73939' N	<b>  </b>		Signature and Seed of Prinsenspiral Surveyor.
Ι	LONG: 107°41.06327' W   .     NAD 27   12		ш <b>"</b>	1   \&\ \( \pi \) \\
II.''	NAD 27   9	BEARINGS & DISTAI	- II	[ [2(11078) 4]
၂၂၀	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	ARE REFERENCED		
lio		NEW MEXICO COOR		WALLINE .
) 2	516.	SYSTEM, WEST ZO		WIND WIST
7		UNLESS OTHERWIS		17078 ESCIONAL SUL
112	C BOOTALTER W	H		Certificate Number
4	S 89°36'33" W	5256.13'		



Submit To Appropr Two Copies <u>District I</u> 1625 N. French Dr. District II			State of New Mexico Energy, Minerals and Natural Resources					1. WELL API NO.						rm C-105 July 17, 2008			
1301 W. Grand Ave <u>District III</u> 1000 Rio Brazos Ro <u>District IV</u>	d Avenue, Artesia, NM 88210 os Rd., Aztec, NM 87410 os Rd., Aztec, NM 87410 1220 South St. Francis Dr. Santa Fe, NM 87505 Santa Fe, NM 87505  Oil Conservation Division 2. Type of Lease □ STATE □ FEE ⋈ FED/INDIAN 3. State Oil & Gas Lease No.							1220 South St. Francis Dr.					(AN				
WELL (	COMPLE	TION OF	RECO	OMPL	ETION RE	POF	RT AN	ΝD	LOG			7.4	edical		la de		
4. Reason for fili	ng:							<u></u>			5. Lease Name <b>HARDIE</b>	or U	nit Ag	reem	ient Na	me	
☐ COMPLETI	ON REPOR	RT (Fill in box	es #1 thro	ugh #31 :	for State and Fee	e wells	only)			Ī	6. Well Number	er:					
C-144 CLOS #33; attach this ar	nd the plat to									or/	2N						
7. Type of Comp		NODVOVED	□ DEED	ENING	□PLUGBACE	/ DI	DIEEEE	) E'N	IT DECEDA	'OID	. □ OTHER						
8. Name of Opera		WORKOVER	☐ DEEP	ENING	LITLUGBACI	\1	DIFFER	Œľ	I KESEKV	OIR	9. OGRID						
ConocoPhilli	ps Compa	iny									217817						
10. Address of Op PO Box 4298, Fa		N 97400									11. Pool name	or Wi	ldcat	•			
FO BOX 4298, FA	mington, N	IVI 6/499															
12.Location	Unit Ltr	Section	Town	ship	Range	Lot			Feet from the	he	N/S Line	Feet	from t	he	E/W L	line	County
Surface:			_														
BH:																	
13. Date Spudded	l 14. Date	T.D. Reached	15.	Date Rig 5/7/13	Released	•		16.	Date Comple	eted	(Ready to Produ	ice)			Elevati , GR, et		and RKB,
18. Total Measure	ed Depth of	Well	19.	Plug Bac	k Measured Dep	oth	1	20.	Was Directi	iona	l Survey Made?		21. Т	Гуре	Electri	c and Ot	her Logs Run
22. Producing Int	erval(s), of t	his completion	ı - Top, Bo	ttom, Na	ame		•										
23.				CAS	ING REC	ORI	D (Re	epo	ort all str	ing	gs set in we	ell)					
CASING SIZ	ZE	WEIGHT L	B./FT.		DEPTH SET				LE SIZE		CEMENTING		CORD		AN	10UNT	PULLED
														-			
				1										-			
		·		<del> </del>		-								+	—		
24.				LIN	ER RECORD					25.	TI	UBIN	NG RE	ECO	RD		
SIZE	TOP	J	воттом		SACKS CEM	ENT	SCRE	EEN	I	SIZ		_	EPTH S			PACKI	ER SET
												ļ					
26. Perforation	record (inter	rval, size, and	number)				27. A	\CI	D, SHOT,	FRA	ACTURE, CEI	 MEN	IT, SÇ	UE.	EZE, I	ETC.	
							DEPT	H	INTERVAL		AMOUNT A	ND K	IND N	ИΑТ	ERIAL	USED	
											-						
20						DDA	) NINTI	<u>C</u> r	ΓΙΟΝ		<u> </u>						
Date First Produc	rtion	Proc	action Me	thod (Flo	owing, gas lift, p					)	Well Status	(Proc	d or St	nut-ii	n)		
Date / Hist / Todate	, , , , , , , , , , , , , , , , , , ,		delion ivic	1104 (110	on ing, gas tyt, p			Carre	x type pump)		Wen status	(1700	07 07		, 		
Date of Test	Hours To	ested	Choke Siz	e	Prod'n For Test Period		Oil - I	Bbl		Gas	s - MCF	W.	ater - E	Bb1.		Gas - C	Dil Ratio
Flow Tubing Press.	Casing P		Calculated Hour Rate	24-	Oil - Bbl.		G	ias -	- MCF		Water - Bbl.	<u> </u>	Oil	Grav	ity - AF	PI - <i>(Cor</i> .	r.)
29. Disposition o	f Gas <i>(Sold.</i> :	used for fuel.	vented, etc	)	<u></u>	***		_				30. 1	est Wi	itnes	sed By		
31. List Attachme	•			-													
32. If a temporary		d at the well	ttoob o mle	t ruith th	a logation of the	tomas	rom mi	+									
1	-		-			_		ι.									.'
33. If an on-site b	ourial was us																
I hereby certi	hi that the	Latitude 3	5.6964726	on hatl		107.68	1495636	10 1			]1927 ⊠1983 to the best of	(m)	know	led	OP AV.	d holiot	·
Signature	Patau	ALLST	Shown	Prir	nted nte Patsy Clu	•			-		_	my	MIOW		_	/14/13	
E-mail Addre	ss C	clugspl@co	nocophi		·												
	V																



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

July 24, 2013

Harry Dee Conoco Phillips Farmington 3401 E 30th St Farmington, NM 87402 TEL: FAX

RE: Hardie #2N OrderNo.: 1307864

## Dear Harry Dee:

Hall Environmental Analysis Laboratory received 2 sample(s) on 7/18/2013 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to <a href="www.hallenvironmental.com">www.hallenvironmental.com</a> or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

#### **Analytical Report**

Lab Order 1307864

Date Reported: 7/24/2013

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Conoco Phillips Farmington

Hardie #2N Lab ID: 1307864-001

Project:

Client Sample ID: Background

Collection Date: 7/17/2013 12:30:00 PM

Received Date: 7/18/2013 10:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS				Analys	t: JME
Diesel Range Organics (DRO)	12	10	mg/Kg	1	7/22/2013 11:15:07 AM	8427
Surr: DNOP	104	63-147	%REC	1	7/22/2013 11:15:07 AM	1 8427
EPA METHOD 8015D: GASOLINE RAI	NGE		•		Analys	t: DAM
Gasoline Range Organics (GRO)	ND	4.7	mg/Kg	1	7/22/2013 10:33:18 PM	1 8464
Surr: BFB	91.0	80-120	%REC	1	7/22/2013 10:33:18 PM	1 8464
EPA METHOD 8021B: VOLATILES					Analys	t: DAM
Benzene	ND	0.047	mg/Kg	1	7/22/2013 10:33:18 PM	1 8464
Toluene	ND	0.047	mg/Kg	1	7/22/2013 10:33:18 PM	1 8464
Ethylbenzene	ND	0.047	mg/Kg	1	7/22/2013 10:33:18 PM	8464
Xylenes, Total	ND	0.093	mg/Kg	1	7/22/2013 10:33:18 PM	8464
Surr: 4-Bromofluorobenzene	93.5	80-120	%REC	1	7/22/2013 10:33:18 PM	1 8464
EPA METHOD 300.0: ANIONS					Analys	t: <b>JRR</b>
Chloride	3.5	1.5	mg/Kg	1	7/19/2013 2:39:34 PM	8466
EPA METHOD 418.1: TPH					Analys	t: jmb
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	7/23/2013	8465

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

## Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range
- Analyte detected below quantitation limits
- RSD is greater than RSDlimit
- RPD outside accepted recovery limits

- Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- Sample pH greater than 2 for VOA and TOC only.
- Reporting Detection Limit

## **Analytical Report**

Lab Order 1307864

Date Reported: 7/24/2013

## Hall Environmental Analysis Laboratory, Inc.

**CLIENT:** Conoco Phillips Farmington

Client Sample ID: Reserve Pit

Hardie #2N Project:

Collection Date: 7/17/2013 12:30:00 PM

Lab ID: 1307864-002

Matrix: SOIL

Received Date: 7/18/2013 10:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGI	E ORGANICS				Analys	t: JME
Diesel Range Organics (DRO)	120	10	mg/Kg	1	7/22/2013 1:50:40 PM	8427
Surr: DNOP	120	63-147	%REC	1	7/22/2013 1:50:40 PM	8427
EPA METHOD 8015D: GASOLINE RA	NGE				Analys	t: <b>DAM</b>
Gasoline Range Organics (GRO)	8.2	4.8	mg/Kg	1	7/22/2013 2:26:58 PM	8464
Surr: BFB	119	80-120	%REC	1	7/22/2013 2:26:58 PM	8464
EPA METHOD 8021B: VOLATILES					Analys	t: <b>DAM</b>
Benzene	ND	0.048	mg/Kg	1	7/22/2013 2:26:58 PM	8464
Toluene	0.082	0.048	mg/Kg	1	7/22/2013 2:26:58 PM	8464
Ethylbenzene	ND	0.048	mg/Kg	1	7/22/2013 2:26:58 PM	8464
Xylenes, Total	0.29	0.096	mg/Kg	1	7/22/2013 2:26:58 PM	8464
Surr: 4-Bromofluorobenzene	97.0	80-120	%REC	1	7/22/2013 2:26:58 PM	8464
EPA METHOD 300.0: ANIONS					Analys	t: <b>JRR</b>
Chloride	350	30	mg/Kg	20	7/19/2013 3:41:38 PM	8466
EPA METHOD 418.1: TPH					Analys	t: jmb
Petroleum Hydrocarbons, TR	410	20	mg/Kg	1	7/23/2013	8465

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

### Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range E
- Analyte detected below quantitation limits
- RSD is greater than RSDlimit
- RPD outside accepted recovery limits

- Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit

- Not Detected at the Reporting Limit Page 2 of 8 Sample pH greater than 2 for VOA and TOC only.
- Reporting Detection Limit

## Hall Environmental Analysis Laboratory, Inc.

24-Jul-13

1307864

WO#:

Client:

Conoco Phillips Farmington

Result

Project:

Hardie #2N

Sample ID MB-8466

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 8466

RunNo: 12089

Prep Date: 7/19/2013

LCSS

Analysis Date: 7/19/2013

SeqNo: 343735

%REC LowLimit

Units: mg/Kg

HighLimit

%RPD

**RPDLimit** Qual

Analyte Chloride

ND 1.5

PQL

Sample ID LCS-8466

Prep Date: 7/19/2013

SampType: LCS

TestCode: EPA Method 300.0: Anions

RunNo: 12089

Batch ID: 8466

Analysis Date: 7/19/2013

SeqNo: 343736

Units: mg/Kg

HighLimit %RPD

Analyte Result PQL SPK value SPK Ref Val 14 1.5 15.00

%REC LowLimit 110

**RPDLimit** 

Chloride

Client ID:

Batch ID: 8466

94.7

Sample ID 1307864-001AMS

SampType: MS

15.00

15.00

SPK value SPK Ref Val

TestCode: EPA Method 300.0: Anions

RunNo: 12089

Units: mg/Kg

109

Qual

Qual

Prep Date: Analyte

Client ID:

Background 7/19/2013

Result

Result

18

Analysis Date: 7/19/2013

SeqNo: 343738 SPK value SPK Ref Val %REC

3.470

3.470

LowLimit HighLimit

58.8

%RPD **RPDLimit** 

Chloride

Sample ID 1307864-001AMSD

Prep Date: 7/19/2013

**PQL** 18 1.5

94.5 TestCode: EPA Method 300.0: Anions

Client ID:

Analyte

Chloride

Background

SampType: MSD Batch ID: 8466 Analysis Date: 7/19/2013

PQL

1.5

RunNo: 12089

95.2

Units: mg/Kg

**RPDLimit** 

SeqNo: 343739 SPK value SPK Ref Val %REC

LowLimit

58.8

HighLimit 109 %RPD 0.559

20

## Qualifiers:

R

- Value exceeds Maximum Contaminant Level
- Е Value above quantitation range
- Analyte detected below quantitation limits

RPD outside accepted recovery limits

O RSD is greater than RSDlimit

- В Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit

Sample pH greater than 2 for VOA and TOC only.

Reporting Detection Limit RL

Page 3 of 8

## Hall Environmental Analysis Laboratory, Inc.

WO#:

1307864

24-Jul-13

Client:

Conoco Phillips Farmington

Project:

Hardie #2N

Sample ID MB-8465

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID: PBS

Batch ID: 8465

RunNo: 12130

Units: mg/Kg

Analyte

Prep Date: 7/19/2013

Analysis Date: 7/23/2013

Result

SeqNo: 344990 SPK value SPK Ref Val %REC LowLimit

HighLimit

%RPD **RPDLimit**  Qual

Petroleum Hydrocarbons, TR Sample ID LCS-8465

Client ID: LCSS

ND SampType: LCS

Batch ID: 8465

PQL

20

TestCode: EPA Method 418.1: TPH

RunNo: 12130

SeqNo: 344991

Units: mg/Kg

Analyte

Prep Date: 7/19/2013

Analysis Date: 7/23/2013

SPK value SPK Ref Val

%REC

LowLimit

HighLimit

**RPDLimit** 

Qual

Petroleum Hydrocarbons, TR

Result PQL 99 20

100.0

98.8

120

%RPD

Sample ID LCSD-8465

SampType: LCSD

TestCode: EPA Method 418.1: TPH RunNo: 12130

Prep Date: 7/19/2013

Client ID: LCSS02

Batch ID: 8465

Analysis Date: 7/23/2013

SeqNo: 344992

Units: mg/Kg

**RPDLimit** Qual

Analyte

Result

PQL

99

SPK value SPK Ref Val 100.0

%REC 98.8

LowLimit 80 HighLimit

20

Petroleum Hydrocarbons, TR

20

120

%RPD

0

0

80

0

## Qualifiers:

R

- Value exceeds Maximum Contaminant Level.
- Е Value above quantitation range
- Analyte detected below quantitation limits

RPD outside accepted recovery limits

- 0 RSD is greater than RSDlimit

Analyte detected in the associated Method Blank

Sample pH greater than 2 for VOA and TOC only.

- Н Holding times for preparation or analysis exceeded ND Not Detected at the Reporting Limit
- RLReporting Detection Limit

Page 4 of 8

# Hall Environmental Analysis Laboratory, Inc.

WO#:

1307864

24-Jul-13

Client:

Conoco Phillips Farmington

Project:	Hardie #2	2N									-
Sample ID	MB-8427	SampTy	/pe: <b>M</b> E	BLK	Tes	tCode: El	PA Method	8015D: Dies	el Range (	Organics	
Client ID:	PBS	Batch	ID: <b>84</b>	27	F	RunNo: 1	2086				
Prep Date:	7/17/2013	Analysis Da	ate: 7/	22/2013	S	SeqNo: 3	43714	Units: mg/k	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range	Organics (DRO)	ND	10								
Surr: DNOP		9.2		10.00		92.3	63	147			
Sample ID	LCS-8427	SampTy	/pe: <b>LC</b>	s	Tes	tCode: <b>E</b> l	PA Method	8015D: Dies	el Range (	Organics	
Client ID:	LCSS	Batch	ID: <b>84</b>	27	F	RunNo: 1	2086				
Prep Date:	7/17/2013	Analysis Da	ate: <b>7/</b>	22/2013	S	SeqNo: 3	43814	Units: mg/h	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range	Organics (DRO)	48	10	50.00	0	97.0	77.1	128			
Surr: DNOP		5.1		5.000		101	63	147			
Sample ID	1307864-001AMS	SampT	/pe: <b>M</b> \$	3	Tes	tCode: El	PA Method	8015D: Dies	el Range (	Organics	
Client ID:	Background	Batch	ID: <b>84</b>	27	F	RunNo: 1	2086				
Prep Date:	7/17/2013	Analysis Da	ate: <b>7</b> /	22/2013	S	SeqNo: 3	43856	Units: mg/k	<b>(</b> g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range	Organics (DRO)	54	10	50.40	11.61	84.7	61.3	138			
Surr: DNOP		6.9		5.040		136	63	147			
Sample ID	1307864-001AMSI	<b>)</b> SampT	/ре: <b>М</b> \$	SD	Tes	tCode: El	PA Method	8015D: Dies	el Range (	Organics	
Client ID:	Bäckground	Batch	ID: <b>84</b>	27	F	RunNo: 1	2086				
Prep Date:	7/17/2013	Analysis Da	ate: 7/	22/2013	8	SeqNo: 3	43857	Units: mg/h	<b>(</b> g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
•	Organics (DRO)	60	9.9	49.55	11.61	97.3	61.3	138	9.68	20	
Surr: DNOP		6.7		4.955		136	. 63	147	0	0	

## Qualifiers:

- \* Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

Page 5 of 8

## Hall Environmental Analysis Laboratory, Inc.

WO#:

1307864

24-Jul-13

Client:

Conoco Phillips Farmington

Project:

Hardie #2N

Sample   D   CS-8464   SampType:   LCS   TesiCode:   EPA Method   8015D:   Gasoline Range   Cilent ID:   LCSS   Batch   D:   8464   RunNo:   12092	Project:	Hardie #2	2N 									
Prep Date: 7/19/2013   Analysis Date: 7/22/2013   SeqNo: 344247   Units: mg/Kg	Sample ID	MB-8464	SampTy	/pe: <b>ME</b>	BLK	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	e	
Result   PQL   SPK value   SPK Ref Val   %REC   LowLimit   HighLimit   %RPD   RPDLimit   Qual   Section Range Organics (GRO)   ND   5.0   1000   92.6   80   120	Client ID:	PBS	Batch	ID: <b>84</b> 6	64	F	RunNo: 1:	2092				
Sample   D   CS-8464   SampType: LCS   TeslCode: EPA Method 8015D: Gasoline Range   Cryanics (GRO)   Surr. BFB   Sample   D   CS-8464   SampType: LCS   TeslCode: EPA Method 8015D: Gasoline Range   Cryanics (GRO)   Surr. BFB   Surr.	Prep Date:	7/19/2013	Analysis Da	ate: 7/	22/2013	S	SeqNo: 3	44247	Units: mg/k	<b>(</b> g		
Suri. BFB   930	Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Client ID:   LCS-8464   Samp Type:   LCS   Batch ID:   8464   RunNo:   12092	-	e Organics (GRO)		5.0	4000		00.0	00	100			
Client ID:   LCSS	Surr: BFB		930		1000		92.6	80	120			
Prep Date: 7/19/2013	Sample ID	LCS-8464	SampTy	/pe: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	е	
Analyte	Client ID:	LCSS	Batch	ID: <b>84</b> 6	64	F	RunNo: 1	2092				
Sample   D   1307864-002AMS   SampType:   MS   SPK value   SPK Ref Val   RunNo:   12092   Sample   D   1307864-002AMS   SampType:   MS   SeqNo:   344249   Units:   mg/Kg   SegNo:   344249   Units:   mg/Kg   SegNo:   MR   Seg	Prep Date:	7/19/2013	Analysis Da	ate: 7/	22/2013	8	SeqNo: 3	44248	Units: mg/h	<b>〈</b> g		
Surr: BFB         1000         1000         101         80         120           Sample ID         1307864-002AMS         SampType: MS         TestCode: EPA Method 8015D: Gasoline Range           Client ID:         Reserve Pit         Batch ID:         8464         RunNo: 12092           Prep Date:         7/19/2013         Analysis Date:         7/2/2013         SeqNo: 344249         Units: mg/Kg           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual           Jasoline Range Organics (GRO)         32         4.7         23.36         8.187         101         76         156         5           Surr: BFB         1200         934.6         8.187         101         76         156         5           SampType:         MSD         TestCode: EPA Method 8015D: Gasoline Range         FRID         S         S           Client ID:         Result         PQL         SPK value         SPK Ref Val         Method 8015D: Gasoline Range         FRID	Analyte									%RPD	RPDLimit	Qual
Sample   D   1307864-002AMS   SampType: MS   TestCode: EPA Method 8015D: Gasoline Range	•	e Organics (GRO)		5.0		0						
Client ID:   Reserve Pit   Batch ID:   8464   RunNo:   12092	Surr: BFB		1000		1000		101	80	120			
Prep Date:         7/19/2013         Analysis Date:         7/22/2013         SeqNo:         34249         Units:         mg/Kg           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual           Jasoline Range Organics (GRO)         32         4.7         23.36         8.187         101         76         156         32         32         4.7         23.36         8.187         101         76         156         32         32         4.7         23.36         8.187         101         76         156         32         32         4.7         23.36         8.187         101         76         156         32         32         4.7         23.36         8.187         12092         34250         Units: mg/Kg         32         4.7         223.36         8.187         12092         Units: mg/Kg         4.7         20.01         4.7         23.36         8.187         103         76         156         0.962         17.7         4.7         20.7         8.1         8.1         8.1         8.1         8.1         8.1         8.1         8.1         8.1         8.1         8.1 <td>Sample ID</td> <td>1307864-002AMS</td> <td>SampTy</td> <td>/pe: <b>MS</b></td> <td><b>3</b></td> <td>Tes</td> <td>tCode: El</td> <td>PA Method</td> <td>8015D: Gaso</td> <td>oline Rang</td> <td>е</td> <td></td>	Sample ID	1307864-002AMS	SampTy	/pe: <b>MS</b>	<b>3</b>	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	е	
Analyte	Client ID:	Reserve Pit	Batch	ID: 84	64	F	RunNo: 1	2092				
Sample   D   1307864-002AMSD   SampType: MSD   TestCode: EPA Method 8015D: Gasoline Range	Prep Date:	7/19/2013	Analysis Da	ate: 7/	22/2013	S	SeqNo: 3	44249	Units: mg/h	<b>(</b> g		
Sample   D   1307864-002AMSD   SampType: MSD   TestCode: EPA Method 8015D: Gasoline Range   Client   D: Reserve Pit   Batch   D: 8464   RunNo: 12092   RunNo: 12092     Prep Date: 7/19/2013   Analysis Date: 7/22/2013   SeqNo: 344250   Units: mg/Kg     Analyte   Result   PQL   SPK value   SPK Ref Val   %REC   LowLimit   HighLimit   %RPD   RPDLimit   Qual     Gasoline Range   Organics (GRO)   32   4.7   23.36   8.187   103   76   156   0.962   17.7     Surr: BFB   1300   934.6   136   80   120   0   0   0   S     Sample   D   MB-8464   SampType: MBLK   TestCode: EPA Method 8015D: Gasoline Range     Client   D: PBS   Batch   D: R12092   RunNo: 12092     Prep Date: 7/19/2013   Analysis Date: 7/22/2013   SeqNo: 344474   Units: %REC     Analyte   Result   PQL   SPK value   SPK Ref Val   %REC   LowLimit   HighLimit   %RPD   RPDLimit   Qual     Surr: BFB   930   1000   92.6   80   120     Sample   D   LCS-8464   SampType: LCS   TestCode: EPA Method 8015D: Gasoline Range     Client   D: LCS-8464   SampType: LCS   TestCode: EPA Method 8015D: Gasoline Range     Client   D: LCS-8464   SampType: LCS   TestCode: EPA Method 8015D: Gasoline Range     Client   D: LCS-8464   SampType: LCS   TestCode: EPA Method 8015D: Gasoline Range     Client   D: LCS-8464   SampType: LCS   TestCode: EPA Method 8015D: Gasoline Range     Client   D: LCS-8464   SampType: LCS   TestCode: EPA Method 8015D: Gasoline Range     Client   D: LCS-8464   SampType: LCS   TestCode: EPA Method 8015D: Gasoline Range     Client   D: LCS-8464   SampType: LCS   SeqNo: 344475   Units: %REC     Client   D: LCS-8464   SampType: LCS   SeqNo: 344475   Units: %REC     Client   D: LCS-8464   SampType: LCS   SeqNo: 344475   Units: %REC	Analyte		Result	PQL	SPK value	SPK Ref Val		LowLimit	HighLimit	%RPD	RPDLimit	Qual
Sample ID         1307864-002AMSD         SampType:         MSD         TestCode:         EPA Method         8015D:         Gasoline Range           Client ID:         Reserve Pit         Batch ID:         8464         RunNo:         12092           Prep Date:         7/19/2013         Analysis Date:         7/22/2013         SeqNo:         344250         Units:         mg/Kg           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual           Sasoline Range Organics (GRO)         32         4.7         23.36         8.187         103         76         156         0.962         17.7           Surr: BFB         1300         934.6         136         80         120         0         0         S           Sample ID MB-8464         SampType:         MBLK         TestCode:         EPA Method         8015D:         Gasoline Range           Client ID:         PBS         Batch ID:         R12092         RunNo:         12092           Prep Date:         7/19/2013         Analysis Date:         7/22/2013         SeqNo:         344474         Units:         %RPD         RPDLimit <t< td=""><td>_</td><td>e Organics (GRO)</td><td>-</td><td>4.7</td><td></td><td>8.187</td><td></td><td></td><td></td><td></td><td></td><td>0</td></t<>	_	e Organics (GRO)	-	4.7		8.187						0
Client ID:   Reserve Pit   Batch ID:   8464   RunNo:   12092	Surr: BFB		1200		934.6		120	80	120			<u> </u>
Prep Date: 7/19/2013	Sample ID	1307864-002AMSI	<b>D</b> SampTy	уре: <b>М</b> S	SD	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	е	
Analyte	Client ID:	Reserve Pit	Batch	ID: <b>84</b>	64	F	RunNo: 1	2092				
Sasoline Range Organics (GRO)   32   4.7   23.36   8.187   103   76   156   0.962   17.7	Prep Date:	7/19/2013	Analysis Da	ate: 7/	22/2013	8	SeqNo: 3	44250	Units: mg/k	<b>(</b> g		
Surr: BFB         1300         934.6         136         80         120         0         0         S           Sample ID MB-8464         SampType: MBLK         TestCode: EPA Method 8015D: Gasoline Range           Client ID: PBS         Batch ID: R12092         RunNo: 12092           Prep Date: 7/19/2013         Analysis Date: 7/22/2013         SeqNo: 344474         Units: %REC           Analyte         Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual         Qual           Surr: BFB         930         1000         92.6         80         120           Sample ID LCS-8464         SampType: LCS         TestCode: EPA Method 8015D: Gasoline Range         Client ID: LCSS         Batch ID: R12092         RunNo: 12092           Prep Date: 7/19/2013         Analysis Date: 7/22/2013         SeqNo: 344475         Units: %REC           Analyte         Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	Analyte		Result	PQL	SPK value	SPK Ref Val						Qual
Sample ID         MB-8464         SampType:         MBLK         TestCode:         EPA Method 8015D:         Gasoline Range           Client ID:         PBS         Batch ID:         R12092         RunNo:         12092           Prep Date:         7/19/2013         Analysis Date:         7/22/2013         SeqNo:         344474         Units:         %REC           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual           Surr:         BFB         930         1000         92.6         80         120           Sample ID         LCS-8464         SampType:         LCS         TestCode:         EPA Method         8015D:         Gasoline Range           Client ID:         LCSS         Batch ID:         R12092         RunNo:         12092           Prep Date:         7/19/2013         Analysis Date:         7/22/2013         SeqNo:         344475         Units:         %REC           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual		je Organics (GRO)		4.7		8.187						c
Client ID:         PBS         Batch ID:         R12092         RunNo:         12092           Prep Date:         7/19/2013         Analysis Date:         7/22/2013         SeqNo:         344474         Units:         %REC           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual           Surr: BFB         930         1000         92.6         80         120           Sample ID         LCS-8464         SampType:         LCS         TestCode:         EPA Method         8015D:         Gasoline Range           Client ID:         LCSS         Batch ID:         R12092         RunNo:         12092           Prep Date:         7/19/2013         Analysis Date:         7/22/2013         SeqNo:         344475         Units:         %REC           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual	Sult: BEB		1300		934.6		130	80	120			3
Prep Date:         7/19/2013         Analysis Date:         7/22/2013         SeqNo:         344474         Units:         %REC           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual           Surr: BFB         930         1000         92.6         80         120           Sample ID         LCS-8464         SampType:         LCS         TestCode:         EPA Method         8015D:         Gasoline Range           Client ID:         LCSS         Batch ID:         R12092         RunNo:         12092           Prep Date:         7/19/2013         Analysis Date:         7/22/2013         SeqNo:         344475         Units:         %REC           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual	Sample ID	MB-8464	SampTy	ype: ME	BLK	Tes	tCode: El	PA Method	8015D: Gaso	oline Rang	е	
Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual           Surr: BFB         930         1000         92.6         80         120           Sample ID         LCS-8464         SampType: LCS         TestCode: EPA Method 8015D: Gasoline Range           Client ID:         LCSS         Batch ID: R12092         RunNo: 12092           Prep Date:         7/19/2013         Analysis Date: 7/22/2013         SeqNo: 344475         Units: %REC           Analyte         Result         PQL         SPK value         SPK Ref Val         %REC         LowLimit         HighLimit         %RPD         RPDLimit         Qual	Client ID:	PBS	Batch	ID: <b>R1</b>	2092	F	RunNo: 1	2092				
Surr: BFB         930         1000         92.6         80         120           Sample ID LCS-8464         SampType: LCS         TestCode: EPA Method 8015D: Gasoline Range           Client ID: LCSS         Batch ID: R12092         RunNo: 12092           Prep Date: 7/19/2013         Analysis Date: 7/22/2013         SeqNo: 344475         Units: %REC           Analyte         Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	Prep Date:	7/19/2013	Analysis Da	ate: 7/	22/2013	5	SeqNo: 3	44474	Units: %RE	C		
Sample ID LCS-8464 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range  Client ID: LCSS Batch ID: R12092 RunNo: 12092  Prep Date: 7/19/2013 Analysis Date: 7/22/2013 SeqNo: 344475 Units: %REC  Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	Analyte			PQL		SPK Ref Val			<u> </u>	%RPD	RPDLimit	Qual
Client ID: LCSS Batch ID: R12092 RunNo: 12092  Prep Date: 7/19/2013 Analysis Date: 7/22/2013 SeqNo: 344475 Units: %REC  Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	Surr: BFB	***	930		1000		92.6	80	120			
Prep Date: 7/19/2013 Analysis Date: 7/22/2013 SeqNo: 344475 Units: %REC  Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	Sample ID	LCS-8464	SampTy	ype: LC	s	Tes	tCode: E	PA Method	8015D: Gaso	oline Rang	e	
Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual	Client ID:	LCSS	Batch	ID: <b>R1</b>	2092	F	RunNo: 1	2092				
. Thurst the state of the state	Prep Date:	7/19/2013	Analysis Da	ate: 7/	22/2013	5	SeqNo: 3	44475	Units: %RE	:C		
Surr: BFB 1000 1000 101 80 120	Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
	Surr: BFB		1000		1000		101	80	120			

#### Qualifiers:

\* Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

O RSD is greater than RSDlimit

R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Page 6 of 8

P Sample pH greater than 2 for VOA and TOC only.

RL Reporting Detection Limit

## Hall Environmental Analysis Laboratory, Inc.

WO#:

1307864

24-Jul-13

Client:

Conoco Phillips Farmington

Project:	Hardie #2	!N									
Sample ID	MB-8464	Samp	Гуре: МЕ	BLK	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID:	PBS	Batc	h ID: <b>84</b> 0	64	F	RunNo: 1	2092				
Prep Date:	7/19/2013	Analysis [	Date: <b>7/</b>	22/2013	5	SeqNo: 3	44510	Units: mg/k	<b>(</b> g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		ND	0.050								
Toluene		ND	0.050								
Ethylbenzene		ND	0.050								
Xylenes, Total		ND	0.10								
Surr: 4-Bron	nofluorobenzene	0.96		1.000	-	96.3	80	120			
Sample ID	LCS-8464	Samp	Type: LC	s	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID:	LCSS	Batc	h ID: <b>84</b>	64	F	RunNo: 1	2092				
Prep Date:	7/19/2013	Analysis [	Date: <b>7/</b>	22/2013	\$	SeqNo: 3	44511	Units: mg/F	<b>(</b> g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		1.0	0.050	1.000	0	101	80	120			
Toluene		1.0	0.050	1.000	0	101	80	120			
Ethylbenzene		1.0	0.050	1.000	0	100	80	120			
Xylenes, Total		3.0	0.10	3.000	0	102	80	120			
Surr: 4-Bron	nofluorobenzene	1.0		1.000		100	80	120			
Sample ID	1307864-001AMS	Samp	Type: MS	3	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID:	Background	Batc	h ID: 84	64	F	RunNo: 1	2092				
Prep Date:	7/19/2013	Analysis I	Date: <b>7/</b>	22/2013	;	SeqNo: 3	44512	Units: mg/h	<b>K</b> g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.92	0.047	0.9363	0	98.0	67.3	145			
Toluene		0.92	0.047	0.9363	0.009860	97.7	66.8	144			
Ethylbenzene		0.93	0.047	0.9363	0	99.1	61.9	153			
Xylenes, Total		2.8	0.094	2.809	0	99.3	65.8	149			
Surr: 4-Bron	nofluorobenzene	0.96		0.9363		102	80	120			
Sample ID	1307864-001AMSI	D Samp	Type: MS	SD	Tes	tCode: E	PA Method	8021B: Vola	tiles		
Client ID:	Background	Bato	h ID: 84	64	F	RunNo: 1	2092				
Prep Date:	7/19/2013	Analysis I	Date: 7	/22/2013	;	SeqNo: 3	44513	Units: mg/l	<b>K</b> g		
Analyte		Result	PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.94	0.047	0.9355	0	101	67.3	145	2.58	20	
Toluene		0.95	0.047	0.9355	0.009860	101	66.8	144	2.80	20	
Ethylbenzene		0.96	0.047	0.9355	0	102	61.9	153	2.98	20	

#### Qualifiers:

Xylenes, Total

Surr: 4-Bromofluorobenzene

Value exceeds Maximum Contaminant Level.

2.9

0.95

0.094

2.806

0.9355

- E Value above quantitation range
- Analyte detected below quantitation limits
- RSD is greater than RSDlimit 0
- RPD outside accepted recovery limits

В Analyte detected in the associated Method Blank

65.8

80

149

120

2.35

0

- H Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND

102

101

- Sample pH greater than 2 for VOA and TOC only.
- RLReporting Detection Limit

Page 7 of 8

20

## Hall Environmental Analysis Laboratory, Inc.

WO#:

1307864

24-Jul-13

Client:

Conoco Phillips Farmington

Project:

Hardie #2N

Sample ID MB-8464

SampType: MBLK

TestCode: EPA Method 8021B: Volatiles

LowLimit

Client ID: PBS

Batch ID: R12092

RunNo: 12092

80

Prep Date: 7/19/2013

Analysis Date: 7/22/2013

SeqNo: 344523

%REC

96.3

Units: %REC

Analyte

Result 0.96 SPK value SPK Ref Val 1.000

HighLimit

120

**RPDLimit** Qual

%RPD

Surr: 4-Bromofluorobenzene

SampType: LCS

TestCode: EPA Method 8021B: Volatiles

Client ID: LCSS

Batch ID: R12092

RunNo: 12092

Prep Date: 7/19/2013

Sample ID LCS-8464

Analysis Date: 7/22/2013

SeqNo: 344524

Units: %REC

Analyte

PQL

%REC

LowLimit HighLimit

1.000

SPK value SPK Ref Val

100

80

%RPD

**RPDLimit** 

Qual

Surr: 4-Bromofluorobenzene

1.0

Result

120

### Qualifiers:

0

- Value exceeds Maximum Contaminant Level.
- Value above quantitation range Е
- Analyte detected below quantitation limits
- RSD is greater than RSDlimit R RPD outside accepted recovery limits

- В Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND
  - Sample pH greater than 2 for VOA and TOC only.
- Reporting Detection Limit

Page 8 of 8



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquergue, NM 87105

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name: Conoco Phillips Farmingt Work Order	r Number: 1307864		RcptNo:	1
Received by/date:	12			
Logged By: Lindsay Mangin 7/18/2013 10	:00:00 AM	Juney Hope		
Completed By: Lindsay Mangin 7/18/2013 1:4		Stanlistles		
Reviewed By: MA CT 19/1	7	() 3" <del>0</del>		
Chain of Custody	<u> </u>			
Custody seals intact on sample bottles?	Yes 🗌	No 🗆	Not Present	
2. Is Chain of Custody complete?	Yes 🗹	No 🗌	Not Present	ŧ
3. How was the sample delivered?	<u>Courier</u>	•		
<u>Log In</u>				,
4. Was an attempt made to cool the samples?	Yes 🗹	No 🗆	NA 🗆	
5. Were all samples received at a temperature of >0° C to 6.	.0°C Yes <b>⊻</b>	No 🗌	na 🗆	
6. Sample(s) in proper container(s)?	Yes 🗹	No 🗆		
7. Sufficient sample volume for indicated test(s)?	Yes 🗹	No 🗌		•
8. Are samples (except VOA and ONG) properly preserved?	Yes 🗹	No 🗆		
9. Was preservative added to bottles?	Yes 🗌	No 🗹	NA 🗆	
10.VOA vials have zero headspace?	Yes 🗌	No 🗆	No VOA Vials	
11. Were any sample containers received broken?	Yes	No 🗹	# of managed	
			# of preserved bottles checked	
12. Does paperwork match bottle labels? (Note discrepancies on chain of custody)	Yes 🗹	No L	for pH: (<2 or	>12 unless noted)
13. Are matrices correctly identified on Chain of Custody?	Yes 🗹	No 🗆	Adjusted?	
14. Is it clear what analyses were requested?	Yes 🗹	No 🗆		
15. Were all holding times able to be met? (If no, notify customer for authorization.)	Yes 🗹	No 🗆	Checked by:	
Special Handling (if applicable)				
16. Was client notified of all discrepancies with this order?	Yes	No 🗆	NA 🗹	
Person Notified:	Date:			
By Whom:	·	none  Fax	☐ In Person	
Regarding:	d			
Client Instructions:				
17. Additional remarks:		,		l
18. Cooler Information  Cooler No Temp °C Condition Seal Intact Se	al No   Seal Date	Signed By		

C	hain	-of-Cu	stody Record	Turn-Around	Time:					٠, ۳٠٠.		<b>&amp; E</b> =		RES.				aeai	TA!	5
Client:	Con	5000	hillips	Standard	□ Rush	l												1EN RAT		
				Standard Project Name	o:		-		\$	₹.ó.€1								. —		
Mailing	Address	:		H.	ardie #	= 2 N			400			ww.ha						400		
			30" street	Project #:							awkins			-	-					
	+	ruw?	ton Nm 87401 Cl6-9733	ir roject #.				-40			5-345						4107		y 1 7 45	- (2 <u>)</u>
Phone :	#: (50	5) 32	<u> 16-9733</u>						والمراجعين	-	1000	1	Anal	vsis:	Req	uest				
email o	r Fax#:	Mary	p. dee e conocopinillos	Project Mana	ger:				Ş	2				ð	ω l	•				
UNUC	-ackage.	O	Com	Har	y Dee			8	38.0	₹		<u> </u>	-	St	S.	1				
X Stan	dard	<u> </u>	☐ Level 4 (Full Validation)		y Dee			<u>~</u>	Ö	/ DRO /MRO		SIN		<del>d</del> .	2 P.					
Accredi				Sampler: S	Heven me	inell_		TMB's (8021)	+ MTBE + TPH (Gas only)		€ €	- 2		\$	8081 Pesticides / 8082 PCB		1		1 1	Ę
□ NEL		☐ Othe	<u> </u>	On Ice	<b>W</b> iYes 1	□ No. a F		4	+	8	418	2 8	၂	6	/ S		8			5
	(Type)	1		Samolé Tem	oerature			MTBE	띪	9	p		etal	喬	cide	<b>₹</b>	(Semi-VOA)			≥
		1.		Container	Drogensative		100	₽	Σ	15	tel et	83.	Σ	Æ	esti	8	e l		1	Š
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	TAX APPLEAD	No. 16	×	×	8	2 3	) s	§	Suc	1 P	B	8)			Rithhla
				. , , , , , , , ,	1,700	1207	<b>(</b> (∠),	BTEX +	втех	TPH 8015B (GRO	TPH (Method 418.1)	EDB (Metition 304.1) PAH's (8310 or 8270 SIMS)	RCRA 8 Metals	Anions (FCJNO3,NO2,PO4,SO4)	808	8260B (VOA)	8270			∆ir F
7/17/13	1230	Soil	Reserve P.t Background	1402	Cool	- 00		X	Ì	X	X			X						土
1/17/13	1230	501	Backarand	1402	rool	-00	7	lχl		Χl	ΧĪ			V			}		}	T
+			7,00										<b>\</b>						1	$\top$
		<del> </del>						+		$\dashv$	-	+	┼					_	+	+
				<u> </u>	<u> </u>		<u>-</u>	$\vdash$		_	-		┼	-		_	-+	$-\!\!\!\!+\!\!\!\!\!-$	$\longrightarrow$	
		· · · · · ·						$\sqcup$		_			<u> </u>	ļ					$\downarrow \downarrow \downarrow$	_
													<u>].</u>	<u> </u>						
																				T
_													<del> </del>					_	+	_
					<del> </del>	<u> </u>					_	+	†-	$\vdash$			$\vdash$	_	+-1	_
_	<del> </del>	-						$\vdash$		-			+-	-	$\vdash$				++	-
					<del></del>			-			-+		<del> </del>	-				$-\!\!\!\!\!+\!\!\!\!\!\!\!-$	+	-
		<u> </u>	<u> </u>	Description ( but	<u> </u>	Data	Times						1	<u></u>						<u>l.</u>
Date:	Time:	Relinquish	ed by:	Received by:	. 1	Pate	Time 1236	Ken	narks	S:										
117/13	1330	1000	in Throall		Walter	1/7//3		1												
Date:	Time:	Relinquish	ed by:	Received by:	<b>.</b>	Date	Time													
1/1/13	1747	Thru	tulvalla -		20	11813	<u>(UD</u>	$\bigcirc$				_								
	f necessary	samples sub	mitted to Hall Environmental may be sub-	contracted to other a	cctedited laboratori	ies! This serves a	s notice of thi	s possil	oility.	Any su	b-contra	cted da	a will b	e cleai	rly nota	ted on	the an	alytical re	port.	

# ConocoPhillips

Pit Closure Form:
,
Date: <u>/0/5//3</u>
Well Name: Hardie 2 N (Interim)
Well Name: Hardie 2N (Interim)  Footages: 2363 FSL 1694 FWL Unit Letter: K
Section: $28$ , T- $29$ -N, R- $8$ -W, County: $57$ State: $18$
Contractor Closing Pit: Ace Services
Pit Closure Start Date: $\frac{10/2}{3}$
Pit Closure Complete Date: 10/5//3
' <b>/</b>
Construction Inspector: 5. MEG lasson Date: 10/5/13
Construction Inspector: 5. M=6 lassum Date: 10/5/13 Inspector Signature: 10/5/13
Revised 11/4/10
Office Use Only:
Subtask DSM Folder

# ConocoPhillips

Reclamation Form:
Date: 10/30/13
Well Name: Hardin 2 / (Interim)
Footages: 2363 FSL 1694 FWL Unit Letter: K
Section: $28$ , T- $29$ -N, R- $8$ -W, County: $5T$ State: $yy$
Reclamation Contractor:
Reclamation Start Date: 10/2/13
Reclamation Complete Date: 10/10/13
Road Completion Date: $\frac{10/u/13}{}$
Seeding Date: $\frac{10/12/13}{}$
**PIT MARKER STATUS (When Required): Picture of Warker set needed
MARKER PLACED: 10/14/13 (DATE)
LATATUDE: 36° 41' 46.9"
LONGITUDE: 107° 41' 5.3"
Pit Manifold removed $10/2/13$ (DATE)
Construction Inspector: 5 M-Glasson 10/30/13
Inspector Signature: <u>Jus</u>
Office Use Only: Subtask DSM Folder Pictures
Revised 6/14/2012

## Clugston, Patricia L

**From:** Payne, Wendy F

Sent: Friday, September 27, 2013 1:44 PM

To: (Brandon.Powell@state.nm.us); GRP:SJBU Regulatory; Horton Dwayne (ddhorton41

@hotmail.com); Jonathan Kelly; Scott Smith; Tafoya, John D;

(Ipuepke@cimarronsvc.com); Eli (Cimarron) (eliv@cimarronsvc.com); James (Cimarron) (jwood@cimarronsvc.com); Craig Willems; Mark Kelly; Mike Flaniken; Randy McKee; Robert Switzer; Roger Herrera; Sherrie Landon; Crawford, Dale T; Dee, Harry P; Eric Smith (sconsulting.eric@gmail.com); Faver Norman; Gardenhire, James E; Jared Chavez; Lowe,

Terry; Marquez, Michael P; Payne, Wendy F; Peter, Dan J; Smith, Mike W; Steve

McGlasson; Tally, Ethel; Becker, Joey W; Birchfield, Jack D; Bowker, Terry D; Brant Fourr;

Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary Green J; GRP:SJBU

Production Leads; Hockett, Christy R; Kennedy, Jim R; Leboeuf, Davin J; Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.; Peace, James T; Poulson, Mark E; Proctor, Freddy E; Roberts, Vance L.; Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Andrews Travis (tandrews@flintenergy.com); Barton, Austin; Blakley, Mac; Clugston, Danny K; Coats, Nathan W; Farrell, Juanita R; Hatley, Keri; Jones, Lisa; Rhoads, Travis P;

Saiz, Kooper K; Seabolt, Elmo F; Thompson, Trey

Cc: 'acedragline@yahoo.com'

**Subject:** Pit Closure Notice: Hardie 2N (Area 23 \* Run 350)

Importance: High

ACE Services will move a tractor to the **Hardie 2N** to close the pit on Wednesday, October 2, 2013. Please contact Steve McGlasson (716-3285) if you have questions and need further instructions.



ConocoPhillips Company Well - Network # 10263132 - Activity code D260 (pit closure) - PO:KGarcia San Juan County, NM

#### Hardie 2N - BLM surface/BLM minerals

Onsite: Roger Herrera 6-4-09 Twin: Hardie B 212 (existing) 2363' FSL & 1694' FWL Sec.28, T29N, R8W Unit Letter " K "

BH: NESW, Sec.28, T29N, R8W.

Lease # SF-078049-A

Latitude: 36° 41′ 46" N (NAD 83) Longitude: 107° 41′ 06"-W (NAD 83)

Elevation: 6399'

Total Access Disturbed: 3.03 acres

Access Road: n/a
API # 30-045-35070
Within City Limits: No
Pit Lined: **YES** 

NOTE: Arch monitoring is NOT required on this location.

Wendy Payne
ConocoPhillips-SJBU
505-326-9533
Wendy.F.Payne@conocophillips.com

## Clugston, Patricia L

From:

Pavne, Wendy F

Sent:

Tuesday, October 01, 2013 7:42 AM

To:

(Brandon.Powell@state.nm.us); GRP:SJBU Regulatory; Horton Dwayne (ddhorton41

@hotmail.com); 'Jonathan Kelly'; Scott Smith; Tafoya, John D;

(Ipuepke@cimarronsvc.com); Eli (Cimarron) (eliv@cimarronsvc.com); James (Cimarron) (jwood@cimarronsvc.com); 'Craig Willems'; 'Mark Kelly'; 'Mike Flaniken'; 'Randy McKee'; 'Robert Switzer'; 'Roger Herrera'; 'Sherrie Landon'; Crawford, Dale T; Dee, Harry P; Eric Smith (sconsulting.eric@gmail.com); 'Faver Norman'; Gardenhire, James E; Jared Chavez; 'Lowe, Terry'; Marquez, Michael P; Peter, Dan J; Smith, Mike W; Steve McGlasson; Tally, Ethel; Becker, Joey W; Birchfield, Jack D; Bowker, Terry D; 'Brant Fourr'; Frost, Ryan M; Goosey, Paul P; 'Gordon Chenault'; Green, Cary Green J; GRP:SJBU Production Leads; Hockett, Christy R; Kennedy, Jim R; Leboeuf, Davin J; Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.; Peace, James T; Poulson, Mark E; Proctor, Freddy E; Roberts, Vance L.; Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Andrews Travis (tandrews@flintenergy.com); Barton, Austin; Blakley, Mac; Clugston, Danny K; Coats, Nathan W; Farrell, Juanita R; Hatley, Keri; Jones, Lisa; Rhoads, Travis P; Saiz, Kooper K;

Seabolt, Elmo F; Thompson, Trey

Cc:

'acedragline@yahoo.com'; Payne, Wendy F

Subject:

UPDATE to a Full Reclamation: Pit Closure Notice: Hardie 2N (Area 23 \* Run 350)

Importance:

High

## Update: This will be a full reclamation, not just a pit closure.

ConocoPhillips Company Well - Network # 10263132 - Activity code D260 (pit closure) - PO:KGarcia and Activity Code D250 (reclamation)
San Juan County, NM

Wendy Payne ConocoPhillips-SJBU 505-326-9533

Wendy.F.Payne@conocophillips.com

From: Payne, Wendy F

Sent: Friday, September 27, 2013 1:44 PM

**To:** (Brandon.Powell@state.nm.us); GRP:SJBU Regulatory; Horton Dwayne (ddhorton41@hotmail.com); Jonathan Kelly; Scott Smith; Tafoya, John D; (Ipuepke@cimarronsvc.com); Eli (Cimarron) (eliv@cimarronsvc.com); James (Cimarron) (iwood@cimarronsvc.com); Craig Willems; Mark Kelly; Mike Flaniken; Randy McKee; Robert Switzer; Roger Herrera; Sherrie Landon; Crawford, Dale T; Dee, Harry P; Eric Smith (sconsulting.eric@gmail.com); Faver Norman; Gardenhire, James E; Jared Chavez; Lowe, Terry; Marquez, Michael P; Payne, Wendy F; Peter, Dan J; Smith, Mike W; Steve McGlasson; Tally, Ethel; Becker, Joey W; Birchfield, Jack D; Bowker, Terry D; Brant Fourr; Frost, Ryan M; Goosey, Paul P; Gordon Chenault; Green, Cary Green J; GRP:SJBU Production Leads; Hockett, Christy R; Kennedy, Jim R; Leboeuf, Davin J; Lopez, Richard A; Nelson, Garry D; O'Nan, Mike J.; Peace, James T; Poulson, Mark E; Proctor, Freddy E; Roberts, Vance L.; Schaaphok, Bill; Smith, Randall O; Spearman, Bobby E; Stamets, Steve A; Andrews Travis

(tandrews@flintenergy.com); Barton, Austin; Blakley, Mac; Clugston, Danny K; Coats, Nathan W; Farrell, Juanita R;

Hatley, Keri; Jones, Lisa; Rhoads, Travis P; Saiz, Kooper K; Seabolt, Elmo F; Thompson, Trey

Cc: 'acedragline@yahoo.com'

**Subject:** Pit Closure Notice: Hardie 2N (Area 23 \* Run 350)

Importance: High

ACE Services will move a tractor to the **Hardie 2N** to close the pit on Wednesday, October 2, 2013. Please contact Steve McGlasson (716-3285) if you have questions and need further instructions.

<< File: Hardie 2N.pdf >>

ConocoPhillips Company Well - Network # 10263132 - Activity code D260 (pit closure) - PO:KGarcia

San Juan County, NM

### Hardie 2N - BLM surface/BLM minerals

Onsite: Roger Herrera 6-4-09 Twin: Hardie B 212 (existing) 2363' FSL & 1694' FWL Sec.28, T29N, R8W

Unit Letter " K "

BH: NESW, Sec.28, T29N, R8W.

Lease # SF-078049-A

Latitude: 36° 41' 46" N (NAD 83) Longitude: 107° 41' 06" W (NAD 83)

Elevation: 6399'


Total Access Disturbed: 3.03 acres


Access Road: n/a
API # 30-045-35070
Within City Limits: No
Pit Lined: **YES** 


NOTE: Arch monitoring is NOT required on this location.

Wendy Payne ConocoPhillips-SJBU 505-326-9533

Wendy.F.Payne@conocophillips.com









	WELL NAME: Hardie 2N	OPEN P	IT INSPE	CTION	FORM			Con	ocoPh	illips
	INSPECTOR		Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	Fred Mtz	S.Mobley	S.Mobley
	*Please request for pit extention after 26 weeks	01/14/12 Week 1	01/28/13 Week 2	02/04/13 Week 3	02/12/13 Week 4	02/12/13 Week 5	02/26/13 Week 6	03/25/13 Week 7	04/15/13 Week 8	04/22/13 Week 9
	PIT STATUS	Drilled Completed Clean-Up	Drilled Completed Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	☐ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up
TION	is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes No	✓ Yes ☐ No	✓ Yes  No	✓ Yes  No	✓ Yes ☐ No	✓ Yes  No	Yes No	✓ Yes   No	✓ Yes  No
LOCATION	Is the temporary well sign on location and visible from access road?	Yes INO	✓ Yes □ No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes  No	Yes No	✓ Yes No	✓ Yes □ No
	is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☐ Yes ☑ No	Yes ✓ No	Yes No	Yes 🗸 No	Yes V No	Yes No	☑ Yes ☐ No	☑ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes □ No	✓ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes  No	Yes No	✓ Yes ☐ No	✓ Yes ☐ No
:	Is the top of the location bladed and in good operating condition?	✓ Yes	✓ Yes □ No	Yes No	✓ Yes □ No	✓ Yes ☐ No	Yes V No	Yes No	✓ Yes  No	✓ Yes ☐ No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	☐ Yes ☑ No	✓ Yes □ No	Yes No	✓ Yes  No	✓ Yes No	Yes V No	Yes No	✓ Yes  No	✓ Yes ☐ No
COMPLIANCE	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☐ Yes ☑ No	✓ Yes □ No	Yes No	✓ Yes  No	☑ Yes ☐ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes ☐ No
00 1	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	✓ Yes 🗌 No	☐ Yes ☐ Nọ	✓ Yes ☐ No	☑ Yes ☐ No	Yes 🗸 No	Yes No	✓ Yes ☐ No	✓ Yes ☐ No
AENTA	Does the pit contain two feet of free board? (check the water levels)	☐ Yes ☑ No	☑ Yes ☐ No	Yes No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes  No	Yes No	✓ Yes 🗌 No	✓ Yes No
ENVIRONMENT	Is there any standing water on the blow pit?	☐ Yes ☑ No	☑ Yes ☐ No	Yes No	✓ Yes  No	☑ Yes ☐ No	✓ Yes  No	Yes No	Yes No	Yes ✓ No
ENS	Are the pits free of trash and oil?	✓ Yes □ No	✓ Yes □ No	☐ Yes ☐ No	✓ Yes  No	✓ Yes  No	✓ Yes ☐ No	Yes No	✓ Yes  No	✓ Yes  No
4	Are there diversion ditches around the pits for natural drainage?	✓ Yes	Yes V No	Yes No	✓ Yes ☐ No	☑ Yes ☐ No	☐ Yes ☑ No	Yes No	✓ Yes  No	✓ Yes No
	Is there a Manifold on location?	☐ Yes ☑ No	✓ Yes □ No	Yes No	Yes 🗸 No	Yes I No	Yes 🗸 No	Yes No	☑ Yes ☐ No	✓ Yes  No
	Is the Manifold free of leaks? Are the hoses in good condition?	Yes 🗸 No	✓ Yes 🗌 No	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	☑ Yes ☐ No	Yes No	☑ Yes ☐ No	✓ Yes ☐ No
ОСВ	Was the OCD contacted?	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☐ No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes 🗸 No	Yes 🗸 No	Yes No	Yes 🗸 No	Yes 🗸 No	Yes 🗸 No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	No liner no fence no water	No ditches road is muddy and rutted		Fence loos road muddy and rutted	30 M	on location debri in pit road and location need bladed has manifield fence loose .	Wireline crew on location	stains cleaned and pit good	good

American	WELL NAME: Hardie 2N									
	INSPECTOR		Merrell	MERRELL	Merrell	MERRELL	Merrell	Merrell	Merrell	Lowe
	*Please request for pit extention after 26 weeks	04/29/13 Week 10	05/07/13 Week 11	05/13/13 Week 12	05/23/13 Week 13	05/29/13 Week 14	06/04/13 Week 15	06/11/13 Week 16	06/20/13 Week 17	06/28/13 Week 18
	PIT STATUS:	☑ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	Drilled Completed Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	✓ Drilled ☐ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	☑ Drilled ☑ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up	✓ Drilled ✓ Completed ☐ Clean-Up
ATION	ls the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	Yes No	✓ Yes ☐ No	✓ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes  No	✓ Yes □ No	✓ Yes □ No	✓ Yes 🗌 No
Ŏ	Is the temporary well sign on location and visible from access road?	Yes No	✓ Yes  No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No	✓ Yes 🗌 No
	Is the access road in good driving condition? (deep ruts, bladed)	☐ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes  No	☑ Yes 🗌 No	✓ Yes 🗌 No
	Are the culverts free from debris or any object preventing flow?	Yes No	✓ Yes  No	✓ Yes  No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes  No	✓ Yes No	✓ Yes  No	✓ Yes No
	Is the top of the location bladed and in good operating condition?	Yes No	✓ Yes □ No	✓ Yes □ No	Yes No	☑ Yes □ No	✓ Yes  No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No
ANCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	Yes No	✓ Yes ☐ No	✓ Yes 🗍 No	✓ Yes ☐ No	✓ Yes No	✓ Yes  No	✓ Yes □ No	✓ Yes  No	✓ Yes □ No
MPLI/	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes □ No	✓ Yes ☐ No	✓ Yes  No	✓ Yes  No	✓ Yes No	✓ Yes □ No	✓ Yes □ No
AL CO	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	Yes No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes  No	✓ Yes 🗌 No	✓ Yes □ No
EN	Does the pit contain two feet of free board? (check the water levels)	Yes No	✓ Yes  No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes  No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes  No
ENVIRONM	Is there any standing water on the blow pit?	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	Yes No	✓ Yes 🗋 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes 🗌 No	✓ Yes No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes □ No
	Are there diversion ditches around the pits for natural drainage?	Yes No	✓ Yes ☐ No	✓ Yes 🗌 Nö	✓ Yes  No	✓ Yes ☐ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	✓ Yes 🗌 No
	Is there a Manifold on location?	☐ Yes ☐ No	✓ Yes ☐ No	✓ Yes  No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes  No	✓ Yes ☐ No	☑Yes □ No	✓ Yes ☐ No
123	Is the Manifold free of leaks? Are the hoses in good condition?	Yes No	☑ Yes ☐ No	✓ Yes No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes ☐ No	✓ Yes 🗌 No
ОСБ	Was the OCD contacted?	☐ Yes ☐ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	Yes 🗸 No
	PICTURE TAKEN	Yes No	Yes No	Yes V No	Yes V No	Yes V No	☐ Yes ☑ No	Yes 🗸 No	☐ Yes ☑ No	Yes 🗸 No
	COMMENTS	AWS rigging up and moving in to complete	good shape	Location good.	Facilities set. Location good.	Location is in good shape.	Good.	Location good. Painting crew on location.	Pits dry on surface. Location good.	Plastic bag in pit. Location good.

	WELL NAME:									
	Hardie 2N INSPECTOR DATE	Merrell 07/01/13	Merrell 07/09/13	Merrell 07/15/13	Merrell 07/22/13	Merrell 07/30/13	Merrell 08/06/13	Merrell 08/12/13	Merrell 08/19/13	Merrell 08/28/13
	*Please request for pit extention after 26 weeks  PIT STATUS	Week 19  Prilled Completed Clean-Up	Week 20  Prilled Completed Clean-Up	Week 21  ✓ Drilled ✓ Completed  ☐ Clean-Up	Week 22  ☑ Drilled ☑ Completed ☐ Clean-Up	Week 23  ✓ Drilled ✓ Completed  ☐ Clean-Up	Week 24  ✓ Drilled ✓ Completed  ☐ Clean-Up	Week 25  ✓ Drilled ✓ Completed  ☐ Clean-Up	*Week 26*  ✓ Drilled ✓ Completed  ☐ Clean-Up	Week 27  ✓ Drilled ✓ Completed  ☐ Clean-Up
VIION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes  No	✓ Yes  No	✓ Yes 🗌 No	✓ Yes 🗌 No
10C	Is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes □ No	✓ Yes 🗌 No
	is the access road in good driving condition? (deep ruts, bladed)	✓ Yes  No	✓ Yes ☐ No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes □ No	✓ Yes □ No	☑ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No
	Are the culverts free from debris or any object preventing flow?	✓ Yes 🗌 No	✓ Yes No	✓ Yes  No	✓ Yes  No	✓ Yes □ No	✓ Yes  No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes ☐ No
	Is the top of the location bladed and in good operating condition?	✓ Yes □ No	✓ Yes □ No	✓ Yes  No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes  No	08/12/13	✓ Yes □ No	✓ Yes  No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes □ No	✓ Yes No	✓ Yes 🗌 No	✓ Yes 🗋 No	✓ Yes No	✓ Yes No	✓ Yes □ No	✓ Yes 🗋 No	✓ Yes 🗌 No
MPLIZ	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes  No	✓ Yes No	✓ Yes  No	✓ Yes  No	✓ Yes □ No	☑ Yes ☐ No	Yes 🗸 No	✓ Yes No	✓ Yes 🗌 No
AI CO	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes 🗌 No	✓ Yes  No	✓ Yes No	✓ Yes □ No	✓ Yes □ No	✓ Yes  No	☑ Yes ☐ No	✓ Yes □ No	✓ Yes 🗌 No
	Does the pit contain two feet of free board? (check the water levels)	✓ Yes □ No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes ☐ No	✓ Yes □ No	✓ Yes  No	✓ Yes □ No	☑ Yes ☐ No	✓ Yes 🗌 No
ENVIRONMENT	Is there any standing water on the blow pit?	☐ Yes ✔ No	☐ Yes ☑ No	Yes 🗸 No	Yes 🗸 No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No	☐ Yes ☑ No
EN	Are the pits free of trash and oil?	✓ Yes No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes No	☑ Yes ☐ No	✓ Yes  No	✓ Yes □ No	✓ Yes □ No	☑ Yes 🔲 No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes 🗌 No	✓ Yes  No	✓ Yes □ No	✓ Yes □ No	✓ Yes 🗌 No
	Is there a Manifold on location?	✓ Yes 🗌 No	✓ Yes  No	✓ Yes 🗌 No	✓ Yes □ No	✓ Yes No	✓ Yes 🗌 No	☑ Yes ☐ No	✓ Yes 🗌 No	☑ Yes 🗌 No
w	Is the Manifold free of leaks? Are the hoses in good condition?	✓ Yes 🗌 No	✓ Yes 🗌 No	☑ Yes ☐ No	☑ Yes ☐ No	☑ Yes ☐ No	✓ Yes 🗌 No		✓ Yes □ No	✓ Yes 🗌 No
ОСР	Was the OCD contacted?	Yes V No	☐ Yes ☑ No	☐ Yes ☑ No	Yes V No	☐ Yes ☑ No	Yes No	l .	☐ Yes ☑ No	☐ Yes ☑ No
	PICTURE TAKEN	Yes V No	☐ Yes ☑ No	Yes 🗸 No	Yes V No	Yes 🗸 No	Yes No		☐ Yes ☑ No	☐ Yes ☑ No
	COMMENTS	Plastic bag in pit. Location good.	Location good.	Good.	Good.	Good.	Good.	About 8" tear Flint contacted to repair. Location	Liner repaired.	Good. Rain water in pit. Contacted M&R to pull.

	WELL NAME: Hardie 2N									
	INSPECTOR	Smith 09/05/13		Westcott 09/17/13	Chavez 09/26/13	19654114641146411464114641146411464				
	*Please request for pit extention after 26 weeks PIT STATUS	Week 28  ✓ Drilled ✓ Completed  ☐ Clean-Up	Week 29  Drilled Completed Clean-Up	Week 30  ☑ Drilled ☑ Completed ☐ Clean-Up	Week 31  ✓ Drilled  ✓ Completed  ☐ Clean-Up	Week 32 Drilled Completed Clean-Up	Week 33  Drilled Completed Clean-Up	Week 34  Drilled Completed Clean-Up	Week 35  Drilled Completed Clean-Up	Week 36  Drilled Completed Clean-Up
TION	Is the location marked with the proper flagging? (Const. Zone, poles, pipelines, etc.)	✓ Yes  No	Yes No	✓ Yes  No	✓ Yes  No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
10CA	Is the temporary well sign on location and visible from access road?	✓ Yes 🗌 No	Yes No	✓ Yes No	☑ Yes ☐ No	Yes No	Yes No	Yes No	Yes No	Yes No
	Is the access road in good driving condition? (deep ruts, bladed)	☑ Yes ☐ No	☐ Yes ☐ No	✓ Yes 🗌 No	☑ Yes ☐ No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No
	Are the culverts free from debris or any object preventing flow?	✓ Yes  No	Yes No	✓ Yes  No	✓ Yes 🗌 No	Yes No	Yes No	Yes No	Yes No	Yes No
	Is the top of the location bladed and in good operating condition?	✓ Yes ☐ No	Yes No	✓ Yes □ No	✓ Yes □ No	Yes No	Yes No	☐ Yes ☐ No	Yes No	Yes No
NCE	Is the fence stock-proof? (fences tight, barbed wire, fence clips in place?	✓ Yes   No	Yes No	✓ Yes □ No	✓ Yes □ No	Yes No	Yes No	Yes No	Yes No	Yes No
OMPLIA	Is the pit liner in good operating condition? (no tears, up-rooting corners, etc.)	✓ Yes  No	Yes No	✓ Yes	☑ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No	Yes No
N CO	Is the the location free from trash, oil stains and other materials? (cables, pipe threads, etc.)	✓ Yes  No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes □ No	☐ Yes ☐ No	Yes No	Yes No	Yes No	Yes No
MENT/	Does the pit contain two feet of free board? (check the water levels)	✓ Yes  No	Yes No	✓ Yes □ No	✓ Yes  No	Yes No	Yes No	Yes No	Yes No	Yes No
ENVIRONMENT	Is there any standing water on the blow pit?	✓ Yes  No	Yes No	✓ Yes No	✓ Yes  No	Yes No	Yes No	Yes No	Yes No	Yes No
EN	Are the pits free of trash and oil?	✓ Yes  No	☐ Yes ☐ No	✓ Yes □ No	✓ Yes  No	Yes No	Yes No	Yes No	Yes No	Yes No
	Are there diversion ditches around the pits for natural drainage?	✓ Yes  No	Yes No	✓ Yes □ No	✓ Yes  No	Yes No	Yes No	Yes No	☐ Yes ☐ No	Yes No
	Is there a Manifold on location?	✓ Yes ☐ No	Yes No	✓ Yes No	✓ Yes □ No	Yes No	Yes No	Yes No	Yes No	Yes No
	Is the Manifold free of leaks? Are the hoses in good condition?	☑ Yes ☐ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	Yes No	Yes No	Yes No	Yes No
200	Was the OCD contacted?	☐ Yes ☑ No	Yes No	☐ Yes ☑ No	☐ Yes ☑ No	Yes No	☐ Yes ☐ No	Yes No	☐ Yes ☐ No	Yes No
	PICTURE TAKEN	☐ Yes ✓ No	Yes No	☐ Yes ☑ No	Yes V No	Yes No	Yes No	Yes No	Yes No	Yes No
	COMMENTS		Roads impassable due to mud and washouts	·		start closing pit 10/2/13				

: