District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220 3. St. Flancis Dr., Sana Fe, Rivi 67505	Pit, Closed-Loop System, Below-Grad	e Tank or
• Prop	osed Alternative Method Permit or Clos	
14		
Type of action:	Permit of a pit, closed-loop system, below-grade ta	
0	X Closure of a pit, closed-loop system, below-grade ta	ank, or proposed alternative method
	Modification to an existing permit	
	Closure plan only submitted for an existing permitt below-grade tank, or proposed alternative method	ed or non-permitted pit, closed-loop system,
Instructions: Please submit one a	pplication (Form C-144) per individual pit, closed-loo	p system, below-prade tank or alternative request
-	f this request does not relieve the operator of liability should operations r	
	eve the operator of its responsibility to comply with any other applicable	-
1		
Operator: Burlington Resources Oil		OGRID#: <u>14538</u>
Address: <u>PO Box 4289, Farmingtor</u>	ı, NM 87499	
Facility or well name: San Juan 32-9) Unit 34B	
API Number: 30	-045-35183 OCD Permit Number	
U/L or Qtr/Qtr: K(NE/SW) Section	n: 35 Township: 32N Range: 1	0W County: San Juan
Center of Proposed Design: Latitude:	36.93987 °N Longitude:	107.85738 °W NAD: 1927 X 1983
Surface Owner: X Federal	State Private Tribal Trust or Indian	
² <u>Pit:</u> Subsection F or G of 19.15.17		RCVD DEC 6'13
		DIL CONS. DIV.
Temporary:		DIST. 3
	avitation P&A	
	her type: Thickness mil LLDPE	HDPE PVC Other
String-Reinforced	_	
Liner Seams: Welded Fa	ctory Other Volume:	_bbl Dimensions L x W x D
3		
	on H of 19.15.17.11 NMAC	
Type of Operation: P&A X	Drilling a new well Workover or Drilling (Applies to	activities which require prior approval of a permit or
	notice of intent)	
X Drying Pad X Above Groun	d Steel Tanks Haul-off Bins Other	
X Lined Unlined Liner	type:Thickness 20mil XLLDPEH	DPE PVD Other
	ctory Other	
	ctoryOther	
Liner Seams: X Welded X Fa	of 19.15.17.11 NMAC	
Liner Seams: X Welded X Far	of 19.15.17.11 NMAC	
Liner Seams: X Welded X Fac Below-grade tank: Subsection I Volume:bt Tank Construction material:	of 19.15.17.11 NMAC	matic overflow shut-off
Liner Seams: X Welded X Fac	of 19.15.17.11 NMAC	matic overflow shut-off
Liner Seams: X Welded X Fac Below-grade tank: Subsection I Volume:bt Tank Construction material:	of 19.15.17.11 NMAC ol Type of fluid: tection Visible sidewalls, liner, 6-inch lift and auto	matic overflow shut-off
Liner Seams: X Welded X Factors Relation I Subsection I Volume: bt Tank Construction material: Secondary containment with leak der Visible sidewalls and liner Liner Type: Thickness	of 19.15.17.11 NMAC ol Type of fluid: tection Visible sidewalls, liner, 6-inch lift and auto Visible sidewalls only Other	matic overflow shut-off
Liner Seams: X Welded X Fac A Below-grade tank: Subsection I Volume: bb Tank Construction material: Secondary containment with leak der Visible sidewalls and liner Liner Type: Thickness	of 19.15.17.11 NMAC ol Type of fluid: tection Visible sidewalls, liner, 6-inch lift and auto Visible sidewalls only Other	matic overflow shut-off
Liner Seams: X Welded X Factors Relations Rela	of 19.15.17.11 NMAC ol Type of fluid: tection Visible sidewalls, liner, 6-inch lift and auto Visible sidewalls only Other Other Other	
Liner Seams: X Welded X Factor	of 19.15.17.11 NMAC ol Type of fluid: tection Visible sidewalls, liner, 6-inch lift and auto Visible sidewalls only Other	

. --

5. dib

n an				
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	itution or chu	rch)		
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8 Signs: Subsection C of 19.15.17.11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
9				
Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	deration of ap	proval.		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
¹⁰ Siting Criteria (regarding permitting): 19.15.17.10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes	No		
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site				
- Topographic map, visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	∐No		
application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes			
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	ΠNO		
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.				
NM Office of the State Functional WATERS database security Visual improving (continuous) of the program data				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		—		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland.	Yes	No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area.	Yes	No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological				
Society; Topographic map		<u> </u>		
Within a 100-year floodplain - FEMA map	Yes	∐No		
1	1			

من	
II <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit App</u> Instructions: Each of the following items must be attached to the application. Pl	
Hydrogeologic Report (Below-grade Tanks) - based upon the require	
Hydrogeologic Data (Temporary and Emergency Pits) - based upon Siting Criteria Compliance Demonstrations - based upon the approp	
Design Plan - based upon the appropriate requirements of 19.15.17	-
Operating and Maintenance Plan - based upon the appropriate requi	
Closure Plan (Please complete Boxes 14 through 18, if applicable)	
Previously Approved Design (attach copy of design) API	or Permit
12 Closed-loop Systems Permit Application Attachment Checklist: Subset Instructions: Each of the following items must be attached to the application. Ple Geologic and Hydrogeologic Data (only for on-site closure) - based	
	e) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17	
Operating and Maintenance Plan - based upon the appropriate requ	rements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) NMAC and 19.15.17.13 NMAC	- based upon the appropriate requirements of Subsection C of 19.15.17.9
Previously Approved Design (attach copy of design) API	
Previously Approved Operating and Maintenance Plan API	
Instructions: Each of the following items must be attached to the application. I Hydrogeologic Report - based upon the requirements of Paragraph Siting Criteria Compliance Demonstrations - based upon the appropriate Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate re Dike Protection and Structural Integrity Design: based upon the appropriate requirements of Leak Detection Design - based upon the appropriate requirements of Liner Specifications and Compatibility Assessment - based upon the Quality Control/Quality Assurance Construction and Installation Pla Operating and Maintenance Plan - based upon the appropriate requirements of Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsect	(1) of Subsection B of 19.15.17.9 NMAC priate requirements of 19.15.17.10 NMAC quirements of 19.15.17.11 NMAC propriate requirements of 19.15.17.11 NMAC of 19.15.17.11 NMAC e appropriate requirements of 19.15.17.11 NMAC an irements of 19.15.17.12 NMAC priate requirements of 19.15.17.11 NMAC
Instructions: Please complete the applicable baxes, Boxes 14 through 18, in re, Type: Drilling Workover Emergency Cavitation P& Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary in the closure Method (only for temporary in	A Permanent Pit Below-grade Tank Closed-loop System
	priate requirements of Subsection F of 19.15.17.13 NMAC uids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the app	
Re-vegetation Plan - based upon the appropriate requirements of Su	
Site Reclamation Plan - based upon the appropriate requirements o	A SHORECHOILD OF 19.13.17.13 INWAC

...

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins</u> Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings.	Only: (19.15.17.13.D NMAC) Use attachment if more than two		
facilities are required.	н.		
Disposal Facility Name: Disposal Facility Permit Disposal Facility Name: Disposal Facility Permit	#:		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas th Yes (If yes, please provide the information No			
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection I of 19.15.17.13 NM Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13	МАС		
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of accept certain siting criteria may require administrative approval from the appropriate district office or may be considered an ex- office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.	ception which must be submitted to the Santa Fe Environmental Burea		
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	N/A		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Ycs No		
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed (measured from the ordinary high-water mark).	, sinkhole, or playa lake Yes No		
- Topographic map; Visual inspection (certification) of the proposed site			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initia - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	al application.		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for d purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initia - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a mu pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	nicipal ordinance adopted Yes No		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the	proposed site		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No		
- written continantion of verification of inap from the NM EMINKD-Mitning and Minerar Division Within an unstable area.	Yes No		
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; N Topographic map 			
Within a 100-year floodplain. - FEMA map	Yes No		
18			
<u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each of the following items n by a check mark in the box, that the documents are attached.	nust bee attached to the closure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.	17.10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19	15.17.13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requireme	nts of 19.15.17.11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the	e appropriate requirements of 19.15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 			

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan)
OCD Representative Signature:Approval Date: 12/9/2013
Title: OFFTE OCD Permit Number:
21
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: 11/23/2011
22 Cleanna Mathadu
Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)
If different from approved plan, please explain.
#
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?
Yes (If yes, please demonstrate compliane to the items below) XNO (Original Approved Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and operations:
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: 36.93987 Longitude: 107.85738 NAD 1927 X 1983
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Kepay Davis Title: Staff Regulatory Technician
Signature: Date: 12/5/2013
e-mail address: Aenny.r.davis@conocophillips.com Telephone: 505-599-4045

.

.