District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
	Pit, Closed-Loop System, Below-Grad	le Tank, or
Prop	osed Alternative Method Permit or Clos	sure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade ta	nk, or proposed alternative method
1-	X Closure of a pit, closed-loop system, below-grade t	ank, or proposed alternative method
	Modification to an existing permit	
	Closure plan only submitted for an existing permitt	ted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method	
	pplication (Form C-144) per individual pit, closed-loo	
	of this request does not relieve the operator of liability should operations r ieve the operator of its responsibility to comply with any other applicable	
		Be
Operator: Burlington Resources Oil		OGRID#: <u>14538</u>
Address: PO Box 4289, Farmington	n, NM 87499	
Facility or well name: San Juan 30-	6 Unit 97B	· · · · · · · · · · · · · · · · · · ·
API Number: 30	OCD Permit Number	r:
U/L or Qtr/Qtr:	n: <u>27</u> Township: <u>30N</u> Range: <u>7</u>	7W County: Rio Arriba
Center of Proposed Design: Latitude:	36.780524 °N Longitude:	107.554977 •W NAD: 1927 X 1983
Surface Owner: X Federal	State Private Tribal Trust or Indian	n Allotment
Lined Unlined Lines String-Reinforced Liner Seams: Welded Fa	kover avitation P&A	RCVD DEC 6 '13 OIL CONS. DIV. DIST. 3 HDPE PVC Other
Type of Operation: P&A X X Drying Pad X Above Groun X Lined Unlined Line	notice of intent) nd Steel Tanks Haul-off Bins Other	activities which require prior approval of a permit or
4 Below-grade tank: Subsection I Volume: b Tank Construction material:	bl Type of fluid:	omatic overflow shut-off
Submittal of an exception request is req	 uired. Exceptions must be submitted to the Santa Fe Environ	mental Bureau office for consideration of approval.
Form C-144	Oil Conservation Division	Page 1 of 5

.

..

5	

dip

.

. .

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
7				
<u>Netting:</u> Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
9 <u>Administrative Approvals and Exceptions:</u>				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	}			
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner)	deration of approval.			
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
¹⁰ Siting Criteria (regarding permitting): 19.15.17.10 NMAC	,			
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 fect below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes No			
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applied to permanent pits)	NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	TYes No			
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No			
Within the area overlying a subsurface mine. 	Yes No			
Within an unstable area.	Yes No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map				
Within a 100-year floodplain - FEMA map	Yes No			

Oil Conservation Division

11 Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment (Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check	mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of I				
	13.13.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the approp 19.15.17.9 NMAC and 19.15.17.13 NMAC	priate requirements of Subsection C of			
Previously Approved Design (attach copy of design) API	or Permit			
I2 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NM Instructions: Each of the following items must be attached to the application. Please indicate, by a check of Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements	mark in the box, that the documents are attached.			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appr				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12	2 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the approp NMAC and 19.15.17.13 NMAC	priate requirements of Subsection C of 19.15.17.9			
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a chec	k mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 1	9.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 1	9.15.17.10 NMAC			
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17	.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirement	ents of 19 15 17 11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan				
 Quarty control/Quarty Assurance construction and instantion run Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of				
	19.13.17.11 NMAC			
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NM	1AC and 19.15.17.13 NMAC			
14 Proposed Closuret 10.15.17.12 NMAAC				
<u>Proposed Closure:</u> 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed clo.	sure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit	Below-grade Tank Cłosed-loop System			
Alternative Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop sy	vstems)			
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the S	anta Eo Environmental Bureau for consideration)			
15 : Wooda Evenuetion and Demond Cleaner Black Checkbirts (10.15.17.12.Nb(A.C) Instructions Fac	h af de stallandia hanning terreste de stalle de la serve de serve			
* Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Eac Please indicate, by a check mark in the box, that the documents are attached.	n of the following items must be attached to the closure plan."			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAG	C			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of S				
	100200001 F 01 19.19.17.19 INIVIAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	f Subsection II of 10 15 17 12 NMAC			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements o				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15	5.17.13 NMAC			

•••

...

...

...

•••

Yask Konwait Cleaver Far Clearchon, Systems That Utilize Allows Ground Steel Tanks or Hauk off Bits Chit: (91517).130 NMAC:		
Disposal Facility Permit #:		
Will progressed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and provide the information		
□ Yes (If yes, please provide the information □ No No Required for impacted areas which will not be used for future service and operations: Soff Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Still Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 17 Still Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 17 17 Still Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 18 18 19 19 17 Still Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 19 10 10 17 17 17 18 18 19 19 10 10 10 10 10 10 100 100 feet below the bottom of the buried waste - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells 100 100 feet below the bottom of the buried waste		
Boil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Bits Revegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection 0 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection 0 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection 0 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of subsection 0 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of subsection 0 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of subsection 0 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of subsection 0 of neb subsection 0 of 19.15.17.13 NMAC Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet fon		
Sting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each stang criteria requires a domonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to content sting criteria may require administrative approval for this dapproval for the approval for the		
Sting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each stang criteria requires a domonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to content sting criteria may require administrative approval for this dapproval for the approval for the		
NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo, satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within 500 horizontal feet of a private, database; Visual inspection (certification) of the proposed site Within 500 feet of a wetland - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland - US Fişh and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within an unstable area. Within an unstable area.		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells N/A Ground water is more than 100 feet below the bottom of the buried waste. Yes No - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells N/A N/A Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Yes No - Topographic map; Visual inspection (certification) of the proposed site Yes No Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Yes No - Topographic map; Visual inspection (certification) of the proposed site Yes No Within 300 feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. Yes No - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Yes No Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Yes No </td		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells N/A Ground water is more than 100 feet below the bottom of the buried waste. Yes No - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells N/A N/A Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Yes No - Topographic map; Visual inspection (certification) of the proposed site Yes No Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Yes No - Topographic map; Visual inspection (certification) of the proposed site Yes No Within 300 feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. Yes No - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Yes No Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Yes No </td		
Ground water is more than 100 feet below the bottom of the buried waste.		
NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. · Visual inspection (certification) of the proposed site; Aerial photo; satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. · NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated nuncipal bundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. · Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland · US Fish and Wildlife Wetland Identification map; Topographie map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. ·Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area.		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake Image: Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Image: Type: T		
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Yes No · Visual inspection (certification) of the proposed site; Aerial photo; satellite image		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. . . No . Visual inspection (certification) of the proposed site; Aerial photo; satellite image . . . No Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. . . No Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of the initial application. . . . No Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. No Within 500 feet of a wetland .		
 Visual inspection (certification) of the proposed site; Aerial photo; satellite image Visual inspection (certification) of the proposed site; Aerial photo; satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. 		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality Yes No Within 500 feet of a wetland UYes No US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No Within a unstable area. Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted Image: Section 3-27-3, as annended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality Image: Section 3-27-3, as annended. Within 500 feet of a wetland Image: Section 3-27-3, as annended. Image: Section 3-27-3, as annended. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Image: Section 3-27-3, as annended. Within the area overlying a subsurface mine. Image: Section 3-27-3, as annended. Image: Section 3-27-3, as annended. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Image: Section 3-27-3, as annended. Image: Section 3-27-3, as annended. Within an unstable area. Image: Section 3-27-3, as annended. Image: Section 3-27-3, as annended. Image: Section 3-27-3, as annended.		
Within 500 feet of a wetland Image: Set of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Image: Set of a wetland Within the area overlying a subsurface mine. Image: Set of a wetland identification or map from the NM EMNRD-Mining and Mineral Division Image: Set of a wetland Within an unstable area. Image: Set of a wetland Image: Set of a wetland Image: Set of a wetland		
Within the area overlying a subsurface mine. Image: Provide the NM EMNRD-Mining and Mineral Division • Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Image: Provide the NM EMNRD-Mining and Mineral Division Within an unstable area. Image: Provide the NM EMNRD-Mining and Mineral Division		
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area.		
Within an unstable area.		
Topographic map		
Within a 100-year floodplain. Yes No - FEMA map		
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,		
by a check mark in the box, that the documents are attached.		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC		
Construction/Design Plan of Burlai Trenen (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Form C-144

Oil Conservation Division

Page 4 of 5

19				
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Signature: Date:				
e-mail address: Telephone:				
# <u>OCD Approval:</u> Permit Application (including closure glan) Clogure Plan (only) OCD Conditions (see attachment)				
OCD Representative Signature: Approval Date: 12/12/2013				
Title: Compliance Office OCD Permit Number:				
21				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC				
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure				
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.				
X Closure Completion Date: 3/23/2011				
22				
<u>Closure Method:</u>				
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain.				
#				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:				
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities				
were utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B				
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005				
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations?				
Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)				
Required for impacted areas which will not be used for future service and operations:				
Site Reclamation (Photo Documentation)				
Re-vegetation Application Rates and Seeding Technique				
24 Closure Deport Attachment Checklists, Instructions, Each of the following items must be attached to the elegune report. Place indicate his a shock mark in				
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.				
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude: 36.780524 Longitude: 107.554977 NAD 1927 X 1983				
25				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that				
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Kenny Davis Title: Staff Regulatory Technician				
Signature: Date: 12/5/2013				
e-mail address: Kenny.r.davis@conocophillips.com Telephone: 505-599-4045				

..

.