<u>District 1</u>
1625 N. French Dr., Hobbs, NM 88240
<u>District II</u>
1301 W. Grand Avenue, Artesia, NM 88210
<u>District III</u>
1000 Rio Brazos Road, Aztec, NM 87410
<u>District IV</u>
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

٤Ì	3
11,3	

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:
bclow-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: BP AMERICA PRODUCTION COMPANY
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Toperator: BP AMERICA PRODUCTION COMPANY OGRID #:778
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. 1. Operator: BP AMERICA PRODUCTION COMPANY OGRID #:778 Address: 200 Energy Court, Farmington, NM 87401 Facility or well name: HEATH GAS COM H 001E API Number: 3004523561 OCD Permit Number: U/L or Qtr/Qtr H Section 8.0 Township 29.0N Range 09W County: San Juan County Center of Proposed Design: Latitude 36.74187 Longitude -107.79661 NAD: 1927 1983 Surface Owner: Federal State Private Tribal Trust or Indian Allotment 2. Pit: Subsection F or G of 19.15.17.11 NMAC RCVD DEC 6 '13 UF primanent Emergency Cavitation P&A DIST. 3
Operator: BP AMERICA PRODUCTION COMPANY Address: 200 Energy Court, Farmington, NM 87401 Facility or well name: HEATH GAS COM H 001E API Number: 3004523561 OCD Permit Number: U/L or Qtr/Qtr H Section 8.0 Township 29.0N Range 09W County: San Juan County Center of Proposed Design: Latitude 36.74187 Longitude -107.79661 NAD: □1927 ▼ 1983 Surface Owner: □ Federal □ State ▼ Private □ Tribal Trust or Indian Allotment 2. □ Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: □ Drilling □ Workover □ Permanent □ Emergency □ Cavitation □ P&A DIST. 3
Address: 200 Energy Court, Farmington, NM 87401 Facility or well name: HEATH GAS COM H 001E API Number: 3004523561 OCD Permit Number: U/L or Qtr/Qtr H Section 8.0 Township 29.0N Range 09W County: San Juan County Center of Proposed Design: Latitude 36.74187 Longitude -107.79661 NAD:1927 \omega 1983 Surface Owner: Federal State \omega Private Tribal Trust or Indian Allotment 2. Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover
Facility or well name: HEATH GAS COM H 001E API Number: 3004523561 OCD Permit Number: U/L or Qtr/Qtr H Section 8.0 Township 29.0N Range 09W County: San Juan County Center of Proposed Design: Latitude 36.74187 Longitude -107.79661 NAD: 1927 1983 Surface Owner: Federal State Private Tribal Trust or Indian Allotment 2. Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover OIL CONS. DIV. Permanent Emergency Cavitation P&A DIST. 3
API Number: 3004523561 OCD Permit Number: U/L or Qtr/Qtr H Section 8.0 Township 29.0N Range 09W County: San Juan County Center of Proposed Design: Latitude 36.74187 Longitude -107.79661 NAD:1927 \bracklefty 1983 Surface Owner: Federal State \bracklefty Private Tribal Trust or Indian Allotment 2 Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover
U/L or Qtr/Qtr H Section 8.0 Township 29.0N Range 09W County: San Juan County Center of Proposed Design: Latitude 36.74187 Longitude -107.79661 NAD: ☐ 1927 🗷 1983 Surface Owner: ☐ Federal ☐ State 🖾 Private ☐ Tribal Trust or Indian Allotment 2. ☐ Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: ☐ Drilling ☐ Workover OIL CONS. DIV. ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A County: San Juan County NAD: ☐ 1927 🖾 1983 RecVD DEC 6 '13 OIL CONS. DIV.
Center of Proposed Design: Latitude 36.74187 Longitude -107.79661 NAD: ☐ 1927 ▼ 1983 Surface Owner: ☐ Federal ☐ State ▼ Private ☐ Tribal Trust or Indian Allotment 2. ☐ Pit: Subsection F or G of 19.15.17.11 NMAC RCVD DEC 6 '13 Temporary: ☐ Drilling ☐ Workover OIL CONS. DIV. ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A DIST. 3
Surface Owner: ☐ Federal ☐ State ☒ Private ☐ Tribal Trust or Indian Allotment 2. ☐ Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: ☐ Drilling ☐ Workover ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A DIST. 3
2. Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A P&A RCVD DEC 6 '13 OIL CONS. DIV. DIST. 3
☐ Pit: Subsection F or G of 19.15.17.11 NMAC RCVD DEC 6 '13 Temporary: ☐ Drilling ☐ Workover OIL CONS. DIV. ☐ Permanent ☐ Emergency ☐ Cavitation ☐ P&A DIST. 3
Temporary: Drilling Workover Permanent Emergency Cavitation P&A DIST. 3
Permanent Emergency Cavitation P&A
☐ String-Reinforced
Liner Seams: Welded Factory Other Volume: bbl Dimensions: L x W x D
Ellier Sealins. We deed Tactory Council.
Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of
intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other
Liner Seams: Welded Factory Other
4. Below-grade tank: Subsection 1 of 19.15.17.11 NMAC (Closure Plan submittal only)
Volume: 95.0 bbl Type of fluid: Produced Water
Tank Construction material: Steel
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.16.8 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accematerial are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	opriate district approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: (Applies only to closed-loop system that use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. ■ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC ■ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ■ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC ■ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 – Oil Conservation Division

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	more than two
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justi demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	an. Please indicate,
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Wester Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	15.17.11 NMAC
 □ Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann □ Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC □ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 	ot be achieved)

Operator Application Certification: I hereby certify that the information submitted with this application is true	e, accurate and complete to the best of my knowledge and belief.
Name (Print): Jeffrey Peace	Title: Field Environmental Advisor
Signature: A. Sesse	Date: <u>06/14/2010</u>
e-mail address: Peace Peffrey Opp.com	Telephone: _505-326-9479
20. OCD Approval: Permit Application (including closure plan) Cl OCD Representative Signature Title: Favirmuna Language	OSUTO Plan (only) OCD Conditions (see, attachment) 12/142013 Approval Date: 5/10/11 OCD Conditions (see, attachment) 10/14/2013
Title:	VOCD Permit Number:
	n prior to implementing any closure activities and submitting the closure report. days of the completion of the closure activities. Please do not complete this
22. Closure Method: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.	Alternative Closure Method
Instructions: Please indentify the facility or facilities for where the liqu two facilities were utilized.	Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: uids, drilling fluids and drill cuttings were disposed. Use attachment if more than
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities perform Yes (If yes, please demonstrate compliance to the items below)	
Required for impacted areas which will not be used for future service and Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	f operations:
mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) ☑ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site concentration) □ Disposal Facility Name and Permit Number ☑ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique ☑ Site Reclamation (Photo Documentation) ○ On-site Closure Location: Latitude <u>36.74187</u>	owing items must be attached to the closure report. Please indicate, by a check losure) Longitude <u>- 10ファフタ61</u> NAD: □1927 対 1983
25. Operator Closure Certification:	
	closure report is true, accurate and complete to the best of my knowledge and requirements and conditions specified in the approved closure plan.
Name (Print): Jeft Peace	Title: Field Environmental Advisor
Signature: Seff Reace	Date: Dacomber 5, 2013
e-mail address: <u>peace</u> jeffrey@bf.com	Telephone: (505) 326-9479

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-141

Revised August 8, 2011

			Rele	ease Notific	atio	n and Co	rrective A	ction			-				
						OPERA	ГOR	☐ Initi	al Report	\boxtimes	Final Report				
Name of Co						Contact: Jef									
		Court, Farmi		M 87401			No.: 505-326-94								
Facility Nar	ne: Heath	Gas Com H	1E			Facility Typ	e: Natural gas v	vell			· · · · · · · · · · · · · · · · · ·				
Surface Ow	ner: Privat	te		Mineral C)wner:	Fee		API No	. 30045235	61					
·				LOCA	TIO	N OF REI	FASE								
Unit Letter	Section	Township	Range	Feet from the		South Line	Feet from the	East/West Line	County: Sa	n luan					
H	8	29N	9W	1,750	North		840	East	County. St	iii Juan	'				
	<u> </u>	Lati	tude3	6.74187		Longitud	e107.79661_		<u> </u>						
NATURE OF RELEASE															
Type of Relea	ase: none						Release: N/A	Volume F	Recovered: N	I/A					
Source of Re	lease: belov	v grade tank –	95 bbl				lour of Occurrenc	e: Date and	Hour of Disc	covery:					
Was Immedia	ate Notice (Yes [] No 🛛 Not Re	equired	If YES, To	Whom?								
By Whom?						Date and Hour									
Was a Water	course Read		Yes 🗵] No		If YES, Volume Impacting the Watercourse.									
If a Watercou	ırse was İm	pacted. Descr	ibe Fully.	k											
Tra Wateress		puoted, Deser													
								GT was done during		ensure	no soil				
impacts from	the BGT.	Soil analysis r	esulted in	TPH, BTEX and	chlorid	les below stand	dards. Analysis ro	esults are attached.							
									•		İ				
					moved	and the area u	nderneath the BG	T was sampled. T	he excavated	area v	vas				
backfilled and	d compacte	d and the LPT	was place	ed over the site.											
								nderstand that purs							
								tive actions for rele							
								eport" does not reli eat to ground water							
								esponsibility for co							
federal, state,							····								
٨	11	α					OIL CONS	SERVATION	DIVISIO	<u>'N</u>					
Signature:	elk	Veace	/	•											
- Signature:	# V	<u> </u>				Approved by	Environmental S ₁	necialist							
Printed Name	: Jeff Peace	2						pecialist.							
Title: Field E	nvironment	al Advisor				Approval Dat	e:	Expiration	Date:						
E-mail Addre	ss: peace.je	effrey@bp.cor	n			Conditions of	`Approval:		Attached						
Date: Decem	ber 5 201	3	Phor	ne: 505-326-9479						_					

^{*} Attach Additional Sheets If Necessary

CLIENT: BP	P.O. BOX 87, BLO	NEERING, INC. DMFIELD, NM 874 32-1199	13	API #: 30 (TANK ID (if applicble):	A	561
FIELD REPORT:	(circle one): BGT CONFIRMATION / RELE	ASE INVESTIGATION / OTHER:		PAGE #: _	1 of	1
SITE INFORMATION	I: SITE NAME: HEATH GC	H#1E		DATE STARTED:	08/02	2/13
QUAD/UNIT: H SEC: 8 TWP:	29N RNG: 9W PM: N	M CNTY: SJ ST:	NM_	DATE FINISHED:		
1/4 -1/4/FOOTAGE: 1,750'N / 840'E	SE/NE LEASE TYPE:	FEDERAL / STATE / FEE II	NDIAN	ENVIRONMENTAL		
LEASE #:	PROD. FORMATION: MV CONTRA	ELKHORN CTOR: MBF - P. ALEXAI	NDER	SPECIALIST(S):	JC	В
REFERENCE POINT	WELL HEAD (W.H.) GPS COOF	RD.: 36.74184 X 10	7.79616	GL EL	.EV.: 5, 6	S85'
	GPS COORD.: 36.741				144', DUE	
2)	GPS COORD.:		DISTANCE/BE/	ARING FROM W.H.:		
3)	GPS COORD.:		DISTANCE/BE/	ARING FROM W.H.:		
4)	GPS COORD.;		DISTANCE/BE/	ARING FROM W.H.:		
SAMPLING DATA:	CHAIN OF CUSTODY RECORD(S) # OR LAB	JSED: HALL				OVM READING (ppm)
1) SAMPLE ID: 95 BGT 5-pt. @_4	. SAMPLE DATE: 08/02/13	_ SAMPLE TIME:1120 LAB ANALYS	sis: 418.1/8	3015B/8021B/3	00.0(CI)	0.0
2) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME: LAB ANALYS	SIS:			
3) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME: LAB ANALYS	SIS:			
4) SAMPLE ID:	SAMPLE DATE:	SAMPLE TIME: LAB ANALYS	SIS:			
SOIL DESCRIPTION	SOIL TYPE: SAND/SILTY SAND	SILT / SILTY CLAY / CLAY / G	RAVEL / OT	HER		
SOIL COLOR: DARK YE	ELLOWISH ORANGE					
COHESION (ALL OTHERS): NON COHESIVE SLIGHTL		PLASTICITY (CLAYS): NON PLASTIC / SLIG				
CONSISTENCY (NON COHESIVE SOILS): LC MOISTURE: DRY/SLIGHTLY MOIST/MOIST/W		DENSITY (COHESIVE CLAYS & S HC ODOR DETECTED: YES				
SAMPLE TYPE: GRAB COMPOSITE - #				AIVATION		
DISCOLORATION/STAINING OBSERVED	: YES/NO EXPLANATION -					
ANY AREAS DISPLAYING WETNESS: YES VINC	EXPLANATION - ENTIRE AREA UNDER	DOT MOIST EDOM VESTEDD	WE DAIN			
	DBSERVED AND/OR OCCURRED: YES					
ADDITIONAL COMMENTS:						
SOIL IMPACT DIMENSION ESTIMATION:	NA ft. X NA ft.	X NA ft. EXCA	VATION EST	TIMATION (Cubic Y	ards) :	NA NA
		REST SURFACE WATER: <1,0		D TPH CLOSURE ST	,	_ ppm
SITE SKETCH		PLOT PLAN circle: atta	iched 0\/M	CALIB. READ. = 5	2.0 ppm	
		THE STATE OF THE S			00ppm	RF = 0.52
			I I	_ 8:45 (am)pm	DATE: 08/ 6	02/13
			' '	MISCELL	NOT	FS
	E.D. ~ 4' B.G.		w	/O: N15283		
	_		-	0#:	, ,,,,,	-
PBGTL T,B, ~ 4'	7	W.H. ⊕	-	K: ZEVH0	1BGT2	
1.B. ~ 4	→—BERM		P.	J#: Z2- 006	Q0	
			Po	ermit date(s):		
			O ∫Tar	CD Appr. date(s):	nic Vapor Mete	<u> </u>
			10	ppm = parts	per million	
		V A.P.	1	BGT Sidewalls Vi		
MATTA BOT BELOWED OF THE CO. FUCTOR	ON DEDDEGONOU D.O. DELONGO DE COMO	X - S.P.D		BGT Sidewalls Vi		
T.B. = TANK BOTTOM; PBGTL = PREVIOUS BEL	ON DEPRESSION; B.G. = BELOW GRADE; B = BELOW; T. .OW-GRADE TANK LOCATION; SPD = SAMPLE POINT DE	7. = 1E51 MOLE; ~ = APPROX.; W.H. = WEL SIGNATION; R.W. = RETAINING WALL; NA -	NOT NOT	lagnetic declina		
APPLICABLE OR NOT AVAILABLE; SW - SINGL	E WALL; DW - DOUBLE WALL; SB - SINGLE BOTTOM; DE	- DOUBLE BOTTOM.			<u></u>	
TRAVEL NOTES: CALLOUT:		ONSITE: 08/02/13				

Analytical Report

Lab Order 1308129

Date Reported: 8/8/2013

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Blagg Engineering

Client Sample ID: 95 BGT 5-pt @ 4'

HEATH GC H 1E Project:

Collection Date: 8/2/2013 11:20:00 AM

Lab ID: 1308129-001

Received Date: 8/3/2013 11:00:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE	ORGANICS				Analyst	: JME
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	8/5/2013 2:14:06 PM	8722
Surr: DNOP	81.4	63-147	%REC	1	8/5/2013 2:14:06 PM	8722
EPA METHOD 8015D: GASOLINE RAM	IGE				Analyst	: RAA
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	8/5/2013 12:39:35 PM	R12410
Surr: BFB	91.2	80-120	%REC	1	8/5/2013 12:39:35 PM	R12410
EPA METHOD 8021B: VOLATILES					Analyst	: RAA
Benzene	ND	0.050	mg/Kg	1	8/5/2013 12:39:35 PM	R12410
Toluene	ND	0.050	mg/Kg	1	8/5/2013 12:39:35 PM	R12410
Ethylbenzene	ND	0.050	mg/Kg	1	8/5/2013 12:39:35 PM	R12410
Xylenes, Total	ND	0.10	mg/Kg	1	8/5/2013 12:39:35 PM	R12410
Surr: 4-Bromofluorobenzene	91.3	80-120	%REC	1	8/5/2013 12:39:35 PM	R12410
EPA METHOD 300.0: ANIONS					Analyst	: JRR
Chloride	ND	30	mg/Kg	20	8/5/2013 6:22:06 PM	8731
EPA METHOD 418.1: TPH					Analyst	: LRW
Petroleum Hydrocarbons, TR	ND	20	mg/Kg	1	8/6/2013	8740

Matrix: SOIL

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- Analyte detected below quantitation limits
- RSD is greater than RSDlimit
- RPD outside accepted recovery limits

- Analyte detected in the associated Method Blank
- Holding times for preparation or analysis exceeded Н
- Not Detected at the Reporting Limit ND Not Detected at the Reporting Limit $$\operatorname{\textit{Page}}\ 1$ of 6$$ Sample pH greater than 2 for VOA and TOC only.
- RL Reporting Detection Limit

OC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1308129

08-Aug-13

Client:

Blagg Engineering

Project:

HEATH GC H 1E

Sample ID MB-8731

SampType: MBLK

TestCode: EPA Method 300.0: Anions

Client ID:

PBS

Batch ID: 8731

RunNo: 12430

Prep Date: 8/5/2013

Analysis Date: 8/5/2013

PQL

SeqNo: 353758

Units: mg/Kg

HighLimit

%RPD

RPDLimit Qual

Analyte Chloride

ND 1.5

SampType: LCS Batch ID: 8731 TestCode: EPA Method 300.0: Anions

Result

SPK value SPK Ref Val %REC LowLimit

Sample ID LCS-8731

RunNo: 12430

Client ID: LCSS Prep Date: 8/5/2013

Analysis Date: 8/5/2013

SeqNo: 353759

Units: mg/Kg

HighLimit

Qual

Analyte

Result

96.6

PQL

15.00

90

110

Chloride

14

SPK value SPK Ref Val %REC

1.5

LowLimit

RPDLimit

%RPD

Qualifiers:

0

Value exceeds Maximum Contaminant Level.

RPD outside accepted recovery limits

Е Value above quantitation range

Analyte detected below quantitation limits J RSD is greater than RSDlimit

В Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded Н ND Not Detected at the Reporting Limit

Sample pH greater than 2 for VOA and TOC only.

RLReporting Detection Limit Page 2 of 6

OC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1308129

08-Aug-13

Client:

Blagg Engineering

Project:

Analyte

HEATH GC H 1E

Sample ID MB-8740

SampType: MBLK

TestCode: EPA Method 418.1: TPH

Client ID:

PBS

Batch ID: 8740

PQL

20

RunNo: 12439

Prep Date: 8/6/2013

Analysis Date: 8/6/2013

SeqNo: 354090

Units: mg/Kg HighLimit

%RPD

RPDLimit

Qual

Petroleum Hydrocarbons, TR

ND

Result

SampType: LCS

TestCode: EPA Method 418.1: TPH

Sample ID LCS-8740 Client ID: LCSS

Batch ID: 8740

RunNo: 12439

120

Analyte

Prep Date: 8/6/2013

LCSS02

Analysis Date: 8/6/2013

SeqNo: 354091

Units: mg/Kg

Qual

Client ID:

Prep Date:

Result

SPK value SPK Ref Val %REC LowLimit 100.0 103

%RPD HighLimit

RPDLimit

100

PQL 20

SPK value SPK Ref Val %REC LowLimit

Petroleum Hydrocarbons, TR

100

SampType: LCSD

TestCode: EPA Method 418.1: TPH

RunNo: 12439 SeqNo: 354092

Units: mg/Kg

RPDLimit Qual

Analyte Petroleum Hydrocarbons, TR

Sample ID LCSD-8740

8/6/2013

Analysis Date: 8/6/2013 Result

Batch ID: 8740

SPK value SPK Ref Val

20

100.0

101

%REC LowLimit

HighLimit 120 %RPD 2.67

20

Qualifiers:

R

Value exceeds Maximum Contaminant Level.

E Value above quantitation range

Analyte detected below quantitation limits J

RPD outside accepted recovery limits

RSD is greater than RSDlimit 0

В Analyte detected in the associated Method Blank

Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Sample pH greater than 2 for VOA and TOC only.

Reporting Detection Limit RL

Н

Page 3 of 6

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1308129 08-Aug-13

Client:

Blagg Engineering

Project:

Analyte

HEATH GC H 1E

Sample ID MB-8722

SampType: MBLK

TestCode: EPA Method 8015D: Diesel Range Organics

63

Client ID: PBS

Batch ID: 8722

RunNo: 12400

Prep Date: 8/5/2013 Analysis Date: 8/5/2013

PQL

SeqNo: 353060

SPK value SPK Ref Val %REC LowLimit

Units: mg/Kg

%RPD

Qual

Diesel Range Organics (DRO)

ND 10

99.2

HighLimit

RPDLimit

Surr: DNOP

9.9

Result

Result

10.00

SPK value SPK Ref Val

147

TestCode: EPA Method 8015D: Diesel Range Organics

Sample ID LCS-8722

SampType: LCS Batch ID: 8722

RunNo: 12400

Prep Date: 8/5/2013

Client ID: LCSS

Analysis Date: 8/5/2013

SeqNo: 353065

%REC

Units: mg/Kg HighLimit

RPDLimit Qual

Analyte Diesel Range Organics (DRO)

77.1 63

LowLimit

128

147

%RPD

42 10 50.00 0 84.3 Surr: DNOP 3.5 5.000 69.8

PQL

Qualifiers:

Value exceeds Maximum Contaminant Level.

Е Value above quantitation range

J Analyte detected below quantitation limits

O RSD is greater than RSDlimit

R RPD outside accepted recovery limits В Analyte detected in the associated Method Blank

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

Sample pH greater than 2 for VOA and TOC only.

RL Reporting Detection Limit Page 4 of 6

OC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1308129

08-Aug-13

Client:

Blagg Engineering

Project:

HEATH GC H 1E

Sample ID 5ml rb 5

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID: **PBS** Batch ID: R12410

RunNo: 12410

Prep Date:

Analysis Date: 8/5/2013

SeqNo: 353715

Units: mg/Kg

Analyte

Result **PQL**

Gasoline Range Organics (GRO)

ND 5.0

SPK value SPK Ref Val %REC LowLimit

120

HighLimit

RPDLimit

Qual

Surr: BFB

930

1000

93.2

80

Sample ID 2.5UG GRO LCS

SampType: LCS

RunNo: 12410

TestCode: EPA Method 8015D: Gasoline Range

Prep Date:

Client ID: LCSS

Batch ID: R12410 Analysis Date: 8/5/2013

SeqNo: 353719

Units: mg/Kg

136

120

Analyte

Result **PQL**

SPK value SPK Ref Val

%REC LowLimit

HighLimit

80

%RPD **RPDLimit**

%RPD

Qual

Gasoline Range Organics (GRO) 28 25.00 62.6 5.0 0 112 Surr: BFB 1100 1000 105

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- É Value above quantitation range
- Analyte detected below quantitation limits
- RSD is greater than RSDlimit 0
- R RPD outside accepted recovery limits

- Analyte detected in the associated Method Blank
- Н Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- Sample pH greater than 2 for VOA and TOC only.
- RLReporting Detection Limit

Page 5 of 6

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#:

1308129 *08-Aug-13*

Client: Project:

Blagg Engineering HEATH GC H 1E

Sample ID 5ml rb 5

Sample ID 5ml rb 5 SampType: MBLK TestCode: EPA Method 8021B: Volatiles
Client ID: PBS Batch ID: R12410 RunNo: 12410

Prep Date: Analysis Date: 8/5/2013 SeqNo: 353725 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Benzene ND 0.050

 Benzene
 ND
 0.050

 Toluene
 ND
 0.050

 Ethylbenzene
 ND
 0.050

 Xylenes, Total
 ND
 0.10

 Surr 4-Bromofluorobenzene
 1.0

Surr: 4-Bromofluorobenzene 1.0 1.000 102 80 120

Sample ID 100NG BTEX LC	TestCode: EPA Method 8021B: Volatiles									
Client ID: LCSS	Batcl	h ID: R1	2410	F	RunNo: 1	2410				
Prep Date:	Analysis [Date: 8/	5/2013	5	SeqNo: 3	53730	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.94	0.050	1.000	0	93.8	80	120			
Toluene	0.95	0.050	1.000	0	95.0	80	120			
Ethylbenzene	0.94	0.050	1.000	0	93.7	80	120			
Xylenes, Total	2.9	0.10	3.000	0	97.3	80	120			
Surr: 4-Bromofluorobenzene	1.0		1.000		104	80	120			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

E Value above quantitation range

J Analyte detected below quantitation limits

O RSD is greater than RSDlimit

R RPD outside accepted recovery limits

B Analyte detected in the associated Method Blank

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

P Sample pH greater than 2 for VOA and TOC only.

RL Reporting Detection Limit

Page 6 of 6

C	hain	-of-Cu	stody Record	Turn-Around	Time:	By TUES 8/6/13		** ***		HALL ENVIRONMENTA									
Client:			NEERING INC.	☐ Standard	▼Rush e:	8/6/13	_		20 20 20	ANALYSIS LABORATO									
Mailing	Address	AMERI PO	Box 87	HEAT	M 6C H	(1E		www.naiienvironmentai.com 4901 Hawkins NE - Albuquerque, NM 87109											
	Bear	IFIELD	NM 87413	Project #:					Tel. 505-345-3975 Fax 505-345-4107										
Phone a			32-1199					12		Analysis Request									
email o			,	Project Mana	ager:				Î				(₂						
QA/QC F	⊃ackage: dard		☐ Level 4 (Full Validation)	J	T-BLAGG			EMB 's (8021)	(0000000)			SIMS)	PO ₄ ,S(PCB's					
Accredi	AP	□ Othe	·r	Sampler: C	T. BLAGE	□ N6 : 3 : 3 : 3 : 3 : 3 : 3 : 3 : 3 : 3 :			(GRO / DRO	18.1)	04.1)	8270	O3,NO ₂	\$ / 8082		(\	. 1		(Z
□ EDD	(Type)	T		<u>Bampieriem</u>	peraligies (*)	23		AT BE	9	od 4	od 5	0 o		ides	₹	<u> </u>	10E		≥
Date	Time	Matrix	Sample Request ID	Container Type and #	Preservative Type	HEAL NO. 3 18/8/12/9		BTEX + WE	ΙÒ	TPH (Method 418.1)	EDB (Method 504.1)	PAH's (8310 or 8270	Anions (F,CI,NO ₃ ,NO ₂ ,PO ₄ ,SO ₄)	8081 Pesticides	8260B (VOA)	8270 (Semi-VOA)	CHOCHDE		Air Buhhles
9/2/13	1120	SOIL	95 BGT 5-Pte4	Mest 402×1	con	-00	1	X	×	X							X		
							_												
	<u> </u>			<u> </u>			_						<u> </u>					11	
		<u> </u>					_	4-	_										$\vdash \vdash$
					_			_	-				_	-			+		
							+	+	-			+	<u> </u>					+	
								+			+	-	+				+	+-	$\vdash \vdash$
									+		_			†				+	
Data	Timas	Delinovieh	d han	Descinden					1			:							
Date: 8/2/13 Date:	Time:	Relinquish	1 Blagg	Received by: Received by:	Julachen	Date Time 8/2/13 /40 Date Time		Remar	ks:		u i		ZE1	/HO	1 R	GT	え		
8/2/13	1530	Mrs	tu Wales	110	me	03/03/13		PAKEY: ZEVHOLBGTZ _Contet: Jell Reace_											
- 1	f necessary,	samples subr	mitted to Hall Environmental may be subc	contracted to other a	ccredited laboratorie	es. This serves as notice o	of this po	ossibility	Апу ѕ	ub-con	tracted (tata will	be clea	rly nota	ated on	the ar	ialytical re	port.	




Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Na	ame: BLA	.GG	Work Order Nu	mber: 1308129		RcptNo:	1
Received	by/date:	AT 08/	03/13				
Logged B	By: An	ne Thome	8/3/2013 11:00:0	MA 0	ane Am	- ,	,
Complete	ed By: An	ne Thorne	8/5/2013		anne Am	_	1
Reviewed	i By:	De 18/0	SIB		<i>0 y,</i>	_	
Chain o	f Custody	g	-1				
		- act on sample t	oottles?	Yes 🗌	No 🗀	Not Present 🗹	
2. Is Ch	ain of Custo	dy complete?		Yes 🗹	No 🗆	Not Present	
3. How	was the sam	ple delivered?		Courier			•
Log In							
4. Was	an attempt i	made to cool the	e samples?	Yes 🗹	No 🗌	NA 🗌	
5. Were	all samples	received at a to	emperature of >0° C to 6.0°C	Yes 🗹	No 🗆	NA \square	
6. Samp	ple(s) in prop	per container(s)	?	Yes 🗹	No 🗆		
7. Suffic	cient sample	volume for indi	cated test(s)?	Yes 🗹	No 🗆		
8. Are s	amples (exc	ept VOA and O	NG) properly preserved?	Yes 🗹	No 🗌		
9. Was	preservative	added to bottle	s?	Yes 🗌	No 🗹	NA 🗆	
10.VOA	vials have z	ero headspace?	•	Yes 🗀	No 🗆	No VOA Vials	
11. Were	e any sample	e containers rec	eived broken?	Yes	No 🗹	# of preserved	
						bottles checked	
		match bottle lab		Yes 🗹	No ∐	for pH: (<2 o	r >12 unless noted)
,			on Chain of Custody?	Yes 🗹	No 🗆	Adjusted?	
		alyses were red	-	Yes 🗹	No 🗆		
		times able to be omer for authori		Yes 🗹	No 🗌	Checked by:	
Special	Uondlina	, (if annliss)	dal				
		(if applicab		, \Box	N- []	NA 🗹	
16. vvas	Client notifie	d of all discrepa	ncles with this order?	Yes 🗆	No 🗆	NA 🖳	٦
	Person Not	ified:		ate			
	By Whom:		V	ia: eMail F	hone Fax	In Person	
	Regarding:	lotions:	<u> </u>				
	Client Instru						J
17. Addir	tional remarl	ks:					
1 -	ler Informat		عديوا بيناما وموا	In Saul Bata	Signed By [
<u>C</u> c	coler No 1		dition Seal Intact Seal N	lo Seal Date	Signed By		
F			 	ou a de la composição d			





BP AMERICA PRODUCTION COMPANY

SAN JUAN BASIN, NORTHWEST NEW MEXICO

BELOW-GRADE TANK CLOSURE PLAN

Heath Gas Com H 1E
API No. 3004523561
Unit Letter H, Section 8, T29N, R9W

RCVD DEC 6'13 OIL CONS. DIV. DIST. 3

This plan will address the standard protocols and procedures for closure of below-grade tanks (BGTs) on BP America Production Company (BP) well sites. As stipulated in Paragraph A of 19.15.17.13 NMAC, BP shall close a BGT within the time periods provided in 19.15.17.13 NMAC, or by an earlier date that the New Mexico Oil Conservation Division (NMOCD) requires because of imminent danger to fresh water, public health, safety or the environment. If deviations from this plan are necessary, any specific changes will be included on form C-144 and approved by the NMOCD. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC or is not included in Paragraph (5) of Subsection I of 19.15.17.11 NMAC within five years after June 16, 2008, if not retrofit with a BGT that complies with the BP NMOCD approved BGT design attached to the BP Design and Construction Plan. BP shall close an existing BGT that does not meet the requirements of Paragraphs (1) through (4) of Subsection I of 19.15.17.11 NMAC, if not previously retrofitted to comply with the BP NMOCD approve BGT Design attached to the BP Design and Construction Plan, prior to any sale or change in operator pursuant to 19.15.9.9 NMAC. BP shall close the permitted BGT within 60 days of cessation of the BGTs operation or as required by the transitional provisions of Subsection B, D, or E of 19.15.17.17 NMAC.

General Closure Plan

- 1. BP shall notify the surface owner by certified mail that it plans to close a BGT. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records demonstrates compliance with this requirement.
 - No notice was made due to misunderstanding of the notice requirements. BP did not think notice was necessary if BGT replaced with LPT, but realizes notice is required for any BGT closure. Closure notices will be made for all BGT closures from this point forward.
- 2. BP shall notify the division District III office verbally or by other means at least 72 hours, but not more than one (1) week, prior to any closure operation. The notice shall include the operator's name, and the location to be closed by unit letter, section, township and range. If the BGT closure is associated with a particular well, then the notice shall also include the well's name, number and API number.

No notice was made due to misunderstanding of the notice requirements. BP did not think notice was necessary if BGT replaced with LPT, but realizes notice is required for any BGT closure. Closure notices will be made for all BGT closures from this point forward.

- 3. BP shall remove liquids and sludge from the BGT prior to implementing a closure method and dispose of the liquids and sludge in a NMOCD's division-approved facility. The facilities to be used are:
 - a. BP Crouch Mesa Landfarm, Permit NM-02-003 (Solids)
 - b. JFJ Landfarm, Permit NM-01-010(B) (Solids and Sludge)
 - c. Basin Disposal, Permit NM-01-0005 (Liquids)
 - d. Envirotech Inc Soil Remediation Facility, Permit NM-01-0011 (Solids and Sludge)
 - e. BP Operated E.E. Elliott SWD #1, API 30-045-27799 (Liquids)
 - f. BP Operated 13 GCU SWD #1, API 30-045-28601 (Liquids)
 - g. BP Operated GCU 259 SWD, API 30-045-20006 (Liquids)
 - h. BP Operated GCU 306 SWD, API 30-045-24286 (Liquids)
 - i. BP Operated GCU 307 SWD, API 30-045-24248 (Liquids)
 - j. BP Operated GCU 328 SWD, API 30-045-24735 (Liquids)
 - k. BP Operated Pritchard SWD #1, API 30-045-28351 (Liquids)

All liquids and sludge in the BGT were removed and sent to one of the above NMOCD approved facilities for disposal.

4. BP shall remove the BGT and dispose of it in a NMOCD approved facility or recycle, reuse, or reclaim it in a manner that the NMOCD approves. If a liner is present and must be disposed of it will be cleaned by scraping any soils or other attached materials on the liner to a de minimus amount and disposed at a permitted solid waste facility, pursuant to Subparagraph (m) of Paragraph (1) of Subsection C of 19.15.35.8 NMAC. Documentation as to the final disposition of the removed BGT will be provided in the final closure report.

The BGT was transported to a storage area for sale and re-use.

5. BP shall remove any on-site equipment associated with a BGT unless the equipment is required for well production.

All equipment associated with the BGT has been removed.

6. BP shall test the soils beneath the BGT to determine whether a release has occurred. BP shall collect at a minimum: a five (5) point composite sample and individual grab samples from any area that is wet, discolored or showing other evidence of a release and analyze for BTEX, TPH and chlorides. The testing methods for those constituents are as follows;

Constituents	Testing Method	Release Verification	Sample
		(mg/Kg)	results
Benzene	US EPA Method SW-846 8021B or 8260B	0.2	ND
Total BTEX	US EPA Method SW-846 8021B or 8260B	50	ND
TPH	US EPA Method SW-846 418.1	100	ND
Chlorides	US EPA Method 300.0 or 4500B	250 or background	ND

Notes: mg/Kg = milligram per kilogram, BTEX = benzene, toluene, ethylbenzene, and total xylenes, TPH = total petroleum hydrocarbons. Other EPA methods that the division approves may be applied to all constituents listed. Chloride closure standards will be determined by which ever concentration level is greatest.

Soil under the BGT was sampled and TPH, BTEX and chloride levels were below the stated limits. Sampling data is attached.

- 7. BP shall notify the division District III office of its results on form C-141. C-141 is attached.
- 8. If it is determined that a release has occurred, then BP will comply with 19.15.30 NMAC and 19.15.29 NMAC, as appropriate.

Sampling results indicate no release occurred.

9. If the sampling demonstrates that a release has not occurred or that any release does not exceed the concentrations specified above, then BP shall backfill the excavation, with compacted, non-waste containing, earthen material; construct a division-prescribed soil cover, re-contour and re-vegetate the location. The location will be reclaimed if it is not with in the active process area

The area under the BGT was backfilled with clean soil. It is still within the active area and is covered by the LPT.

10. BP shall reclaim the BGT location and all areas associated with the BGT including associated access roads to a safe and stable condition that blends with the surrounding undisturbed area. BP shall substantially restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover as provided in Subsection H of 19.15.17.13 NMAC, re-contour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate according to Subsection I of 19.15.17.13 NMAC.

The area under the BGT is covered by the LPT. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

11. The soil cover for closures where the BGT has been removed or remediated to the NMOCD's satisfaction shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater. The soil cover will be constructed to the site's existing grade and all practicable efforts will be made to prevent ponding of water and erosion of the cover material.

The area under the BGT is covered by the LPT. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

12. BP shall seed the disturbed area the first growing season after closure of the BGT. Seeding will be accomplished by drilling on the contour whenever practical or by other division-approved methods. Vegetative cover will be, at a minimum, 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation), consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintenance of that cover through two successive growing seasons. During the two growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.

The area under the BGT is covered by the LPT. This area will be reclaimed when the well is plugged and abandoned as part of final reclamation.

13. BP shall seed, plant and re-seed pursuant to Paragraph (3) of Subsection I of 19.15.17.13 NMAC, until the location successfully achieves the required vegetative cover.

BP will seed the area when the well is plugged and abandoned.

14. Pursuant to Paragraph (5) of Subsection I of 19.15.17.13 NMAC, BP shall notify the NMOCD when it has seeded or planted and when it successfully achieves revegetation.

BP will notify NMOCD when re-vegetation is successful.

- 15. Within 60 days of closure completion, BP shall submit a closure report on NMOCD's form C-144, and will include the following;
 - a. proof of closure notification (surface owner and NMOCD)
 - b. sampling analytical reports; information required by 19.15.17 NMAC;
 - c. disposal facility name and permit number
 - d. details on back-filling, capping, covering, and where applicable re-vegetation application rates and seeding techniques and
 - e. site reclamation, photo documentation.
 - Closure report on C-144 form is included.
- 16. BP shall certify that all information in the report and attachments is accurate, truthful, and compliant with all applicable closure requirements and conditions specified in the approved closure plan.

Certification section of C-144 has been completed.