District I

State of New Mexico

Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

July 21, 2008

1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 8	I	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
	Closed-Loop System, E	Below-Grade	Tank, or
Proposed	Alternative Method Per	mit or Closui	re Plan Application
	ermit of a pit, closed-loop system losure of a pit, closed-loop syster	_	k, or proposed alternative method
C	elow-grade tank, or proposed alte	rnative method	l or non-permitted pit, closed-loop system, system, below-grade tank or alternative request
			t in pollution of surface water, ground water or the ernmental authority's rules, regulations or ordinances.
Operator: Burlington Resources Oil & Ga Address: PO Box 4289, Farmington, NM		0	GRID#: 14538
Facility or well name: Harrington 9N			
API Number: 30-039-:	31140 00	CD Permit Number:	
U/L or Qtr/Qtr: J(NW/SE) Section: Center of Proposed Design: Latitude: Surface Owner: X Federal		Range: 7W. ongitude: 1 I Trust or Indian A	07.613719 °W NAD: ### X 1983
X Pit: Subsection F or G of 19.15.17.11 NN Temporary: Drilling Workover Permanent Emergency X Cavitation Lined Unlined Liner type String-Reinforced Liner Seams: Welded Factory	on P&A (AIR Pre-set) :: Thickness mil [_ <u>_</u>	RCVD DEC 6 '13 OIL CONS. DIV. DPE PVC Other DIST. 3 Obl Dimensions L x W x D
	notice of intent)	U	ivities which require prior approval of a permit or PE PVD Other
Below-grade tank: Subsection I of 19.1 Volume: bbl Tank Construction material: Secondary containment with leak detection Visible sidewalls and liner material: Liner Type: Thickness m	Type of fluid: Visible sidewalls, liner, 6- Visible sidewalls only Other	inch lift and automa	tic overflow shut-off
5 Alternative Method: Submittal of an exception request is required. I	Exceptions must be submitted to the S	Santa Fc Environmen	atal Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet			
Alternate. Please specify			
7			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other			
Monthly inspections (If netting or screening is not physically feasible)			
8			
Signs: Subsection C of 19.15.17.11 NMAC			
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC			
9			
Administrative Approvals and Exceptions:			
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	•		
Please check a box if one or more of the following is requested, if not leave blank: X Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for constant.	ideration of ap	provał.	
(Cavitation pit for Pre-set)	•		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			
10 Siting Criteria (respectively) 10.15.17.10.) BAAC			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable			
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for			
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No .	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	□No	
application. (Applies to tayporary, everyone), or equitation pite and below grade toyles.			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applied to permanent pits)	NA	_	
- Visual inspection (certification) of the proposed site; Acrial photo; Satellite image			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	☐Yes	□No 	
Within an unstable area.	Yes	No	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map			
Within a 100-year floodplain - FEMA map	Yes	No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9			
NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
14			
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency X Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System			
Alternative			
Proposed Closure Method: Waste Excavation and Removal			
Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions? Each of the following items must be attached to the closure plan. " Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16				l
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground	Steel Tanks or Haul-off Bins On	ly: (19.15.17.13.D NMAC)		
Instructions: Please identify the facility or facilities for the disposal of liquids, dri- facilities are required.	lling fluids and drill cuttings. Use	attachment if more than two		
,	D'accest Facilité Descrit #e	NIM 01 0011 / NIM 01 0	2100	
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #:		JIOB	
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #:			
Will any of the proposed closed-loop system operations and associated acti Yes (If yes, please provide the information No		vill not be used for future	service and	
Required for impacted areas which will not be used for future service and operation				
Soil Backfill and Cover Design Specification - based upon the appro	•		AC.	
Re-vegetation Plan - based upon the appropriate requirements of Su				
Site Reclamation Plan - based upon the appropriate requirements of	Subsection G of 19.15.17.13 N	MAC		
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NI Instructions: Each siting criteria requires a demonstration of compliance in the closure p certain siting criteria may require administrative approval from the appropriate district office for consideration of approval. Justifications and/or demonstrations of equivalency	olan. Recommendations of acceptable office or may be considered an except	tion which must be submitted to		vironmental Bureau
Ground water is less than 50 feet below the bottom of the buried waste.			Yes	∐No
- NM Office of the State Engineer - iWATERS database search; USGS: Data	obtained from nearby wells		∐N/A	
Ground water is between 50 and 100 feet below the bottom of the buried w	aste		Yes	□No
- NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells		□N/A	
Consideration of the state of the state of the bounds			□vos	□No
Ground water is more than 100 feet below the bottom of the buried waste.	1.7.10		Yes	∐No
- NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells		∐N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sig (measured from the ordinary high-water mark).	nificant watercourse or lakebed, sir	ikhole, or playa lake	Yes	No
- Topographic map; Visual inspection (certification) of the proposed site				i
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; satellite in		oplication.	Yes	□No
			∏Yes	\square_{No}
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in e - NM Office of the State Engineer - iWATERS database; Visual inspection (ce	xistence at the time of the initial ap			
Within incorporated municipal boundaries or within a defined municipal fresh wate pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval		pal ordinance adopted	Yes	No
	botained from the municipanty		\Box ,	г л у.
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual	nenection (certification) of the pro-	ocead cite	Yes	∐No
	inspection (certification) of the prop	Josed Site	<u>,</u>	□ ,,
Within the area overlying a subsurface mine.	4 Minard Division		Yes	∐No
- Written confirantion or verification or map from the NM EMNRD-Mining ar	d Mudelat Divizion			□N _C
Within an unstable area.]Yes	∐No
 Engineering measures incorporated into the design; NM Bureau of Geology & Topographic map 	z iviinerai Resources; USGS; NM C	seological Society;		
Within a 100-year floodplain.			Yes	□No
- FEMA map			∟	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the approp	riate requirements of 19.15.17.1	10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate require	•			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
			10 15 17 11 21	MAC
Construction/Design Plan of Temporary Pit (for in place burial of a		propriate requirements of	13.13.17.11 N	IVIAC
Protocols and Procedures - based upon the appropriate requirements		Time of the second second		
Confirmation Sampling Plan (if applicable) - based upon the approp			;	
X Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
X Disposal Facility Name and Permit Number (for liquids, drilling flui	ds and drill cuttings or in case of	on-site closure standards c	annot be achie	ved)
Soil Cover Design - based upon the appropriate requirements of Sub	section H of 19.15.17.13 NMA	С		
Re-vegetation Plan - based upon the appropriate requirements of Su	bsection I of 19.15.17.13 NMA	С		ĺ
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

19 Operator Application Contification		
Operator Application Certification: Thereby certify that the information submitted with this application is true, accura	te and complete to the bes	st of my knowledge and belief.
Name (Print):	ent t	
Signature:	Date	
e-mail address:	— 	
# OCD Approval: Permit Application (including closure plan) OCD Representative Signature:	Closure Dian (only)	OCD Conditions (see attachment) Approval Date: 12/11/2013
1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2. D. C.	
Title: Compance Cotte	OCD Permit	t Number:
Closure Report (required within 60 days of closure completion): Subsections: Operators are required to obtain an approved closure plan prior to report is required to be submitted to the division within 60 days of the completion approved closure plan has been obtained and the closure activities have been con-	implementing any closura of the closure activities. npleted. —	*
22 Closure Method: Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain.	X Alternative Closure M	fethod Waste Removal (Closed-loop systems only)
# Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please identify the facility or facilities for where the liquids, drillin were utilized. Disposal Facility Name: Disposal Facility Name: Were the closed-loop system operations and associated activities performed on	n g fluids and drill cutting Disposal Facility Po Disposal Facility Po	rs were disposed. Use attachment if more than two facilities Compare the compare that two facilities Compare the compare that two facilities Compare the co
	No	oc used for fattire service and opeartions:
Required for impacted areas which will not be used for future service and ope Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	rations:	
24		
Closure Report Attachment Checklist: Instructions: Each of the following the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)	wing items must be attack 98 Longitude:	hed to the closure report. Please indicate, by a check mark in
25		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure the closure complies with all applicable closure requirements and conditions specific.	•	
Name (Print): Kenny Davis	Title:	Staff Regulatory Technician
Signature:	Date:	12/5/2013
e-mail address: kennyr.davis@conocophillips.com	Telephone:	505-599-4045

Burlington Resources Oil & Gas Company, LP Cavitation Pit for Closed-Loop Locations

Design:

Burlington Resources Oil & Gas Company, LP will use a cavitation pit plan when the surface casing will be pre-set on closed-loop locations. The drill cuttings will be stockpiled on the surface.

Operations and Maintenance:

The cavitation pit will be operated and maintained as follows:

- 1. Only Fresh water and air will be used in the drilling of the surface casing.
- 2. The Cement used will be: Neat Cement with no additives.
- 3. All of the fluids will be removed within 48hrs after drilling.
- 4. A representative five point composite sample will be taken of the drill cuttings, after the setting of the surface casing is complete, using sampling tools and all samples will be tested per Subsection B of 19.15.17.13(B)(1)(b). In the event that the testing criteria is not met, all contents will be dug and hauled per Subparagraph (a) of Paragraph (1) of Subsection B of 19.15.17.13 i.e.

Components	Tests Method	Limit (mg/Kg)
Benzene	EPA SW-846 8021B or 8260B	0.2
BTEX	EPA SW-846 8021B or 8260B	50
TPH	EPA SW-846 418.1	2500
GRO/DRO	EPA SW-846 8015M	500
Chlorides	EPA 300.1	500

The NMOCD will be notified via email of the test results of the cavitation surface as follows:

Components	Tests Method	Limit (mg/Kg)	Results
Benzene	EPA SW-846 8021B or 8260B	0.2	ND
BTEX	EPA SW-846 8021B or 8260B	50	ND
TPH	EPA SW-846 418.1	2500	20.2
GRO/DRO	EPA SW-846 8015M	500	ND
Chlorides	EPA 300.1	500	30

Closure Plan:

- 1. The NMOCD will be notified of the sample results and the intent to start the closure process 3-7 days prior to the drill cuttings being transported, moved, or distributed on location.
- 2. In the event the criteria are not met, all solids and liquids will be removed and disposed of at Envirotech (Permit #NM-01-0011) and/or Basin Disposal Facility (Permit #NM-01-005) and/or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B).
- Testing results will be submitted with the Closure Report of the well locations Closed-Loop Permit on Form C-144.

Burlington Resources is aware that approval of this plan does not relieve Burlington Resources of liability should operations result in pollution of surface water, ground water, or the environment. Nor does approval relieve ConocoPhillips of its responsibility to comply with any other applicable governmental authority's rules and regulations.



Report Summary

Client: ConocoPhillips

Chain of Custody Number: 6276

Samples Received: 12-27-12

Job Number: 96052-1706

Sample Number(s): 64029

Project Name/Location: Harrington 9N / MOTE 212

Entire Report Reviewed By:

Date: _//3//3

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Pre Set Cuttings	Date Reported:	01-03-13
Laboratory Number:	64029	Date Sampled:	12-26-12
Chain of Custody No:	6276	Date Received:	12-27-12
Sample Matrix:	Soil	Date Extracted:	01-02-13
Preservative:	Cool	Date Analyzed:	01-02-13
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ÑD	

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating

Solid Waste, SW-846, USEPA, December 1996.

Comments:

Harrington 9N/MOTE 212





EPA Method 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Quality Assurance Report

Client:

QA/QC

Project #:

N/A

Sample ID:

0102TCAL QA/QC

Date Reported:

01-03-13

Laboratory Number:

64027

Date Sampled:

N/A

Sample Matrix:

Methylene Chloride

Date Received:

N/A

Preservative:

N/A

Date Analyzed:

01-02-13

Condition:

N/A

Analysis Requested:

TPH

Difference - Accept Range

Gasoline Range C5 - C10

I-Cal Date 01-02-13

1.0173E+03

1.0177E+03

0.04%

0 - 15%

Diesel Range C10 - C28

01-02-13

1.0201E+03

1.0205E+03

C-Cal RF

0.04%

Detection Limit

0 - 15%

Blank Conc. (mg/L = mg/Kg

Gasoline Range C5 - C10 Diesel Range C10 - C28

Concentration ND ND

ND

Duplicate.

I-Cal RF

0.2

0.1

Total Petroleum Hydrocarbons

Duplicate Conc. (mg/Kg)

Sample

% Difference: Accept. Range

0 - 30%

Gasoline Range C5 - C10 Diesel Range C10 - C28

2.3 2.5 751 809 8.7% 7.7%

0 - 30%

Spike Conc. (mg/Kg) Gasoline Range C5 - C10

Sample 🦈 2.3

250

Spike Added Spike Result

% Recovery 100%

Accept. Range 75 - 125%

Diesel Range C10 - C28

751

250

251 1,040

104%

75 - 125%

ND - Parameter not detected at the stated detection limit.

References:


Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating

Solid Waste, SW-846, USEPA, December 1996.

Comments:

5796 US Highway 64, Farmington, NM 87401

QA/QC for Samples 64027-64029







EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	ConocoPhillips	Project #:	96052-1706
Sample ID:	Pre Set Cuttings	Date Reported:	01-03-13
Laboratory Number:	64029	Date Sampled:	12-26-12
Chain of Custody:	6276	Date Received:	12-27-12
Sample Matrix:	Soil	Date Analyzed:	01-02-13
Preservative:	Cool	Date Extracted:	01-02-13
Condition:	Intact	Analysis Requested:	BTEX
		Dilution:	50

		Det.	
	Concentration	Limit	
Parameter	(ug/Kg)	(ug/Kg)	
Benzene	ND	10.0	
Toluene	ND	10.0	
Ethylbenzene	ŃD	10.0	
p,m-Xylene	ND	10.0	
o-Xylene	ND	10.0	
Total BTEX	ND		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	118 %
	1,4-difluorobenzene	108 %
,	Bromochlorobenzene	84.9 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846.

USEPA, December 1996.

Comments:

Harrington 9N/MOTE 212





EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client: Sample ID: Laboratory Number: Sample Matrix: Preservative: Condition: Calibration and	N/A 0102BCA2 QA/QC 64028 Soil N/A N/A		Project #: Date Reported: Date Sampled: Date Received: Date Analyzed: Analysis: Dilution: %Diff	N/A 01-03-13 N/A N/A 01-02-13 BTEX 50 Blank Detect			
Detection Limits (ug/L)	SOURCE AND AND AND ASSESSED AND ASSESSED.	ccept. Range 0-15		Conc	Limit		
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	7.2139E-06 1.4218E-06 1.9393E-06 1.9296E-06 2.0841E-06	7.2139E-06 1.4218E-06 1.9393E-06 1.9296E-06 2.0841E-06	0.00 0.00 0.00 0.00 0.00	ND ND ND ND ND	0.2 0.2 0.2 0.2 0.2		
Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff. A	ccept Range	Detect: Limit		
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	ND ND ND ND	ND ND ND ND	0.00 0.00 0.00	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	10 10 10 10 10		
Spike Conc. (ug/Kg)	Sample	Amount Spike	d Spiked Sample	% Recovery	Accept Range		
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	ND ND ND ND	2500 2500 2500 5000 250	2380 2250 0 4570	109 95.2 90.0 91.4 93.6	39 - 150 46 - 148 32 - 160 46 - 148 46 - 148		

ND - Parameter not detected at the stated detection limit.

Dilution: Spike and spiked sample concentration represent a dilution proportional to sample dilution.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 64027-64029

Ph (505) 632-0615 Fx (505) 632-1865

Ph (970) 259-0615 Fr (800) 362-1879

5796 US Highway 64, Farmington, NM 87401

Three Springs - 65 Mercado Street, Suite 115, Durango, CO 81301

laboratory@envirored



EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	ConocoPhillips	Project #:	96052-1706			
Sample ID:	Pre Set Cuttings	Date Reported:	01-03-13			
Laboratory Number:	64029	Date Sampled:	12-26-12			
Chain of Custody No:	6276	Date Received:	12-27-12			
Sample Matrix:	Soil	Date Extracted:	01-03-13			
Preservative:	Cool	Date Analyzed:	01-03-13			
Condition:	Intact	Analysis Needed:	TPH-418.1			

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

20.2

13.4

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

Harrington 9N / MOTE 212





EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS QUALITY ASSURANCE REPORT

Client:

OA/QC

Project #:

N/A

N/A

Sample ID:

QA/QC

Date Reported:

01-03-13

Laboratory Number:

01-03-TPH.QA/QC 64029

Date Sampled: Date Analyzed:

01-03-13

Sample Matrix: Preservative:

Freon-113 N/A

Date Extracted:

Condition:

N/A

Analysis Needed:

01-03-13 **TPH**

Calibration ∵I-Cal Date 🖟 C-Cál Date

C-Cal RF: % Difference: Accept: Range

11-15-12 01-03-13

1.680

1,720

2.4%

+/- 10%

Blank Conc. (mg/Kg)

Concentration ?

Detection Limit

TPH

ND

13.4

Duplicate Conc. (mg/Kg)

Sample : Duplicate

% Difference Accept. Range

TPH

TPH

20.2

26

28%

+/- 30%

Spike Conc. (mg/Kg)

Sample 20.2

Spike Added Spike Result % Recovery Accept Range 2,000

1,770

87.6%

80 - 120%

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

QA/QC for Samples 64029, 64032.





Chloride

Client: ConocoPhillips Project #: 96052-1706 Date Reported: 01-03-13 Sample ID: **Pre Set Cuttings** Lab ID#: 64029 Date Sampled: 12-26-12 Date Received: 12-27-12 Sample Matrix: Soil 01-03-13 Preservative: Cool Date Analyzed: Condition: Intact Chain of Custody: 6276

Parameter Concentration (mg/Kg)

Total Chloride 30.0

Reference: U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983.

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Harrington 9N/ MOTE 212



CHAIN OF CUSTODY RECORD

	Client:		Well Name/ Rig: Harrington 9N / MOTE 212 Engineer: Cara Blais Engineer: Cara Blais					. 1	ANALYSIS / PARAMETERS															
Client Address: / RECULAT Active Plan 30 TH ST. DEPT. Use Sign				Network #: 10342484 Activity Code: Plant: HZF3 Jser ID: MCINNSK Signature: Date 12-26-12			ConocoPhillips TOO ERT Hongson Check for Special Attention				BTEX (Method 8021)	VOC (Method 8260)	RCRA 8 Metals	Cation / Anion		TCLP with H/P		118.1)	NDE				Sample Cool	Sample Intact
,	Sample No./ Identification	Sample Date	Sample Time	Lab No.		ample Matrix	No./Volume of Containers	Prese	rvalive u	TPH.	BTEX) Noc	RCRA	Cation	RCI	TCLP	РАН	TPH (418.1)	CHLORIDE				Sampl	Sampl
K	RRE SET CUTTIN	12-26-12	1315	64029	Soil Solid	Sludge Aqueous	1/40Z			X	X							X	火				×	X
				P212074-01	Soil Solid	Sludge Aqueous																		
	· · · · · · · · · · · · · · · · · · ·				Soil Solid	Sludge Aqueous							ļ											
					Soil, Solid	Sludge Aqueous																		
					Soil Solid	Sludge Aqueous								,										
					Soil Solid	Sludge Aqueous														·				
					Soil Solid	Sludge Aqueous													,					
1					Soil Solid	Sludge Aqueous																		
					Soil Solid	Sludge Aqueous																		
					Soil Solid	Sludge Aqueous																		
	Relinquished by: (Signature)					Date 12-24-12	Time 1546	Received by: (Signature)					<u> </u>							-1 -1		Tin 11:2		
	Relinquished by: (Signa	ture)	1			1 1 1			Received by: (Signa				Gignature)								100	1112	11.0	٨
	Relinquished by: (Signature)			· · · · · · · · · · · · · · · · · · ·	<u> </u>	Received by: (Signature)																		
	5				-:		<u> </u>			· <u>-</u>						····	 -							
K	RUSH ! - seno jamie. I. goodw	Result	TS TO	JAMIE GOOD	NW C	ENVI	ROI	E(≈												
	Janue, as Joseph	<i></i> ()	nocepi				Farming						505-6	632-0	0615									