•									
Form 3160-5 (March 2012)		UNITED STATES ARTMENT OF THE IN EAU OF LAND MANA		RECE			ORM APPROVED DMB No. 1004-0137 pires: October 31, 2014		
		OTICES AND REPOR		LLS	2 2013	6. If Indian, Allottee or	r Tribe Name		
Do n aband	ot use this f loned well.	orm for proposals to Use Form 3160-3 (AP	drill or to p D) for such	e-enter an Annului proposals	Field O	ICNavajo Allotted			
SUBMIT IN TRIPLICATE – Other instructions on page 2.						7. If Unit of CA/Agreement, Name and/or No.			
I. Type of Well		-	8. Well Name and No. Meg #2						
2. Name of Operator Coleman Oil & Gas, Inc.						9. API Well No. 30-045-30998			
3a. Address P.O. Drawe	3a. Address 3b. Phone P.O. Drawer 3337, Farmington, NM 87499 (505)				code) 10. Field and Pool or Exploratory Area Basin Fruitland Coal				
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)						11. County or Parish, State			
1185' FNL, 1190' FWL	1185' FNL, 1190' FWL, D Section 19, T26N, R11W Latitude 36.4775 Longitude 108.049444					San Juan, New Mexico			
ſ	12. CHEC	K THE APPROPRIATE BOX	(ES) TO INDIC	ATE NATURE	OF NOTIC	E, REPORT OR OTH	ER DATA	,	
TYPE OF SUE	BMISSION	TYPE OF AC							
Notice of Intent		Acidize	Deepen	_		ction (Start/Resume)	Water Shut-Off		
		Alter Casing	Fracture	nstruction		mation nplete	Well Integrity		
Subsequent Rep	oort	Change Plans		i Abandon	=	orarily Abandon			
Final Abandon	nent Notice	Convert to Injection	Plug Ba			Disposal			
MIRU A Plus V	Vell Service, Plu	r final inspection.) gged and Abandoned Meg #		wing attachm	ient.				
Pressure tested Braiden Head with 300 psig, Held Pressure @ 300 psig.						RCVD DEC 2 '13			
Plug #1 113 Sacks (133.34 cu ft) Class B Cement . Filled 4 1/2" casing to surface with cement. Tagged cement in 4 1/2" casing @ 31 Feet.							OIL CONS. DIV. DIST. 3		
Plug #2 24 S	acks (28.32 cu f	t) Class B Cement inside 4		g annuls and	topped off	4 1/2" casing			
	_	annulus with 80' of poly pip Hole Marker installed below		ue to proximit	ty to farming	g activity.			
Spud Well Jar Released Rota	nuary 24,2003 ary Tools Januar	y 30, 2003							
14. I hereby certify that	t the foregoing is t	rue and correct. Name (Printed/	Typed)						
Michael T. Hanson				Title Operations Engineer					
Signature	ahart.	Hans	E	Date ///	8/20	13			
		THIS SPACE F	OR FEDER	AL OR ST	ATE OFF		39EPTEDFOR REC	DAC	
Approved by							NOV 2 5 2013		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or ce that the applicant holds legal or equitable title to those rights in the subject lease which wo entitle the applicant to conduct operations thereon.						FH FH	Sc-	Wr.	
Title 18 U.S.C. Section	1001 and Title 43	U.S.C. Section 1212, make it a c esentations as to any matter within		on knowingly an	nd willfully to	o make to any department	nt or agency of the United States	s any false,	

(Instructions on page 2)

۰.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment.

NOTICES

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and grantingapproval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

A-PLUS WELL SERVICE, INC.

P.O. BOX 1979 Farmington, New Mexico 87499 505-325-2627 *fax: 505-325-1211

Coleman Oil & Gas, Inc. Meg #2

1185' FNL and 1190' FWL', Section 19, T-26-N, R-11-W San Juan County, NM Lease Number: NO-G-0103-1466 API #30-045-30998 August 30, 2013 Page 1 of 1

Plug and Abandonment Report Notified NMOCD and BLM on 8/29/13

Plug and Abandonment Summary:


Plug #1 with 113 sxs (133.34 cf) Class B cement inside casing from 1204' to surface. **Plug #2** with 24 sxs Class B cement top off casings and install P&A marker.

Plugging Work Details:

- 8/29/13 Road rig and equipment to location. RU. X-over from tubing tools to rod tools. Dig out bradenhead and install 2" plumbing. Check well pressures: tubing 10 PSI, casing 45 PSI and bradenhead 0 PSI. RU relief line and blow well down. Unseat pump. TOH with rods laying down 38-3/4 non-guided rods 10-3/4 guided rods, 2-3' ¾ subs 14' polish rod, 12' rod pump. Pressure test to 650 PSI bled down to 300 PSI. Unseat tubing hanger. TOH and LD 2-3/8" tubing, 37 joints 2-3/8", 1-SN, 1 2-3/8" joints, 38 joints total 1258.33'. SI well. SDFD.
- 8/30/13 Check well pressures: no tubing, casing 0 PSI and bradenhead slight vacuum. ND BOP. RU 4.5" x 2" swedge with pumping. Drop 10 frac balls pump 10 bbls of water. Spot plug #1 with estimated TOC at surface. Dig out wellhead 6' below ground level with backhoe. Perform and write Hot Work Permit. Cut off wellhead. Did not tag up on cement down annulus, tag cement in 4.5" casing at 31'. Spot plug #2 and install P&A marker. RD and MOL.

Kelly Nix, BLM representative, was on location.

COLEMAN OIL GAS, INC. MEG #2



* · · *