District 1 1625 N. French Dr., Hobbs, NM 88240 District III 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

¥

÷- -\$

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Type of a below-gr <i>Instructions: Please</i> Please be advised that approval environment. Nor does approva 1. Operator: <u>BP AMERICA</u> Address: <u>200 Energy Co</u> Facility or well name: <u>GAL</u> API Number: <u>300452455</u> U/L or Qtr/Qtr <u>J</u>	Proposed Alterna action: Permit of Modificat Closure of Closure pirade tank, or proposed a rade tank, or proposed a re submit one application of this request does not rel al relieve the operator of its PRODUCTION COM Ourt, Farmington, NM LEGOS CANYON U G6 Section 26.0 Latitude 36.69502 State Private T of 19.15.17.11 NMAC	a pit, closed-loop of a pit, closed-loop of a pit, closed-loo tion to an existing olan only submitte alternative methor <i>n (Form C-144) per</i> clieve the operator of ts responsibility to co <u>MPANY</u> <u>1 87401</u> JNIT COM G 17 Township 29 Cribal Trust or India	d Permit of p system, belo op system, belo g permit ed for an exist od r individual pit, f liability should omply with any 79E OCD Permit 0.0N Ra Longitude an Allotment	or Closure ow-grade tank, low-grade tank, low-grade tank ting permitted of c. closed-loop syst operations result other applicable g OGRID #: 7 t Number: inge 12W 108.06591	Plan Applic or proposed alter , or proposed alter or non-permitted stem, below-grade in pollution of surf governmental autho 778 County: San	mative method emative method pit, closed-loop system, <i>tank or alternative request</i> ace water, ground water or the rity's rules, regulations or ordina Juan County NAD: []1927 [] 198: RCVD DEC 6 '1.
Type of a below-gr Instructions: Please Please be advised that approval Noronment. Nor does approva 1. Operator: BP AMERICA Address: 200 Energy Cor Facility or well name: GAL API Number: 300452455 U/L or Qtr/Qtr J Center of Proposed Design: Surface Owner: Surface Owner: Federal 2 Pit: Subsection F or G Temporary: Drilling D Permanent Emergency Lined Unlined Line String-Reinforced Liner Seams: Welded 3 3	action: Permit of Closure of Modificat Closure pi Closure pi rade tank, or proposed a se submit one application of this request does not rel al relieve the operator of its PRODUCTION COM PRODUCTION COM Durt, Farmington, NM LEGOS CANYON U 56 Section 26.0 Latitude 36.69502 State Private T of 19.15.17.11 NMAC	a pit, closed-loop of a pit, closed-loop of a pit, closed-loo tion to an existing olan only submitte alternative methor <i>n (Form C-144) per</i> clieve the operator of ts responsibility to co <u>MPANY</u> <u>1 87401</u> JNIT COM G 17 Township 29 Cribal Trust or India	p system, belo op system, bel g permit ed for an exist od r individual pit, f liability should omply with any 79E OCD Permit 0.0N Ra Longitude an Allotment	bw-grade tank, low-grade tank ting permitted of <i>c. closed-loop sys</i> operations result other applicable g OGRID #: 7 t Number: inge 12W -108.06591	or proposed alter , or proposed alter or non-permitted stem, below-grade in pollution of surf governmental autho 778 County: San	mative method emative method pit, closed-loop system, <i>tank or alternative request</i> ace water, ground water or the rity's rules, regulations or ordina Juan County NAD: []1927 [] 198: RCVD DEC 6 '1.
ease be advised that approval wironment. Nor does approva Deperator: <u>BP AMERICA</u> Address: <u>200 Energy Co</u> Facility or well name: <u>GAL</u> API Number: <u>300452455</u> U/L or Qtr/Qtr <u>J</u> Center of Proposed Design: Surface Owner: Federal [<u>Pett:</u> Subsection F or G Femporary: Drilling Permanent Emergency Lined Unlined Lin String-Reinforced Liner Seams: Welded [of this request does not rel al relieve the operator of its PRODUCTION COM purt, Farmington, NM LEGOS CANYON U 66 Section 26.0 Latitude 36.69502 State Private T of 19.15.17.11 NMAC	elieve the operator of ts responsibility to co MPANY 187401 JNIT COM G 17 Township 29 Fribal Trust or India	f liability should omply with any 79E OCD Permit 0.0N Ra Longitude an Allotment	operations result other applicable g OGRID #: t Number: nge 12W _108.06591	r in pollution of surf governmental autho 778 County: <u>San</u>	ace water, ground water or the rity's rules, regulations or ordina Juan County NAD: []1927 🗷 1983 RCVD DEC 6 '1
Address: <u>200 Energy Co</u> Address: <u>200 Energy Co</u> Facility or well name: <u>GAL</u> API Number: <u>300452455</u> U/L or Qtr/Qtr <u>J</u> Center of Proposed Design: Surface Owner: Federal [<u>Pit:</u> Subsection F or G Temporary: Drilling Permanent Emergenc; Lined Unlined Lin String-Reinforced Liner Seams: Welded [al relieve the operator of its PRODUCTION COM purt, Farmington, NM LEGOS CANYON U 56 Section 26.0 Latitude 36.69502 State Private T of 19.15.17.11 NMAC	ts responsibility to co MPANY 187401 JNIT COM G 17 Township 29 Fribal Trust or India	OMPLY with any of 79E OCD Permit 0.0N Ra Longitude an Allotment	other applicable g OGRID #:_7 t Number: inge2W 108.06591	governmental autho 778County: <u>San</u>	rity's rules, regulations or ordina Juan County NAD: []1927 🛛 198: RCVD DEC 6 '1.
Operator: BP AMERICA Address: 200 Energy Co Facility or well name: GAL API Number: 300452455 U/L or Qtr/Qtr J Center of Proposed Design: Surface Owner: Federal [Pert: Subsection F or G Temporary: Drilling Permanent Emergency Lined Unlined Lin String-Reinforced Liner Seams: Welded [ourt, Farmington, NM LEGOS CANYON U 66 Section 26.0 Latitude 36.69502 State Private T of 19.15.17.11 NMAC	1 87401 JNIT COM G 17 Township 29 Fribal Trust or India	OCD Permit OCD Permit 0.0N Ra Longitude an Allotment	t Number: inge <u>12W</u> -108.06591	County: <u>San</u>	Juan County NAD: ☐1927 ☑ 1983 RCVD DEC 6 '1
Address: 200 Energy Co Facility or well name: GAL API Number: 300452455 U/L or Qtr/Qtr J Center of Proposed Design: Surface Owner: F Federal [Pert: Subsection F or G Temporary: Drilling Permanent Emergency Lined Unlined Lin String-Reinforced Liner Seams: Welded [ourt, Farmington, NM LEGOS CANYON U 66 Section 26.0 Latitude 36.69502 State Private T of 19.15.17.11 NMAC	1 87401 JNIT COM G 17 Township 29 Fribal Trust or India	OCD Permit OCD Permit 0.0N Ra Longitude an Allotment	t Number: inge <u>12W</u> -108.06591	County: <u>San</u>	Juan County NAD: ☐1927 ☑ 1983 RCVD DEC 6 '1
Facility or well name: <u>GAL</u> API Number: <u>300452455</u> U/L or Qtr/Qtr J Center of Proposed Design: Surface Owner: I Federal [<u>peit</u> : Subsection F or G Temporary: Drilling Permanent Emergenc; Lined Unlined Lin String-Reinforced Liner Seams: Welded [3.	LEGOS CANYON U 66 Section 26.0 Latitude 36.69502 State Private T of 19.15.17.11 NMAC	JNIT COM G 17	OCD Permit OCD Permit O.ON Ra Longitude an Allotment	t Number: nge 12W -108.06591	County: San	Juan County NAD: ☐1927 ☑ 1983 RCVD DEC 6 '1
API Number: <u>300452455</u> U/L or Qtr/Qtr <u>J</u> Center of Proposed Design: Surface Owner: Federal [2 <u>Pit:</u> Subsection F or G Temporary: Drilling Permanent Emergency Lined Unlined Lin String-Reinforced Liner Seams: Welded [3	6 Section 26.0 Latitude <u>36.69502</u> State Private T of 19.15.17.11 NMAC	Township 29	OCD Permit <u> OON</u> Ra Longitude an Allotment	t Number: Inge12W -108.06591	County: <u>San</u>	Juan County NAD: ☐1927 🗷 198: RCVD DEC 6 '1.
U/L or Qtr/Qtr J Center of Proposed Design: Surface Owner: I Federal [Pet: Subsection F or G Temporary: Drilling Permanent Emergenc; Lined Unlined Lin String-Reinforced Liner Seams: Welded [3.	Section <u>26.0</u> Latitude <u>36.69502</u> State Private T of 19.15.17.11 NMAC	Township <u>29</u> Fribal Trust or India).ON Ra Longitude an Allotment	nge <u>12W</u> -108.06591	County: <u>San</u>	Juan County NAD: □1927 ☑ 198: RCVD DEC 6 '1:
Center of Proposed Design: Surface Owner: Federal [Latitude <u>36.69502</u>	Fribal Trust or India	Longitude . an Allotment	-108.06591	-	NAD: □1927
2. Temporary: Drilling Temporary: Drilling Temporary: Drilling Temporary: Temporary: Drilling Temporary: Demogrammer Seams: During-Reinforced Liner Seams: Welded Temporary: String-Reinforced Liner Seams: Welded Temporary: String-Reinforced	of 19.15.17.11 NMAC					
	Workov	NERI		· · · · · · · · · · · · · · · · · · ·		
Type of Operation: 🔲 P&A intent)	Subsection H of 19.15.17.				bl Dimensions: L	OIL CONS. DIV DIST. 3
Drying Pad DADOVE (Dirying Pad Dadove (Lined Dulined Liner Liner Seams: Welded D	r type: Thickness	mil 🔲	LLDPE 🗌 H		Other	
4. Below-grade tank: Sul Volume: <u>95.0</u> Tank Construction material: Secondary containment Visible sidewalls and lin Liner type: Thickness	bbl Type of fluid <u>Steel</u> with leak detection rer X Visible sidewalls	d: <u>Produced Wa</u> Visible sidewalls, I s only _ Other	ater – liner, 6-inch lift SINGLE WALLE	ED SINGLE BO	TTOMED	· · ·

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

X Alternate. Please specify 4' Hogwire with single barbed wire

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen Netting Other_

6

7

8.

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	🗶 Yes 🗌 No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗷 No				
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ¥ No ☐ NA				
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗶 Yes 🗋 No				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗶 No				
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗶 No				
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗋 Yes 🔀 No				
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗋 Yes 🗷 No				
Within a 100-year floodplain. - FEMA map	Yes No				

11. <u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are					
 attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC 					
and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number:					
12.					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
 Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC 					
and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API Number:					
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use					
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)					
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Sting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engincering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
^{14,} <u>Proposed Closure</u> : 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
 is. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC 					

.

، منبع _ا

• % •

^{16.} Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if m						
facilities are required. Disposal Facility Name:						
Disposal Facility Name: Disposal Facility Permit Number:						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please provide the information below) No						
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						
17. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.						
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA					
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No					
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	🗋 Yes 🗌 No					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No					
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗋 Yes 🗌 No					
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No					
Within a 100-year floodplain. - FEMA map	Yes 🗌 No					
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.10 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	5.17.11 NMAC					

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

• • • •

Operator Application Certification: [hereby certify that the information submitted with this application is true, accurate a	nd complete to the best of my knowledge and belief.			
Name (Print): _Jeffrey Peace	Title: Field Environmental Advisor			
Signature:Reny N. Vence	Date: 06/14/2010			
e-mail address: Peace Jeffrey @ op.com	Telephone:505-326-9479			
20. OCD Approval: Permit Ap	OCD Conditions (see attachment)			
OCD Representative Signatur	Approval Date: <u>/6/26/12</u>			
Title: Semore Hire	ermit Number:			
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: <u>7-29-2013</u>				
 22. <u>Closure Method:</u> Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain. 				
^{23.} <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name: Di	sposal Facility Permit Number:			
	posal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No				
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique				
24. Closure Report Attachment Checklist: Instructions: Each of the following items i	nust be attached to the closure report. Please indicate, by a check			
mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
 Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) 				
Waste Material Sampling Analytical Results (required for on-site closure)				
 Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation 				
Re-vegetation Application Rates and Seeding Technique				
	-108.06591 NAD: 1927 X 1983			
25. Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and				
belief. I also certify that the closure complies with all applicable closure requirements Name (Print): Teff feace	and conditions specified in the approved closure plan. Title: Field Environmontal Advisor			
Signature: Johf Peace	Date: Decomber 5, 2013			
e-mail address: peace . jeffray@bp.com	Telephone: (505) 326-94179			
	· · · · · · · · · · · · · · · · · · ·			

, ri--- •

•

- ·