· · ·		
District I	State of New Mexico	Form C-144
1625 N. French Dr., Hobbs, NM 88240 District II	Energy Minerals and Natural Resources Department	July 21, 2008 For temporary pits, closed-loop sytems, and below-grade
1301 W. Grand Ave., Artesia, NM 88210	Oil Conservation Division	tanks, submit to the appropriate NMOCD District Office.
District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr. Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe
District IV	Sana re, nur 67505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
1220 S. St. Francis Dr., Santa Fe, NM 87505		
r6 Pro	<u>Pit, Closed-Loop System, Below-Grac</u> posed Alternative Method Permit or Clo	
Type of action:	Permit of a pit, closed-loop system, below-grade ta	
	X Closure of a pit, closed-loop system, below-grade t Modification to an existing permit	ank, or proposed alternative method
	Closure plan only submitted for an existing permit	ted or non-permitted nit closed-loop system
	below-grade tank, or proposed alternative method	
Instructions: Please submit one	e application (Form C-144) per individual pit, closed-loo	op system, below-grade tank or alternative request
	al of this request does not relieve the operator of liability should operations	
environment. Nor does approval	relieve the operator of its responsibility to comply with any other applicable	e governmental authority's rules, regulations of ordinances.
Operator: Burlington Resources C	Dil & Gas Company, LP	OGRID#: <u>14538</u>
Address: PO Box 4289, Farming	ton, NM 87499	
Facility or well name: San Juan 3	0-6 Unit 89A	
API Number:	30-039-21673 OCD Permit Numbe	r:
U/L or Qtr/Qtr: O(SW/SE) Sect	tion: <u>36</u> Township: <u>30N</u> Range: <u>6</u>	6W County: Rio Arriba
Center of Proposed Design: Latitud		107.2442984 °W NAD: X 1927 1983
Surface Owner: Eederal	X State Private Tribal Trust or Indian	n Allotment
2		
Pit: Subsection F or G of 19.15.	17.11 NMAC	RCVD DEC 23 '13
	orkover	OIL CONS. DIV.
	Cavitation P&A	
	Liner type: Thickness mil LLDPE	HDPE PVC Other
String-Reinforced	Factory Other Volume:	
Liner Seams: Welded	Factory Other Volume:	bbl Dimensions Lx Wx D
3		
X Closed-loop System: Subse Type of Operation: P&A	ction H of 19.15.17.11 NMAC	~
	Drilling a new well X Workover or Drilling	
Drying Pad X Above Gro	ound Steel Tanks 🔲 Haul-off Bins 🗍 Other	
	ner type:Thickness _20milXLLDPEF	HDPE PVD Other
Liner Seams: X Welded X	Factory Other	
4		
Below-grade tank: Subsection	n 1 of 19.15.17.11 NMAC	
Volume:	bbl Type of fluid:	·
Tank Construction material:		
Secondary containment with leak		amatic overflow shut-off
		shale overnow shut-on
Visible sidewalls and liner	Visible sidewalls only Other	
Visible sidewalls and liner Liner Type: Thickness	Visible sidewalls only Other	
Visible sidewalls and liner Liner Type: Thickness 5 Alternative Method:	Visible sidewalls only OtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOther	
Visible sidewalls and liner Liner Type: Thickness 5 Alternative Method:	Visible sidewalls only Other	
Visible sidewalls and liner Liner Type: Thickness 5 Alternative Method:	Visible sidewalls only OtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOtherOther	

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	titution or chu	rch)
7 <u>Netting:</u> Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19.15.3.103 NMAC		
9	,	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for contend (Fencing/BGT Liner)	sideration of ap	proval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
10		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□ NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		_
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	No
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes	No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division 	Yes	No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes	No
Society; Topographic map Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
¹² <u>Closed-loop Systems Permit Application Attachment Checklist:</u> Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
¹³ Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Nuisance or Hazardous Odors, including H2S, Prevention Plan
Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Alternative
Proposed Closure Method: Waste Excavation and Removal
Image: A state of the state
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15 Waste Execution and Demoved Closure Plan Checklists (10-15-17-12 NMAC) Instructions: Each of the following items must be attached to the closure plan
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Sile recelementor rian - based upon the appropriate requirements of subsection C of 19.13.17.13 NMAC

.

16				
<u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> (19.15.17.13.D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.				
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit #: NM-0109911 / NM 01-0	010B			
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit #: NM-01-005				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future Yes (If yes, please provide the information No	service and			
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells	N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A			
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine.	Yes No			
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;				
Topographic map				
Within a 100-year floodplain. - FEMA map	Yes No			
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				

Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC

Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC

Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC

Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

	. '
19	•
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	
#	
OCD Approval: Permit Application (including closure flan) X Closure Plan (only) OCD Conditions (see attachment)	
OCD Representative Signature: 1/6/20(4)	
Title: Compliance Dige (OCD Permit Number:	
21	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC	
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure	
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.	
X Closure Completion Date: 7/27/2012	
22	
Closure Method:	
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)	
If different from approved plan, please explain.	
# Closure Depart Departing Words Demond Closure For Closed Low Sorters That Utilize Above Council Statut Technology In 1, 600 - 0, 1	
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities	
were utilized.	
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B	
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?	
Yes (If yes, please demonstrate complilane to the items below) X No	
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
24	
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.	
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)	
Plot Plan (for on-site closures and temporary pits)	
Confirmation Sampling Analytical Results (if applicable)	
Waste Material Sampling Analytical Results (if applicable)	
Disposal Facility Name and Permit Number	
Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
Site Reclamation (Photo Documentation)	
On-site Closure Location: Latitude: 36.4553892 Longitude: 107.2442984 NAD X 1927 1983	
25	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certi	fy that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	-
Nome (Drint): Arleen White Title: Staff Desulator: Trak	
Name (Print): Arleen White Title: Staff Regulatory Tech.	
Signature: (Liller Wall Date: 2/20/13	
e-mail address: arleen.r.white@conocophillips.com Tclephone: 505-326-9517	

Oil Conservation Division