State of New Mexico Energy Minerals and Natural Resources Department

Santa Fe, NM 87505

Form C-144 July 21, 2008

District II

1301 W. Grand Ave., Artesia, NM 88210

1000 Rio Brazos Rd., Aztec, NM 87410

Oil Conservation Division 1220 South St. Francis Dr. For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

District III

1220 S. St. Francis Dr., Santa Fe, NM 87505

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or	
Proposed Alternative Method Permit or Closure Plan Applicat	ion

1	Pro	posed Alternative Method Permit or Closure Plan Application	
11500	Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit	
,		Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method	
İnstruc	ctions: Please submit one	application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative re	ques
•	• •	of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the slieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.	
' -	ConocoPhillips Compar		

Address: FO Box 4207, Parinington, N.M. 6/427
Facility or well name: Lindrith B Unit 27
API Number: 30-039-23609 OCD Permit Number:
U/L or Qtr/Qtr: M(SW/SW) Section: 10 Township: 24N Range: 3W County: Rio Arriba
Center of Proposed Design: Latitude: 36.318679 °N Longitude: -107.1491 °W NAD: 1927 X 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Scams: Welded Factory Other Volume: bbl Dimensions L x W x D
Subsection H of 19.15.17.11 NMAC Cancel Permit filed on 12/14/12
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC Other
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)	
Penenig. Subsection B of 19.19.11.11 Notice (Applies to permanent pit, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	titution or church)
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	_
7	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
8	
Signs: Subsection C of 19.15.17.11 NMAC	
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC	
A Signed in compliance with 19.15.3.103 NMAC	
9 Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of approval.
(Fencing/BGT Liner)	
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable	
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the	
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria	
does not apply to drying pads or above grade-tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes \square_{No}
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	Yes No
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	I □na
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No
'(Applied to permanent pits)	NA NA
- 'Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes No
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	
- INM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended	
- Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland.	Yes No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine.	Yes No
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Yes No
Society; Topographic map	
Within a 100-year floodplain	Yes No
- FEMA map	

Form C-144 Oil Conservation Division

ί

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of
19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API or Permit
Charles Control Demois Application Associated Charles Control
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9
. Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9
NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API
Previously Approved Operating and Maintenance Plan API
[13
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan
Nutsance of Plazardous Odors, including Pl25, Frevention Flan Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System
Alternative
Proposed Closure Method: Waste Excavation and Removal
X Waste Removal (Closed-loop systems only)
On-site Closure Method (only for temporary pits and closed-loop systems)
In-place Burial On-site Trench
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
i 15
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
: Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
: Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Form C-144 Oil Conservation Division Page 3 of 5

16 Wests Personal Classus For Classel law Systems That Hilling About Cround S	tool Tonks or Houl off Pins On	bo (10 15 17 13 D NMAC)		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions: Please identify the facility or facilities for the disposal of liquids, drill				
facilities are required.	Disposal Facility Pormit #	NIM 0100011 / NIM 01 0	NIOD.	
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #: Disposal Facility Permit #:		7105	
Disposal Facility Name: Basin Disposal Facility Will any of the proposed closed-loop system operations and associated activ	- · ·		service and	
Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Sub	oriate requirements of Subsection I of 19.15.17.13 NMA	С	AC .	!
Site Reclamation Plan - based upon the appropraite requirements of S	Subsection G of 19.15.17.13 N	MAC		
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NM Instructions: Each siting criteria requires a demonstration of compliance in the closure placertain siting criteria may require administrative approval from the appropriate district of office for consideration of approval. Justifications and/or demonstrations of equivalency of the consideration of approval.	an. Recommendations of acceptable fice or may he considered an except	ion which must be submitted to		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data of	btained from nearby wells		∐Yes ∐No ∏N/A	
Ground water is between 50 and 100 feet below the bottom of the buried wa	ste		Yes No	
- NM Office of the State Engineer - iWATERS database search; USGS; Data of	btained from nearby wells		□N/A	
Ground water is more than 100 feet below the bottom of the buried waste.			Yes No	
- NM Office of the State Engineer - iWATERS database search; USGS; Data of	btained from nearby wells		□N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signi (measured from the ordinary high-water mark).	ificant watercourse or lakebed, sin	ıkhole, or playa lake	Yes No	
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church i - Visual inspection (certification) of the proposed site; Aerial photo; satellite ima	·	oplication.	YesNo	
·			Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in ex - NM Office of the State Engineer - iWATERS database; Visual inspection (cert	istence at the time of the initial ap	•		
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978, Section 3-27-3, as amended.		pal ordinance adopted	Yes No	
 Written confirmation or verification from the municipality; Written approval of Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual in 		accord alto	Yes No	
Within the area overlying a subsurface mine.	spection (certification) of the prop	Josea site	☐Yes ☐No	
Written confirantion or verification or map from the NM EMNRD-Mining and	Mineral Division			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology &	Mineral Resources: USGS: NM (Reological Society	Yes No	
Topographic map		seoregient society.		
Within a 100-year floodplain FEMA map			Yes No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	ch of the following items mus	t bee attached to the closu	re plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropr	iate requirements of 19.15.17.	10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requiren	nents of Subsection F of 19.15	.17.13 NMAC		
Construction/Design Plan of Burial Trench (if applicable) based upor	the appropriate requirements	of 19.15.17.11 NMAC		
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropri	•			
Waste Material Sampling Plan - based upon the appropriate requirem			. 12 8	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subs Re-vegetation Plan - based upon the appropriate requirements of Subs				
Site Reclamation Plan - based upon the appropriate requirements of Sub-				

Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Signature: Date:
e-mail address: Telephone:
e man address.
#OCD Approval: Permit Application (including closure pian) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
' Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD X 1927 1983
25
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Kenny Davis Title: Staff Regulatory Technician
Signature: Date: 12/30/2013
e-mail address: kennyr.davis@conocophillips.com Telephone: 505-599-4045