District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

Diania II

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

July 21, 2008

For temporary pits, closed-loop sytems, and below-grade

tanks, submit to the appropriate NMOCD District Office

Form C-144

tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

1220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMOCD	District Office.	
	Pit, Closed-Loop System, E			
Proposed Alternative Method Permit or Closure Plan Application				
Type of action:	Permit of a pit, closed-loop system, Closure of a pit, closed-loop system Modification to an existing permit Closure plan only submitted for an obelow-grade tank, or proposed alter	n, below-grade tank, or proposed all existing permitted or non-permitted	ternative method	
Instructions: Please submit one ap	plication (Form C-144) per individua	ıl pit, closed-loop system, below-gı	rade tank or alternative request	
environment. Nor does approval relie	this request does not relieve the operator of liability we the operator of its responsibility to comply with			
Operator: ConocoPhillips Company		OGRID#: <u>21781</u>	7	
Address: PO Box 4289, Farmington	NM 87499			
Facility or well name: Lindrith B Un	it 79			
API Number: 30-	039-25105 OCI	D Permit Number:		
U/L or Qtr/Qtr: B(NW/NE) Section	:7Township: 24N	Range:	Rio Arriba	
Center of Proposed Design: Latitude:		ongitude: -107.08757	<u>°W</u> NAD: ☐ 1927 🗶 1983	
Surface Owner: X Federal	State Private Tribal	Trust or Indian Allotment		
	over vitation P&A or type: Thickness mil	LLDPE HDPE PVC olume: bbl Dimensions	RCVD DEC 23'13 DIL CONS. DIV. DIST. 3 Otherxwxd	
	Drilling a new well X Workover or Dri Steel Tanks $Haul$ -off Bins Q ype: Thickness Q mil X	Other	Other	
Below-grade tank: Subsection I of Volume:	Type of fluid:	inch lift and automatic overflow shut-c	off 	
5 Alternative Method: Submittal of an exception request is requ	red. Exceptions must be submitted to the S	Santa Fe Environmental Bureau office	for consideration of approval.	

Form C-144

Oil Conservation Division

Page 1 of 5

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	<u> </u>			
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of ap	pproval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐Yes ☐NA	No		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine.	Yes	□No ···		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API or Permit
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Previously Approved Operating and Maintenance Plan API
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the bax, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tar	uks or Haul-off Bins Only: (19.15.17.13.D NMAC)					
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluid: facilities are required.	and drill cuttings. Use attachment if more than two					
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Dispo	osal Facility Permit #: NM-0109911 / NM 01-00	010B				
Disposal Facility Name: Basin Disposal Facility Dispo	osal Facility Permit #: NM-01-005					
Will any of the proposed closed-loop system operations and associated activities occ Yes (If yes, please provide the information No	ur on or in areas that will not be used for future	service and				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						
17						
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recocretain siting criteria may require administrative approval from the appropriate district office or mosfice for consideration of approval. Justifications and/or demonstrations of equivalency are required.	ay be considered an exception which must be submitted to					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data obtained to	from nearby wells	Yes No				
Ground water is between 50 and 100 feet below the bottom of the buried waste		☐Yes ☐No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained fi	rom nearby wells	□N/A				
Ground water is more than 100 feet below the bottom of the buried waste.	·	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained fi	rom nearby wells	□N/A □				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant wa (measured from the ordinary high-water mark).	atercourse or lakebed, sinkhole, or playa lake	Yes No				
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existen - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	ce at the time of initial application.	∐Yes ∐No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence a - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) Within incorporated municipal boundaries or within a defined municipal fresh water well field pursuant to NMSA 1978, Section 3-27-3, as amended.	t the time of the initial application. of the proposed site d covered under a municipal ordinance adopted	Yes No				
 Written confirmation or verification from the municipality; Written approval obtained fi Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection 	. ,	Yes No				
Within the area overlying a subsurface mine.	(certification) of the proposed site	∏Yes ∏No				
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral	Division					
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology & Mineral I	Resources; USGS; NM Geological Society;	Yes No				
Topographic map Within a 100-year floodplain FEMA map		Yes No				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached.	e following items must bee attached to the closu	re plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriate requ	airements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of	Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the app	•					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pa		19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements.						
 Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) 						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

Form C-144

19 Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print): Title:				
Signature: Date:				
e-mail address: Telephone:				
# OCD Approval: Permit Application (including closure plan) Closure Rlan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1/7/2014				
Title: Complance Office OCD Permit Number:				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: N/A Cancel Permit N/A Cancel Perm				
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain.				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: MM-01-0011 / NM-01-0010B Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) No (Original Approved Driving Pad was not utilized for this location) Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name: Basin Disposal Facility to Provide for future service and division and cover Installation Re-vegetation Application Rates and Seeding Technique				
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: Longitude: NAD X 1927				
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print): Kenny Davis _ Title: Staff Regulatory Technician				
Signature: Date: 12/20/2013				
e-mail address: kermy.r.davis@conocophillips.com Telephone: 505-599-4045				