District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
	Pit, Closed-Loop System, Below-Grad	le Tank, or
Prot	posed Alternative Method Permit or Closed	
$\sim 10$		
Type of action:	Permit of a pit, closed-loop system, below-grade ta	
	Closure of a pit, closed-loop system, below-grade t	ank, or proposed alternative method
	X Modification to an existing permit	
	Closure plan only submitted for an existing permitt	ted or non-permitted pit, closed-loop system,
	below-grade tank, or proposed alternative method	
	application (Form C-144) per individual pit, closed-loo	
	of this request does not relieve the operator of liability should operations a slieve the operator of its responsibility to comply with any other applicable	
		governmental autority's rules, regulations of ordinances.
Operator: Burlington Resources O	il & Gas Company, LP	OGRID#: 14538
Address: <b>PO Box 4289, Farmingto</b>		
Facility or well name: Marshall A		<u></u>
	0-045-06550 OCD Permit Numbe	
U/L or Qtr/Qtr: <u>E(SW/NW)</u> Secti	· ·	9W County: San Juan
Center of Proposed Design: Latitude	e: <u>36.58019</u> <u>•N</u> Longitude:	<b>107.7635</b> 7 <b>•W</b> NAD: <b>X</b> 1927 <b>1</b> 983
Surface Owner: X Federal	State Private Tribal Trust or Indian	n Allotment
2		
Pit: Subsection F or G of 19.15.1	7.11 NMAC	RCVD DEC 23 '13
	rkover	OIL CONS. DIV.
	Cavitation P&A	DIST. 3
		HDPE PVC Other
String-Reinforced		
Liner Seams: Welded F	actory Other Volume:	bbl Dimensions Lx Wx D
Type of Operation:       P&A         Drying Pad       X         Above Grout       X         Lined       Unlined	tion H of 19.15.17.11 NMAC Cancel Permit Filed o Drilling a new well X Workover or Drilling und Steel Tanks Haul-off Bins Other er type: Thickness 20 mil X LLDPE H actory Other	
Tank Construction material:	bbl Type of fluid:	omatic overflow shut-off
5 Alternative Method:		
Alternative Method:	quired. Exceptions must be submitted to the Santa Fe Enviror	umental Bureau office for consideration of approval.

·

6 Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify					
7         Netting:       Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)         Screen       Netting         Other         Netthe insertions ((for the series in the basis of the formital)					
Monthly inspections (If netting or screening is not physically feasible)  8 Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC					
9 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. <i>Please check a box if one or more of the following is requested, if not leave blank:</i> Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10 <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No NA				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No				
<ul> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes No				
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes No				
Within a 100-year floodplain - FEMA map					

•••

11 Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
12         Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC         Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.         Image: Colspan="2">Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
<sup>13</sup> Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan     Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
<sup>14</sup> Proposed Closure; 19.15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System					
Alternative					
Proposed Closure Method: Waste Excavation and Removal					
X Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan."					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

.

• •

---

....

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tau</u> Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluid facilities are required.	nks or Haul-off Bins On Is and drill cuttings. Use	ly: (19.15.17.13.D NMAC) attachment if more than two			
	osal Facility Permit #:	NM-0109911 / NM 01-00	10B		
Disposal Facility Name: Basin Disposal Facility Disp	osal Facility Permit #:	NM-01-005			
Will any of the proposed closed-loop system operations and associated activities oco Yes (If yes, please provide the information No	cur on or in areas that n	will not be used for future s	ervice and		
Required for impacted areas which will not be used for future service and operations:         Soil Backfill and Cover Design Specification - based upon the appropriate re         Re-vegetation Plan - based upon the appropriate requirements of Subsection         Site Reclamation Plan - based upon the appropriate requirements of Subsection	I of 19.15.17.13 NMA	С	с		
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Reco certain siting criteria may require administrative approval from the appropriate district office or m office for consideration of approval. Justifications and/or demonstrations of equivalency are requi	ay be considered an except	ion which must be submitted to t			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data obtained	from nearby wells	Í	Yes N/A	No	
				<b></b> .	
Ground water is between 50 and 100 feet below the bottom of the buried waste			Yes	No	
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained f	from nearby wells		N/A		
Ground water is more than 100 feet below the bottom of the buried waste.			Yes	No	
- NM Office of the State Engineer - iWATERS database search, USGS; Data obtained f	from nearby wells		N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant w (measured from the ordinary high-water mark).	ratercourse or lakebed, sir	khole, or playa lake	Yes	No	
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in exister - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	nce at the time of initial ap	oplication.	Yes	No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence a	at the time of the initial ap		Yes	No	
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification Within incorporated municipal boundaries or within a defined municipal fresh water well fiel pursuant to NMSA 1978, Section 3-27-3, as amended.	d covered under a munici	pal ordinance adopted	Yes	No	
- Written confirmation or verification from the municipality; Written approval obtained f	rom the municipality				
<ul> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection</li> </ul>	(certification) of the prop	posed site	Yes	[]No	
Within the area overlying a subsurface mine.	(common) or and prop		Yes		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral	Division				
Within an unstable area.			Yes	No	
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral	Resources; USGS; NM C	Geological Society;			
Topographic map Within a 100-year floodplain. - FEMA map			Yes	No	
<sup>18</sup> <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each of th by a check mark in the box, that the documents are attached.	e following items mus	t bee attached to the closur	re plan. Plea	se indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropriate requ	uirements of 19.15.17.1	I0 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of	Subsection F of 19.15	.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the ap	propriate requirements	of 19.15.17.11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying particular protocols and Procedures - based upon the appropriate requirements of 19.15		propriate requirements of 1	9.15.17.11 N	МАС	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 1775		n F of 19.15.17.13 NMAC	·· ··		
Waste Material Sampling Plan - based upon the appropriate requirements of					
			nnot be achie	ved)	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection					

Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

۰.

19 Operator Application Certification:						
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.						
Signature: Date:						
e-mail address: Telephone:						
#						
OCD Approval: Permit Application (including closure ran) Closure Closure Plan (only) OCD Conditions (see attachment)						
A AL Vall						
OCD Representative Signature:						
Title: Office OD Permit Number:						
The Overflower Waters of the transfer						
21						
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC						
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure						
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an						
approved closure plan has been obtained and the closure activities have been completed.						
X Closure Completion Date: N/A Cancel Permit						
22						
<u>Closure Method:</u>						
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)						
If different from approved plan, please explain.						
# <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u>						
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities						
were utilized.						
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B						
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and opeartions?						
Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)						
Required for impacted areas which will not be used for future service and operations:						
Site Reclamation (Photo Documentation)						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in						
the box, that the documents are attached.						
Proof of Closure Notice (surface owner and division)						
Proof of Deed Notice (required for on-site closure)						
Plot Plan (for on-site closures and temporary pits)						
Confirmation Sampling Analytical Results (if applicable)						
Waste Material Sampling Analytical Results (if applicable)						
Disposal Facility Name and Permit Number						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
Site Reclamation (Photo Documentation)						
On-site Closure Location: Latitude: Longitude: NAD X 1927 1983						
Operator Closure Certification:						
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.						
me closure compres with an appretable closure requirements and conditions specified in the approved closure plan.						
Name (Print): Kerny Davis Title: Staff Regulatory Technician						
Signature: Date: 12/20/2013						
e-mail address: kenny.r.davis@conocophillips.com Telephone: 505-599-4045						

••

. .

..

--