State of New Mexico Energy Minerals and Natural Resources

Form C-144 July 21, 2008

District II 1301 W. Grand Ave., Artesia, NM 88210

Department Oil Conservation Division For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

District III	1220 South St.	Francis Dr.	
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NN	A 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	5		appropriate NMOCD District Office.
VII. 1	Pit, Closed-Loop Syste	m, Below-Gra	ade Tank, or
Pro	posed Alternative Method	l Permit or Cle	osure Plan Application
Type of action:	Permit of a pit, closed-loop sy	stem, below-grade	tank, or proposed alternative method
•	X Closure of a pit, closed-loop s	ystem, below-grade	e tank, or proposed alternative method
	Modification to an existing pe	rmit	
	Closure plan only submitted for below-grade tank, or proposed		itted or non-permitted pit, closed-loop system,
Instructions: Please submit one	• • • •		oop system, below-grade tank or alternative request
Please be advised that approva	al of this request does not relieve the operator of	liability should operation	ns result in pollution of surface water, ground water or the ble governmental authority's rules, regulations or ordinances.
Operator: Burlington Resources C			OGRID#: 14538
Address: PO Box 4289, Farmingt			
Facility or well name: Cat Draw C		000 0 101	
***************************************	30-039-27303	OCD Permit Numb	
U/L or Qtr/Qtr: P(SE/SE) Sect Center of Proposed Design: Latitud	tion: 4 Township: 30N de: 36.5014532 °N	Range: Longitude:	5W County: Rio Arriba 107.212016 °W NAD: X 1927 1983
Surface Owner: Federal		 Fribal Trust or Indi	
Pit: Subsection F or G of 19.15.	17.11 NMAC		RCVD DEC 23 '13
Temporary: Drilling Wo	orkover		
I_ =	Cavitation P&A		OIL CONS. DIV.
Lined Unlined I	Liner type: Thickness mi	l LLDPE	HDPE PVC Other DIST. 3
String-Reinforced			
Liner Seams: Welded	Factory . Other	Volume:	bbl Dimensions Lx Wx D
3			
	ction H of 19.15.17.11 NMAC		
Type of Operation: P&A	Drilling a new well X Workover	or Drilling	
Drying Pad X Above Gro	ound Steel Tanks Haul-off Bins	Other	
X Lined Unlined Lin	ner type: Thickness mil	X LLDPE	HDPE PVD Other
Liner Seams: X Welded X	Factory Other	_	
4			
Below-grade tank: Subsection			
Volume: Tank Construction material:	bbl Type of fluid:		
Secondary containment with leak	detection Visible sidewalls lie	er 6-inch lift and au	atomatic overflow shut-off
Visible sidewalls and liner		Other	
Liner Type: Thickness	mil HDPE PV		
5			
Alternative Method:			

Form C-144

Oil Conservation Division

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Page 1 of 5



6					
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins	titution or chu	reh)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet	nunon or chu	<i>(CII)</i>			
Alternate. Please specify					
7					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other Manthly improving (Continuous provincia de la continuous provincia della continu					
Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15.3.103 NMAC					
Administrative Approvals and Exceptions: [Instifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NIMAC for quidance.]					
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.					
(Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10 Siting Criteria (regarding permitting): 19.15.17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable					
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	□Yes	\square_{No}			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	∏Yes	□No			
(measured from the ordinary high-water mark).	_				
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial	Yes	No			
application.					
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	∐NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)	∐NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	_	_			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	∐ Yes	No			
purposes, or within 1000 northonial teet of any other fresh water well of spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	İ				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes	No			
adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality		-			
Within 500 feet of a wetland.	Yes	□No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		што			
Within the area overlying a subsurface mine.	Yes	No			
·- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division					
Within an unstable area.	Yes	No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain	Yes	□No			
- FEMA map	⊔ '∾	⊔.,,			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
☐ Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan Oil Field Words Street Characterization					
Oil Field Waste Stream Characterization Manitoring and Ingrestion Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System					
Alternative					
Proposed Closure Method: Waste Excavation and Removal					
X Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
☐ In-place Burial ☐ On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
1 1 NO-VEGETATION FIAM * DASCU UDON THE APPROPRIATE TEQUIREMENTS OF SUBSECTION FOR 19.13.17.13 NIVIAC					

16	! T! on Havel off Ding O	L., (10.15.17.12.D.NMAC)				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St Instructions: Please identify the facility or facilities for the disposal of liquids, drilling facilities are required.	eel Tanks or Haul-ott Bins On og fluids and drill cuttings. Use	i <u>v;</u> (19.15.17.13.D NMAC) attachment if more than two	,			
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #:	NM-0109911 / NM 01-0	<u>010B</u>			
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #:	NM-01-005				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No						
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the app	riate requirements of Subsection I of 19.15.17.13 NMA	С	AC			
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office for consideration of approval. Justifications and/or demonstrations of equivalency and	n. Recommendations of acceptable ice or may be considered an except	tion which must be submitted to				
Ground water is less than 50 feet below the bottom of the buried waste.			Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS: Data ob	tained from nearby wells		□N/A			
Ground water is between 50 and 100 feet below the bottom of the buried was	te		Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells	}	□N/A			
Ground water is more than 100 feet below the bottom of the buried waste.			Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells		N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signif (measured from the ordinary high-water mark).	icant watercourse or lakebed, sin	nkhole, or playa lake	Yes No			
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo; satellite imag	•	pplication.	Yes No			
			Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	tence at the time of the initial ap	_				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality		Yes No				
Within 500 feet of a wetland	aned from the mainerparty		∏Yes ∏No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual ins	pection (certification) of the proj	posed site				
Within the area overlying a subsurface mine.			Yes No			
	- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division		—			
Within an unstable area.	Aineral Denourant: LISCS: NM (Coological Society:	∐Yes ∐No			
 Engineering measures incorporated into the design; NM Bureau of Geology & N Topographic map 	miciai resouices, USUS, NIVI (ocological society,				
Within a 100-year floodplain.			Yes No			
- FEMA map						
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items mus	t bee attached to the closi	ure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC						
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon	the appropriate requirements	of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a dr	ying pad) - based upon the ap	propriate requirements of	19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of	f 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropria	· ·		· · · · · · · · · · · · · · · · · · ·			
	Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						

Form C-144 Oil Conservation Division

19 Operator Application Certification:						
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.						
Name (Print): Title: Signature: Date:						
e-mail address: Telephone:						
# OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature:						
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 6/14/2010						
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.						
# Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.						
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B						
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005						
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) X No (Original Approved Drying Pad was not utilized for this location)						
Required for impacted areas which will not be used for future service and operations:						
Site Reclamation (Photo Documentation)						
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique						
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.						
Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure)						
Plot Plan (for on-site closures and temporary pits)						
Confirmation Sampling Analytical Results (if applicable)						
Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number						
Soil Backfilling and Cover Installation						
Re-vegetation Application Rates and Seeding Technique						
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.5014532 Longitude: 107.212016 NAD X 1927 1983						
On-site Closure Location: Latitude: 36.5014532 Longitude: 107.212016 NAD X 1927 1983						
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.						
Name (Print): Kenny Davis Title: Staff Regulatory Technician						
Signature: Date: 12/19/2013						
c-mail address: Senny.rdavis@conocophillips.com Telephone: 505-599-4045						

NMOCD

RE: CL Closure filed for Cat Draw Com 101S recently.

The question arose around this closure due to the fact that the rig odd closure date on the closure was listed as 6/14/2010. This date is correct as it corresponds with the sundry for the rig off date of the work performed. The Permit for this closed loop was submitted after the work was performed on 6/23/2010.

It is believed that the timely filing of this permit was overlooked at the time. This was found as part of our historical pit closures audit.

RCVD JAN 7'14 OIL CONS. DIV.

DIST. 3