1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
Pit, Closed-Loop System, Below	•
Proposed Alternative Method Permit of	or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below	-grade tank, or proposed alternative method
X Closure of a pit, closed-loop system, below	v-grade tank, or proposed alternative method
☐ Modification to an existing permit	
Closure plan only submitted for an existin below-grade tank, or proposed alternative	g permitted or non-permitted pit, closed-loop system,
Instructions: Please submit one application (Form C-144) per individual pit, cl	
Please be advised that approval of this request does not relieve the operator of liability should environment. Nor does approval relieve the operator of its responsibility to comply with any other	•
1 Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: <u>14538</u>
Address: PO Box 4289, Farmington, NM 87499	
Facility or well name: HARVEY A 2	
API Number: 30-039-06793 OCD Permi	
U/L or Qtr/Qtr: P(SE/SE) Section: 32 Township 27N Range	
Center of Proposed Design: Latitude: 36.312892 °N Longitude Surface Owner: Federal X State Private Tribal Trust	le: <u>108.3533612</u> °W NAD: X 1927 1983 or Indian Allotment
Teactar En Tittate En Tittate	
Pit: Subsection F or G of 19.15.17.11 NMAC	DAID DEA OF 140
Temporary: Drilling Workover	RCVD DEC 31 '13 OIL CONS. DIV.
Permanent Emergency Cavitation P&A	DIST. 3
Lined Unlined Liner type: Thickness mil LLD	
String-Reinforced	
Liner Seams: Welded Factory Other Volume:	bbl Dimensions Lx Wx D
3	
	applies to activities which require prior approval of a permit or
notice of intent)	
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other	
Lined Unlined Liner type: Thicknessmil LLD	PE HDPE PVD Other
Enter Scalins. Welded	
Below-grade tank: Subsection 1 of 19.15.17.11 NMAC	
Volume:bbl Type of fluid:	
Tank Construction material:	
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift	t and automatic overflow shut-off
Visible sidewalls and liner Visible sidewalls only Other Liner Type: Thickness mil HDPE PVC O	ther
	unci
Alternative Method:	·
Submittal of an exception request is required. Exceptions must be submitted to the Santa F	e Environmental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5



Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ce for consideration of approval.		
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptate source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting critedoes not apply to drying pads or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	1		
 NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or play lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No NA Yes No NO		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinan adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality: Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area.	Yes No Yes No		
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain FEMA map 	Yes No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design). API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
☐ Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design; based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan, based upon the appropriate requirements of 19.15.17.12 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative Proposed Closure Method: Waste Excavation and Removal				
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure				
plan. Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
ł "				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions: Please identify the facility or facilities for the disposal of liquids, dr facilities are required.	d Steel Tanks or <u>Haul-off Bins Only:</u> (19.15.17.13.D NMA illing fluids and drill cuttings. Use attachment if more than t	AC) wo		
Disposal Facility Name:	Disposal Facility Permit #:			
Disposal Facility Name: Disposal Facility Permit #:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operated Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Suil Site Reclamation Plan - based upon the appropriate requirements of Suil Site Reclamation Plan - based upon the appropriate requirements of	opriate requirements of Subsection H of 19.15.17.13 NN bsection I of 19.15.17.13 NMAC	1AC		
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS: Dat	a obtained from nearby wells	□N/A		
Ground water is between 50 and 100 feet below the bottom of the buried w	vaste	☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried waste.		☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other si lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	gnificant watercourse or lakebed, sinkhole, or playa	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or churchy Visual inspection (certification) of the proposed site; Aerial photo; satellite	,,	☐Yes ☐No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that le watering purposes, or within 1000 horizontal fee of any other fresh water well or application.		Yes No		
 NM Office of the State Engineer - iWATERS database; Visual inspection (c Within incorporated municipal boundaries or within a defined municipal fresh wa adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approve 	ster well field covered under a municipal ordinance	∏Yęs ∏No		
Within 500 feet of a wetland		Yes No		
 US Fish and Wildlife Wetland Identification map; Topographic map; Visua Within the area overlying a subsurface mine. 	I inspection (certification) of the proposed site	□Yes □No		
- Written confiramtion or verification or map from the NM EMNRD-Mining	and Mineral Division			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map	& Mineral Resources; USGS; NM Geological	∏Yes ∏No		
Within a 100-year floodplain FEMA map		Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: E	ach of the following items must bee attached to the clo	sure plan. Please		
indicate, by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate require	•	•		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Sul	osection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Su				

19 Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate	e and complete to the b	est of my knowledge and belief.		
Name (Print):	Title:			
Signature:	Date:			
c-mail address:	Telephone:			
OCD Approval: Permit Application (including closure plan) OCD Representative Signature:	Closure Plan (only)	OCD Conditions (see attachment) Approval Date: 17/3014		
Title: Compliance Office	ddD Permit	Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: 8/9/2010				
22 Closure Method: Waste Excavation and Removal On-site Closure Method If different from approved plan, please explain.	Alternative Closure N	lethod X Waste Removal (Closed-loop systems only)		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please identify the facility or facilities for where the liquids, drilling facilities were utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Name: Basin Disposal Facility Were the closed-loop system operations and associated activities performed on Yes (If yes, please demonstrate complitane to the items below) Required for impacted areas which will not be used for future service and oper Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	g fluids and drill cuttin Disposal Facility P Disposal Facility P or in areas that will not (Original Apple)	ermit Number: NM-01-001 / NM-01-0010B ermit Number: NM-01-005		
Closure Report Attachment Checklist: Instructions: Each of the following the best the decument are attached.	ing items must be atta	ched to the closure report. Please indicate, by a check mark		
in the box, that the documents are attached. Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable)				
Disposal Facility Name and Permit Number		•		
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)				
On-site Closure Location: Latitude:	Longitude:	NAD 1927 1983		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify				
that the closure complies with all applicable closure requirements and conditions Name (Print): Denise Journey	specified in the approv	ea crosure pian. Regulatory Technician		
Signature: Denial Towney	Date:	12/27/2013		
c-mail address: Denise_Journey@conocophilips.com	Telephone:	505-326-9556		
	·			

December 27, 2013

During our internal audit it was discovered that the **Harvey A 2 P&A CL C144** was never closed. Attached please find the closure documents.

The 6 month audit schedule will rectify these closures being overlooked.