State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe

District II 1301 W. Grand Ave., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

3

String-Reinforced

1556
11,

1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM	Env	permanent pits and exceptions submit to ironmental Bureau office and provide a copropriate NMOCD District Office.	
	Pit, Closed-Loop System	n Below-Grade T	ank, or	
∠(a Prop	osed Alternative Method			•
Type of action:	Permit of a pit, closed-loop sys	, ,		
		,	or proposed alternative method	•
	X Modification to an existing per		•	
			non-permitted pit, closed-loop sys	stem,
Instructions: Please submit one a	below-grade tank, or proposed			
Please be advised that approval of environment. Nor does approval rel	of this request does not relieve the operator of lieve the operator of its responsibility to complete the operator of its responsibility to the operator of its	liability should operations result i y with any other applicable gover	n pollution of surface water, ground water or nmental authority's rules, regulations or ordin	the
Operator: Burlington Resources Oil			RID#: 14538	
Address: PO Box 4289, Farmington				
Facility or well name: San Juan 30-		0000		
	1-039-23501	OCD Permit Number:		
U/L or Qtr/Qtr: A(NE/NE) Section	 ' ' '	Range: 6W	County: Rio Arriba	
Center of Proposed Design: Latitude:				19271983
Surface Owner: X Federal	State Private 7	ribal Trust or Indian Allo	otment	•
2 Pit: Subsection F or G of 19.15.17 Temporary: Drilling Worl Permanent Emergency C			ow. C	DEC 23'13 DNS. DIV. IST. 3
Lined Unlined Lin	ner type: Thickness mil	LLDPE HDP	E PVC Other	
String-Reinforced				

X Closed-loop System: Subsection H of 19.15.17.11 NMAC CANCEL PERMIT FILED ON 9/2/10			
Type of Operation: P&A Drilling a new well X Workover or Drilling			
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other X Lined Unlined Liner type: Thickness 20 mil X LLDPE HDPE PVD Other Liner Seams: X Welded X Factory Other			
4 Below-grade tank: Subsection I of 19.15.17.11 NMAC			
Volume: bbl Type of fluid:			
Tank Construction material:			
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off			
Visible sidewalls and liner Visible sidewalls only Other			
Liner Type: Thicknessmil			

Form C-144

Alternative Method:

Oil Conservation Division

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Page 1 of 5



Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	ideration of ap	proval.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	Yes	No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No	
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes NA	No	
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No	
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.	 		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	∐No	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No	
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No	
Within a 100-year floodplain - FEMA map	Yes	No	

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design) API			
Previously Approved Operating and Maintenance Plan API			
13			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
Closure Frant - based upon the appropriate requirements of Subsection C of 15.15.17.5 (With C and 15.15.17.15) (With C			
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative			
Proposed Closure Method: Waste Excavation and Removal			
X Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.			
Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
The regulation Figure observation the appropriate regularisments of oursection for 17/19/17/13 (1971)			

Form C-144 Oil Conservation Division Page 3 of 5

			•	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S Instructions: Please identify the facility or facilities for the disposal of liquids, drill facilities are required.				
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #: 1	NM-0109911 / NM 01-00	10B	
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: 1			
Will any of the proposed closed-loop system operations and associated activ	ities occur on or in areas that wil	Il not be used for future s	service and	
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Sub Site Reclamation Plan - based upon the appropriate requirements of Sub	priate requirements of Subsection section I of 19.15.17.13 NMAC		С	
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NM Instructions: Each siting criteria requires a demonstration of compliance in the closure placetain siting criteria may require administrative approval from the appropriate district of office for consideration of approval. Justifications and/or demonstrations of equivalency.	an. Recommendations of acceptable s ffice or may be considered an exceptio	n which must be submitted to		
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data of	obtained from nearby wells		Yes No	
Ground water is between 50 and 100 feet below the bottom of the buried wa	ste		☐Yes ☐No	
- NM Office of the State Engineer - iWATERS database search; USGS; Data o			□N/A	
Ground water is more than 100 feet below the bottom of the buried waste.			Yes No	
- NM Office of the State Engineer - iWATERS database search; USGS; Data o	btained from nearby wells		□N/A	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark).	ificant watercourse or lakebed, sink	hole, or playa lake	Yes No	
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church i - Visual inspection (certification) of the proposed site; Aerial photo; satellite ima		lication.	∐Yes ∐No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in ex - NM Office of the State Engineer - iWATERS database; Visual inspection (cert	istence at the time of the initial appl		YesNo	
Within incorporated municipal boundaries or within a defined municipal fresh water pursuant to NMSA 1978, Section 3-27-3, as amended.	well field covered under a municipa	al ordinance adopted	Yes No	
 Written confirmation or verification from the municipality; Written approval o Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual in 		sed site	Yes No	
Within the area overlying a subsurface mine.	specific (certification) of the propo	sed site	Yes No	
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division			
Within an unstable area Engineering measures incorporated into the design; NM Bureau of Geology &	Mineral Resources; USGS; NM Ge	ological Society;	Yes No	
Topographic map Within a 100-year floodplain. - FEMA map		·	Yes No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Eaby a check mark in the box, that the documents are attached.			re plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the appropr				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upor				
Construction/Design Plan of Temporary Pit (for in place burial of a c		ropriate requirements of 1	9.15.17.11 NMAC	
Protocols and Procedures - based upon the appropriate requirements		p_610.16.1 6 .16.50.10.00		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division

Operator Applicat			
Name (Print):	e information submitted with this application is true, accura		•
Cianatura.		D-4	
e-mail address:	· · ·	Telephone:	
c-man address.		rerepriene.	
# OCD Approval: OCD Representati Title:	Permit Application (including dosure plan) ve Signature: Office Office	Closure Plan (only) [OCD Permit N	OCD Conditions (see attachment) Approval Date: 1/7/2014 Number:
Instructions: Operato report is required to b	equired within 60 days of closure completion): Subseter a completion of closure plan prior to be submitted to the division within 60 days of the completion in has been obtained and the closure activities have been completed.	implementing any closure of of the closure activities. Pompleted.	
22			
	ntion and Removal On-site Closure Method om approved plan, please explain.	Alternative Closure Met	hod X Waste Removal (Closed-loop systems only)
	arding Waste Removal Closure For Closed-loop Systems identify the facility or facilities for where the liquids, drilling		
Disposal Facility N	Jame: Envirotech / JFJ Landfarm % IEI	Disposal Facility Per	mit Number: NM-01-0011 / NM-01-0010B
Disposal Facility N	Name: Basin Disposal Facility	Disposal Facility Per	nit Number: NM-01-005
_	op system operations and associated activities performed or	_	used for future service and opeartions?
_	•	No .	
, , , , , , , , , , , , , , , , , , ,	cted areas which will not be used for future service and ope ion (Photo Documentation)	erations:	
	ng and Cover Installation		• .
Re-vegetation	Application Rates and Seeding Technique		•
the box, that the d Proof of Clo Proof of Dec Plot Plan (fo Confirmation Waste Mater Disposal Fac Soil Backfill Re-vegetatio	Attachment Checklist: Instructions: Each of the followard forcuments are attached. Soure Notice (surface owner and division) and Notice (required for on-site closure) are on-site closures and temporary pits) and Sampling Analytical Results (if applicable) and Sampling Analytical Results (if applicable) and Sampling Analytical Results (if applicable) and Cover Installation and Application Rates and Seeding Technique atton (Photo Documentation) are Location: Latitude:	wing items must be attache	d to the closure report. Please indicate, by a check mark in NAD 1927 1983
<u>.</u>			
		•	complete to the best of my knowledge and belief. I also certify that re plan.
Name (Print):	Arleen White	Title:	Staff Regulatory Tech.
Signature:	Ohlen White	Date:	12/20/13
e-mail address:	arleen.r.white@conocophillips.com	Telephone:	505-326-9517