istrict I	State of New Mexico	Form C-144	
525 N. French Dr., Hobbs, NM 88240	Energy Minerals and Natural Resources	July 21, 2008 For temporary pits, closed-loop sytems, and below-grade	
vistrict II 301 W. Grand Ave., Artesia, NM 88210	Department Oil Conservation Division	tanks, submit to the appropriate NMOCD District Office.	
istrict III	1220 South St. Francis Dr.		
000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the	
v <u>istrict IV</u> 220 S. St. Francis Dr., Santa Fe, NM 8750	appropriate NMOCD District Office		
	Pit, Closed-Loop System, Below-Grad	de Tank, or	
• Pro	oposed Alternative Method Permit or Clo	sure Plan Application	
Type of action:	Permit of a pit, closed-loop system, below-grade ta	ank, or proposed alternative method	
	X Closure of a pit, closed-loop system, below-grade		
	Modification to an existing permit		
	Closure plan only submitted for an existing permit below-grade tank, or proposed alternative method	ted or non-permitted pit, closed-loop system,	
Instructions, Planca submit on	e application (Form C-144) per individual pit, closed-lo	on system below grade tank or alternative request	
	al of this request does not relieve the operator of liability should operations		
	relieve the operator of its responsibility to comply with any other applicable		
 Operator: ConocoPhillips Compa		OGRID#: 217817	
Address: PO Box 4289, Farming		GGRID#. <u>41/01/</u>	
acility or well name: Lindrith B			
· · · · · · · · · · · · · · · · · · ·	30-039-23924 OCD Permit Numbe		
······································		3W County: Rio Arriba	
Center of Proposed Design: Latitud	° °	-107.3211 °W NAD: X 1927 1983	
Surface Owner: X Federal	State Private Tribal Trust or India		
Pit: Subsection F or G of 19.15.		RCVD DEC 23 '13	
	Vorkover	OIL CONS. DIV.	
	Cavitation P&A	DIST. 3	
		HDPE PVC Other	
String-Reinforced			
	Factory Other Volume:	bbl Dimensions L x W x D	
; X Closed-loon System: Subse	ction H of 19 15 17 11 NMAC		
X <u>Closed-loop System:</u> Subse Type of Operation: P&A	ection H of 19.15.17.11 NMAC		
	ection H of 19.15.17.11 NMAC		
Type of Operation: P&A Drying Pad X Above Gro	Drilling a new well X Workover or Drilling		
Type of Operation: P&A Drying Pad X Above Growth Above Growth X Lined Unlined Lined	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness <u>20</u> mil X LLDPE H	HDPE PVD Other	
Type of Operation: P&A Drying Pad X Above Gro X Lined Unlined	Drilling a new well X Workover or Drilling	HDPE PVD Other	
Type of Operation: P&A Drying Pad X Above Gro X Lined Unlined Line Liner Seams: X Welded X	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE H Factory Other	HDPE PVD Other	
Type of Operation: P&A Drying Pad X Above Gro X Lined Unlined Line Liner Seams: X Welded X Below-grade tank: Subsection	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE H Factory Other	HDPE PVD Other	
Type of Operation: P&A Drying Pad X Above Grown of the second secon	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE H Factory Other	HDPE PVD Other	
Type of Operation: P&A Drying Pad X Above Gro X Lined Unlined Liner Seams: X Welded X Below-grade tank: Subsection Volume: Tank Construction material:	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE I Factory Other		
Type of Operation: P&A Drying Pad X Above Gro X Lined Unlined Line Liner Seams: X Welded X Below-grade tank: Subsection Volume:	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE H Factory Other		
Type of Operation: P&A Drying Pad X Above Grown of the state of	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE I Factory Other n I of 19.15.17.11 NMAC bbl Type of fluid: detection Visible sidewalls, liner, 6-inch lift and auto		
Type of Operation: P&A Drying Pad X Above Gro X Lined Unlined Line Liner Seams: X Welded X Below-grade tank: Subsection Volume:	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE H Factory Other		
Type of Operation: P&A Drying Pad X Above Grown of the second secon	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE I Factory Other n I of 19.15.17.11 NMAC bbl Type of fluid: detection Visible sidewalls, liner, 6-inch lift and auto		
Type of Operation: P&A Drying Pad X Above Grown of the second of the secon	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE H Factory Other n I of 19.15.17.11 NMAC bbl Type of fluid: detection Visible sidewalls, liner, 6-inch lift and auto wisible sidewalls only Other mil HDPE VC Other	omatic overflow shut-off	
Type of Operation: P&A Drying Pad X Above Grown of the second of the secon	Drilling a new well X Workover or Drilling ound Steel Tanks Haul-off Bins Other ner type: Thickness 20 mil X LLDPE I Factory Other n I of 19.15.17.11 NMAC bbl Type of fluid: detection Visible sidewalls, liner, 6-inch lift and auto	omatic overflow shut-off	

5

1 ₆ •					
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Alternate. Please specify					
7					
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8					
Signs: Subsection C of 19.15.17.11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15.3.103 NMAC					
Δ					
9 Administrative Approvals and Exceptions:					
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of approval.				
(Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10 Siting Criteria (regarding permitting): 19.15.17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable					
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the					
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria					
does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	Yes No				
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No				
(Applied to permanent pits)	NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes No				
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	Yes No				
adopted pursuant to NMSA 1978, Section 3-27-3, as amended					
- Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland.	Yes No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine. —- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes No				
	Yes No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological					
Society; Topographic map	м.				
Within a 100-year floodplain	Yes No				
- FEMA map					

...

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
12					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9					
NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
13 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuisance or Hazardous Odors, including H2S, Prevention Plan					
Emergency Response Plan					
Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
14					
Proposed Closure: 19.15.17.13 NMAC					
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System					
Alternative					
Proposed Closure Method: Waste Excavation and Removal					
X Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
In-place Burial On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.					
Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sämpling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
· · ·					

Form C-144

...

Oil Conservation Division

...

16						
<u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Ste</u> Instructions: Please identify the facility or facilities for the disposal of liquids, drillin						
facilities are required.						
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #:	•	D10B			
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #:	<u> </u>				
Will any of the proposed closed-loop system operations and associated activitien Yes (If yes, please provide the information No	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						
17						
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.						
Ground water is less than 50 feet below the bottom of the buried waste.			Yes	No		
- NM Office of the State Engineer - iWATERS database search; USGS: Data ob	tained from nearby wells		N/A			
Ground water is between 50 and 100 feet below the bottom of the buried wast	e		Yes	No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells		N/A			
Ground water is more than 100 feet below the bottom of the buried waste.			Yes	No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).				No		
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo; satellite imag		pplication.	Yes	No		
			Yes	No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site						
Within incorporated municipal boundaries or within a defined municipal fresh water w pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obt		ipal ordinance adopted	Yes	No		
Within 500 feet of a wetland	aned non-the muncipanty		Yes	No		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual insp	pection (certification) of the pro	posed site				
Within the area overlying a subsurface mine.			Yes	No		
- Written confirantion or verification or map from the NM EMNRD-Mining and N	Mineral Division			_		
Within an unstable area.			Yes	∐No		
 Engineering measures incorporated into the design; NM Bureau of Geology & N Topographic map 	imeral Resources; USGS; NM	Geological Society;				
Within a 100-year floodplain. - FEMA map			Yes	No		
18						
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items mus	st bee attached to the closi	re plan. Pleas	se indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropria	te requirements of 19.15.17.	10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC						
Construction/Design Plan of Temporary Pit (for in place burial of a dry	Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC 				/ed)		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC						
Site Reclamation Plan - based upon the appropriate requirements of Su	insection G of 19151713 N	IMAC				

.

19		···· ·· · · · · · · · ·		
Operator Application C				
	rmation submitted with this application is true, accu	•	of my knowledge and belief.	
Name (Print):		Title:		
Signature:	ignature: Date:			
e-mail address:		Telephone:		
	ermit Application (including dosure plan)	(diagung Diag (antr)		
	$\land \square \land \square$			
OCD Representative Si	gnature: (Jona) /. K	offer	Approval Date:/_7/2014	
la co		()		
Title: Com	Jan Vatre	OCD Permit	Number:	
21		·	······································	
	ed within 60 days of closure completion): Su	bsection K of 19 15 17 13 NMAC		
			activities and submitting the closure report. The closure	
	· · ·	•	Please do not complete this section of the form until an	
approved closure plan has	been obtained and the closure activities have been			
		X Closure C	Completion Date: 5/10/2013	
22				
Closure Method:				
Waste Excavation a	nd Removal On-site Closure Method	Alternative Closure Me	ethod X Waste Removal (Closed-loop systems only)	
If different from ap	proved plan, please explain.			
		·		
# Closure Report Regardin	g Waste Removal Closure For Closed-loop System	ms That Litilize Above Grou	nd Steel Tanks or Haul-off Bins Only	
			were disposed. Use attachment if more than two facilities	
were utilized.				
Disposal Facility Name:	Envirotech / JFJ Landfarm % IEI	Disposal Facility Per	rmit Number: NM-01-0011 / NM-01-0010B	
Disposal Facility Name:	Basin Disposal Facility	Disposal Facility Pe	rmit Number: NM-01-005	
Were the closed-loop sy	stem operations and associated activities performed	<u> </u>		
			oved Drying Pad was not utilized for this location)	
	· · · · · · · · · · · · · · · · · · ·		oved prying 1 ad was not drinked for this location	
	ireas which will not be used for future service and a	operations:		
Soil Backfilling and	Photo Documentation)			
	ication Rates and Seeding Technique		· · · · ·	
24				
<u>Closure Report Atta</u> the box, that the docum		llowing items must be attach	ed to the closure report. Please indicate, by a check mark in	
	Notice (surface owner and division)			
	tice (required for on-site closure)			
	site closures and temporary pits)			
Confirmation San	pling Analytical Results (if applicable)			
Waste Material S	ampling Analytical Results (if applicable)			
Disposal Facility	Name and Permit Number			
Soil Backfilling a	nd Cover Installation			
Re-vegetation Ap	plication Rates and Seeding Technique			
Site Reclamation	(Photo Documentation)			
On-site Closure L	ocation: Latitude:	Longitude:	NAD X 1927 1983	
· · ·				
25				
Operator Closure Cert	ification:			
		re report is ture, accurate and	l complete to the best of my knowledge and belief. I also certify that	
The closure complies with a	ll applicable closure requirements and conditions s	pecified in the approved close	ure plan.	
Name (Print):	Kenny Davis	Title:	Staff Regulatory Technician	
	Kelling	Inc.		
Signature:	June -	Date:	12/20/2013	
e-mail address.	kenny.r.davis@conocophillips.com	Telephone:	505-599-4045	
<u> </u>				
Form C-144	Oil Conservation	Division	Dage 5 of 5	
r0mrC=144	On Conservation	DIVISION	Page 5 of 5	

--- ---

.. .

• •

...