District I 1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Ave., Artesia, NM 88210 <u>District III</u>

State of New Mexico **Energy Minerals and Natural Resources**

> Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office.

1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.
Pit, C	losed-Loop System, Below-Olternative Method Permit or	
Type of action: Permix Closu Modi Closu below	it of a pit, closed-loop system, below-grante of a pit, closed-loop system, below-grantication to an existing permit are plan only submitted for an existing permit by-grade tank, or proposed alternative me	ade tank, or proposed alternative method rade tank, or proposed alternative method ermitted or non-permitted pit, closed-loop system, thod
Please be advised that approval of this request	does not relieve the operator of liability should oper	ed-loop system, below-grade tank or alternative request rations result in pollution of surface water, ground water or the plicable governmental authority's rules, regulations or ordinances.
Operator: ConocoPhillips Company Address: PO Box 4289, Farmington, NM 87 Facility or well name: Lindrith B Unit 78	499	OGRID#: <u>217817</u>
API Number: 30-039-2500 U/L or Qtr/Qtr: L(NW/SW) Section: 6 Center of Proposed Design: Latitude:	Township: 24N Range: 36.337978 °N Longitude:	Aumber:
Pit: Subsection F or G of 19.15.17.11 NMACTEmporary: Drilling Workover Permanent Emergency Cavitation Lined Unlined Liner type: String-Reinforced Liner Seams: Welded Factory	P&A Thickness mil LLDPE Other Volume:	### RCVD DEC 23 '13 OIL CONS. DIV. DIST. 3 HDPE PVC Other bbl Dimensions L x W x D
Drying Pad X Above Ground Steel Tal X Lined Unlined Liner type:	new well X Workover or Drilling	HDPE PVD Other
Tank Construction material: Secondary containment with leak detection Visible sidewalls and liner - Visible Liner Type: Thickness mil	7.11 NMAC "pe of fluid: Visible sidewalls, liner, 6-inch lift an ole sidewalls only- HDPE PVC Othe	
Alternative Method: Submittal of an exception request is required. Exc	eptions must be submitted to the Santa Fe E	nvironmental Bureau office for consideration of approval.

Form C-144

Oil Conservation Division

Page 1 of 5

6		
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)		
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, ins	titution or chu	roh)
Four foot height, four strands of barbed wire evenly spaced between one and four feet	maton or Char	(CII)
Alternate. Please specify		
7	•	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)		
Screen Netting Other		
Monthly inspections (If netting or screening is not physically feasible)		
8		
Signs: Subsection C of 19.15.17.11 NMAC		
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
X Signed in compliance with 19,15.3.103 NMAC		
0		
Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for cons	ideration of ap	proval.
(Fencing/BGT Liner)		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
10	Γ	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable		
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the		
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria		
does not apply to drying pads or above grade-tanks associated with a closed-loop system.		,
Control of Control of the Control of		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□ INO
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	∐ Yes	∐No
- Topographic map; Visual inspection (certification) of the proposed site		
Within 200 for the common world area calculations in the control i		□ _{Na}
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐ _{N0}
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	🗀 '''	
		Гη.,
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No
(Applied to permanent pits)	∐NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No
purposes, or within 1000 norizontal feet of any other fresh water well of spring, in existence at the time of initial application.		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	∏Yes ·	□No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended		٠.٠٠
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		
Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification man: Tonographic man: Visual inspection (cortification) of the proposed site	Yes	∐No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		
Within the area overlying a subsurface mine.	Yes	∐No
, c	∏Yes	□No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	Li cs	
Society, Topographic map		
Within a 100-year floodplain	Yes	No
- FEMA map		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items nuïst be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC.				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

Oil Conservation Division Page 3 of 5

Form C-144

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Sto	aal Tanks on Haul off Ding On	I (10 15 17 12 D NIMAC)			
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling facilities are required.	g fluids and drill cuttings. Use	attachment if more than two			
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Perm		: <u>NM-0109911 / NM 01-0010B</u>			
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit #: NM-01-005					
Will any of the proposed closed-loop system operations and associated activiti Yes (If yes, please provide the information No	ies occur on or in areas that w	vill not be used for future s	ervice and		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection Plan - based upon the app	iate requirements of Subsectivetion I of 19.15.17.13 NMA	С	С		
17					
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMA Instructions: Each siting criteria requires a demonstration of compliance in the closure plan certain siting criteria may require administrative approval from the appropriate district office for consideration of approval. Justifications and/or demonstrations of equivalency are	n. Recommendations of acceptable ce or may be considered an except	tion which must be submitted to t			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data obtained to the state of the State Engineer - iWATERS database search; USGS: Data obtained to the state of	tained from nearby wells		Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried wast	e		☐Yes ☐No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells			□ N/A		
Ground water is more than 100 feet below the bottom of the buried waste.			Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obt	ained from nearby wells		□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	cant watercourse or lakebed, sir	nkhole, or playa lake	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in	ovietence et the time of initial ex		Yes No		
Visual inspection (certification) of the proposed site; Aerial photo; satellite image	•	эрлсанон.	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exis - NM Office of the State Engineer - iWATERS database; Visual inspection (certifi	tence at the time of the initial ap				
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended.	rell field covered under a munici	pal ordinance adopted	Yes No		
- Written confirmation or verification from the municipality; Written approval obtained from the municipality		— . —			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site		posed site	Yes No		
Within the area overlying a subsurface mine.	, 6		Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division			☐Yes ☐No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		Geological Society;			
Within a 100-year floodplain FEMA map			Yes No		
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each	of the following items mus	t bee attached to the closu	re plan. Please indicate,		
by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropria	•				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirement	-				
			nnot be achieved)		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
	Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

19 Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:
OCD Approval: Permit Application (including closure plan) Closure plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 1/2014 Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 3/5/2013
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005 Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliane to the items below) X No (Original Approved Drying Pad was not utilized for this location)
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD X 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Kenny Davis Title: Staff Regulatory Technician
Signature: Date: 12/20/2013
e-mail address kenny.r.davis@conocophillips.com Telephone: 505-599-4045