District 1	State of New Mexico		Form C-144	
1625 N. French Dr., Hobbs, NM 88240	Energy Minerals and Natural Resources Department	For temporary pits, closed-loop sytems, an tanks, submit to the appropriate NMOCD Dis	-	
1301 W. Grand Ave., Artesia, NM 88210 District III	Oil Conservation Division 1220 South St. Francis Dr.	tanks, submit to the appropriate two et Di	since once.	
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 87505	For permanent pits and exceptions submit t Environmental Bureau office and provide a co		
1220 S. St. Francis Dr., Santa Fe, NM 87505		appropriate NMOCD District Office.		
Δ	Pit, Closed-Loop System, Below-Grad			
23 Prop	posed Alternative Method Permit or Clo	sure Plan Application		
Type of action:	Permit of a pit, closed-loop system, below-grade ta	ank, or proposed alternative method		
X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
	Modification to an existing permit			
	Closure plan only submitted for an existing permit below-grade tank, or proposed alternative method	ted or non-permitted pit, closed-loop sy	vstem,	
Instructions: Please submit one	application (Form C-144) per individual pit, closed-lo	op system, below-grade tank or altern	ative request	
	of this request does not relieve the operator of liability should operations	,	-	
environment. Nor does approval re	lieve the operator of its responsibility to comply with any other applicabl	e governmental authority's rules, regulations or ordi	nances.	
1 Operator: Burlington Resources O	it & Gas Company, LP	OGRID#: 14538		
Address: PO Box 4289, Farmingto				
Facility or well name: San Juan 30				
	0-039-29408 OCD Permit Numbe	er:		
U/L or Qtr/Qtr: F(SE/NW) Section		7W County: Rio Arriba		
Center of Proposed Design: Latitude			1927 1983	
Surface Owner: X Federal	State Private Tribal Trust or India			
	kover	OILC	DEC 23'13 ONS. DIV.	
	Cavitation P&A		IST. 3	
	iner type: Thickness mil LLDPE	HDPE PVC Other		
String-Reinforced			_	
Liner Seams: Welded Fi	actory Other Volume:	bbl Dimensions Lx W	_ ^{x D}	
3 X Closed-loop System: Subsect	tion H of 19.15.17.11 NMAC			
Type of Operation: P&A				
	Drilling a new well X Workover or Drilling			
Drying Pad X Above Grou	nd Steel Tanks Haul-off Bins Other	<u> </u>		
	L	HDPE PVD Other		
Liner Seams: \mathbf{X} Welded \mathbf{X} Fa	actory Other			
4	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
Below-grade tank: Subsection				
	bl Type of fluid:	_		
Tank Construction material:				
Secondary containment with leak de		omatic overflow shut-off		
Visible sidewalls and liner	Visible sidewalls only Other			
Liner Type: Thickness	milHDPEPVCOther			
5				
Alternative Method:				
Submittal of an exception request is rea	quired. Exceptions must be submitted to the Santa Fe Environ	nmental Bureau office for consideration of	approval.	
Form C-144	Oil Conservation Division		Page 1 of 5	
FORM U-144	On Conservation Division			
			([[]	

Ì

· · · · · · · · · · · · · · · · · · ·	. <u> </u>			
6 <u>Fencing:</u> Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Chain link, six feet in height, two strands of barbed wire at top (<i>Required if located within 1000 feet of a permanent residence, school, hospital, institution or church</i>) Four foot height, four strands of barbed wire evenly spaced between one and four feet				
Alternate. Please specify				
7 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
8 Signs: Subsection C of 19.15.17.11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
9 <u>Administrative Approvals and Exceptions:</u> Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner)				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	·			
10 <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	∏No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Ycs	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applied to permanent pils) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	ΠNο		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society: Topographic map	Yes	No		
Within a 100-year floodplain - FEMA map	Yes	No		

1

¹¹ <u>Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist:</u> Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 MMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12 Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Plcase complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
13 Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.0 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Crosure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14 Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal X Waste Removal (Closed-loop systems only) On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15 Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

.

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel	Tanks or Haul-off Bins Onl	v: (19 15 17 13 D NMAC)			
Instructions: Please identify the facility or facilities for the disposal of liquids, drilling facilities are required.	huids and drill cuttings. Use a	attachment if more than two			
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI D	Disposal Facility Permit #:	NM-0109911 / NM 01-00	10B		
Disposal Facility Name: Basin Disposal Facility E	Disposal Facility Permit #:	NM-01-005			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No					
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
17				Γ	
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS: Data obtain	ned from nearby wells		Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ed from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ed from nearby wells				
		kholo, or plava taka			
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	in watercourse of lakebeu, sin	knole, or playa lake	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in ex	istence at the time of initial ar	polication.	Yes No		
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image			⊡ ⊡ ∏Yes ∏No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted					
 pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtair 	ed from the municipality				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site			Yes No		
Within the area overlying a subsurface mine.			Yes No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map			Yes No		
Within a 100-year floodplain. - FEMA map			Yes No		
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

•				
19		<u> </u>	·	
	ttion Certification: the information submitted with this application is true, accuration	te and complete to the best	of my knowledge and belief	
Name (Print):	ne mormation submitted with this application is true, accura	Title:	·	
Signature:				
e-mail address:	·	Telephone:		
#		4		
OCD Approval:	Permit Application (including closure plan)	Gbsure Plan (only)-	OCD Conditions (see attachment)	
OCD Representat	tive Signature:		Approval Date: 1/7/2014	
	de prout ripe	\sim		
Title:	mprance Ottre	OCD Permit	Number:	
21	· · · · · · · · · · · · · · · · · · ·			
	required within 60 days of closure completion): Subsec	ation K of 19.15.17.13 NMAC		
Instructions: Operat	ors are required to obtain an approved closure plan prior to	implementing any closure		
• •	be submitted to the division within 60 days of the completion an has been obtained and the closure activities have been con	•	Please do not complete this section of the form until an	
approved elosure pre	in has been obtained that the closure derivines have been con		ompletion Date: 7/21/2013	
	· · · · · · · · · · · · · · · · · · ·			
22 Closure Matheda		-		
Closure Method:	vation and Removal On-site Closure Method	Alternative Closure Me	thod X Waste Removal (Closed-loop systems only)	
	rom approved plan, please explain.		wasie Kenioval (Closed-loop systems only)	
# Closure Benert Bec	garding Waste Removal Closure For Closed-loop Systems	That Utiliza Above Crow	nd Steel Tanks or Haukoff Rins Only	
	identify the facility or facilities for where the liquids, drilling		· · · · · · · · · · · · · · · · · · ·	
were utilized.				
Disposal Facility	Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Per	mit Number: NM-01-0011 / NM-01-0010B	
Disposal Facility			mit Number: NM-01-005	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and opeartions?				
Yes (If yes, I	please demonstrate compliane to the items below)	No		
	acted areas which will not be used for future service and ope ation (Photo Documentation) ⁻	rations: .		
	ing and Cover Installation			
	n Application Rates and Seeding Technique			
24			· · · =	
<u> </u>	t Attachment Checklist: Instructions: Each of the follow	wing items must be attach	ed to the closure report. Please indicate, by a check mark in	
	documents are attached.			
	osure Notice (surface owner and division)			
=	ed Notice (required for on-site closure) or on-site closures and temporary pits)			
	on Sampling Analytical Results (if applicable) erial Sampling Analytical Results (if applicable)			
	acility Name and Permit Number			
	lling and Cover Installation			
	on Application Rates and Seeding Technique			
	nation (Photo Documentation)			
		95 Longitude:	107.561892 NAD X 1927 1983	
		·		
25		·····		
Operator Closure			· · · · · · · · · · · · · · · · · · ·	
	the information and attachments submitted with this closure 1 with all applicable closure requirements and conditions spec		l complete to the best of my knowledge and belief. I also certify that we plan.	
Name (Print):	Arleen White	Title:	Staff Regulatory Tech.	
Signature:	(Inlan White	Date:	12/20/13	
-		T-1	505 226 0517	
e-mail address:	arleen.r.white@conocophillips.com	Telephone:	505-326-9517	
			······································	
· Form C-	144 Oil Conservation D	ivision	Page 5 of 5	

.

ŧ,

÷.

.