District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

## State of New Mexico

Energy Minerals and Natural Resources

Department

Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-144 July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

1220 S. St. Francis Dr., Santa Fe, NM 87505	appropriate NWOCD District Office.				
Pit, Closed-Loop Sy	ystem, Below-Grade Tank, or				
Proposed Alternative Met  Type of action: Permit of a pit, closed-loa	Proposed Alternative Method Permit or Closure Plan Application				
	Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method				
X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method					
Modification to an existing	ng permit ted for an existing permitted or non-permitted pit, closed-loop system,				
below-grade tank, or proj					
Instructions: Please submit one application (Form C-144) per	individual pit, closed-loop system, below-grade tank or alternative request				
environment. Nor does approval relieve the operator of its responsibility to	ator of liability should operations result in pollution of surface water, ground water or the comply with any other applicable governmental authority's rules, regulations or ordinances.				
Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538				
Address: PO Box 4289, Farmington, NM 87499					
Facility or well name: Allison Unit 1					
API Number: 30-045-11411	OCD Permit Number:				
	32N Range: 6W County: San Juan PN Longitude: -107.48842 °W NAD: X 1927 1983				
Center of Proposed Design: Latitude: 36.98231 Surface Owner: Federal State X Private	N Longitude: -107.48842 °W NAD: X 1927 1983  Tribal Trust or Indian Allotment				
Pit: Subsection F or G of 19.15.17.11 NMAC	RCVD DEC 31 '13				
Temporary: Drilling Workover	OIL CONS. DIV.				
Permanent Emergency Cavitation P&A	DIST. 3				
Lined Unlined Liner type: Thickness	mil LLDPE HDPE PVC Other				
String-Reinforced					
Liner Seams: Welded Factory Other	Volume: bbl Dimensions L x W x D				
S Classification Substituting Hadden 17 11 NIMAC					
X   Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   X   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or					
	e of intent)				
Drying Pad X Above Ground Steel Tanks Haul-off B	<u> </u>				
X   Lined   Unlined Liner type: Thickness 20     Liner Seams:   X   Welded   X   Factory   Other	mil X LLDPE HDPE PVD Other				
Emer Scalis. A weided A ractory office					
Below-grade tank: Subsection I of 19.15.17.11 NMAC					
Volume:bbl Type of fluid:					
Tank Construction material:					
	lls, liner, 6-inch lift and automatic overflow shut-off				
· Visible sidewalls and liner · · · · · · Visible sidewalls only · · ·					
Liner Type: Thickness mil HDPE	PVC Other				
Alternative Method:	·· ·- ·- ·· ·				
Submittal of an exception request is required. Exceptions must be subm	itted to the Santa Fe Environmental Bureau office for consideration of approval.				

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)	•			
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, inst	itution or church)			
Four foot height, four strands of barbed wire evenly spaced between one and four feet	ŕ			
Alternate. Please specify	·			
7	·			
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)				
8 Signs: Subsection C of 19.15.17.11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15.3.103 NMAC				
9 Administrative Approvals and Exceptions:				
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.				
Please check a box if one or more of the following is requested, if not leave blank:				
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Fencing/BGT Liner)				
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC	1			
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	∏Yes ∏No			
(measured from the ordinary high-water mark).				
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∐Yes ∐No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes No			
(Applied to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA .			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	☐Yes ☐No			
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine.	Yes No			
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division				
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map				
Within a 100-year floodplain - FEMA map	Yes No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC			
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of			
19.15.17.9 NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design)  API or Permit			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9			
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC			
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC			
Previously Approved Design (attach copy of design)  API			
Previously Approved Operating and Maintenance Plan API			
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC			
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC			
Climatological Factors Assessment			
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC			
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC			
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan			
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan			
Emergency Response Plan			
Oil Field Waste Stream Characterization			
Monitoring and Inspection Plan			
Erosion Control Plan			
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
14 Proposed Closure: 19.15.17.13 NMAC			
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative			
Proposed Closure Method: Waste Excavation and Removal			
X Waste Removal (Closed-loop systems only)			
On-site Closure Method (only for temporary pits and closed-loop systems)			
In-place Burial On-site Trench			
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
15			
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)			
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Form C-144 Oil Conservation Division Page 3 of 5

16 <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St</u> <u>Instructions: Please identify the facility or facilities for the disposal of liquids, drillin</u>	eel Tanks or Haul-off Bins On ng fluids and drill cuttings. Use	ly: (19.15.17.13.D NMAC) attachment if more than two	•		
facilities are required.	Diamonal Equility Domnit #	NIM 0100011 / NIM 01 0	NAD		
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI					
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit #: NM-01-005  Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and					
Yes (If yes, please provide the information No  Required for impacted areas which will not be used for future service and operation.  Soil Backfill and Cover Design Specification - based upon the approp Re-vegetation Plan - based upon the appropriate requirements of Subs  Site Reclamation Plan - based upon the appropriate requirements of Subs	riate requirements of Subsecti ection I of 19.15.17.13 NMA	С	.c		
Siting Criteria (Regarding on-site closure methods only: 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS: Data of	otained from nearby wells		Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried was	te		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby wells		□N/A		
Ground water is more than 100 feet below the bottom of the buried waste.	•		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data ob	tained from nearby wells		□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signifuncation (measured from the ordinary high-water mark).	icant watercourse or lakebed, sir	nkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site	aviatance at the time of initial or	antiantian	∏Yes ∏No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	-	эрисанон.	Tes TNo		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less to purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification)	stence at the time of the initial ap	*			
Within incorporated municipal boundaries or within a defined municipal fresh water v pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval ob		pal ordinance adopted	Yes No		
Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual ins		posed site	Yes No		
Within the area overlying a subsurface mine.			Yes No		
- Written confiramtion or verification or map from the NM EMNRD-Mining and	Mineral Division		□vo □vo		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & N Topographic map	Mineral Resources; USGS; NM (	Geological Society;	YesNo		
Within a 100-year floodplain FEMA map			Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	h of the following items mus	st bee attached to the closi	re plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appropri	ate requirements of 19.15.17.	10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

<del> </del>					
Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print): Title:					
Signature: Date:					
e-mail address: Telephone:					
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)					
OCD Representative Signature: Approval Date: 1/7/2014					
Title: OCD Permit Number:					
The OND MARKET OCD TERMIT NUMBER.					
21					
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC					
Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an					
approved closure plan has been obtained and the closure activities have been completed.					
X Closure Completion Date: 8/2/2012					
22 Closure Method:					
Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)					
If different from approved plan, please explain.					
# Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:					
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities					
were utilized.					
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0010 / NM-01-0010B					
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliane to the items below)  XNO (Original Approved Drying Pad was not utilized for this location)					
Required for impacted areas which will not be used for future service and operations:  Site Reclamation (Photo Documentation)					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
24					
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in					
the box, that the documents are attached.					
Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)					
Plot Plan (for on-site closures and temporary pits)					
Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (if applicable)					
Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Site Reclamation (Photo Documentation)					
On-site Closure Location:         Latitude:         36.98231 Longitude:         -107.48842 NAD         X         1927         1983					
25					
Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print): Kenny Davis Title: Staff Regulatory Technician					
Signature: Date: 12/19/2013					
e-mail address kenny.r.davis@conocophillips.com Telephone: 505-599-4045					