District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Form C-144

July 21, 2008

## Pit, Closed-Loop System, Below-Grade Tank, or Type of a

Pro	posed Alternative Method Permit or Closure Plan Application
ction:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

below-grade tank, or proposed alternative method

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538						
Address: PO Box 4289, Farmington, NM 87499						
Facility or well name: Walker 100						
API Number: 30-045-30244 OCD Permit Number:						
U/L or Qtr/Qtr: L(NW/SW) Section: 3 Township: 29N Range: 12W County: San Juan						
Center of Proposed Design: Latitude: 36.75279 °N Longitude: 108.09057 °W NAD: X 1927 1983						
Surface Owner: Federal State X Private Tribal Trust or Indian Allotment						
Pit: Subsection F or G of 19.15.17.11 NMAC  Temporary: Drilling Workover RCVD DEC 23 '13 OIL CONS. DIV.  Permanent Emergency Cavitation P&A OIL CONS. DIV.  Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other DIST. 3  String-Reinforced  Liner Seams: Welded Factory Other Volume: bbl Dimensions L x W x D						
[3						
X   Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation: P&A   Drilling a new well   X   Workover or Drilling						
Drying Pad X Above Ground Steel Tanks Haul-off Bins Other  X Lined Unlined Liner type: Thickness 20 mil X LLDPE HDPE PVD Other  Liner Seams: X Welded X Factory Other						
Below-grade tank: Subsection Lof 19.15.17.11 NMAC  Volume: bbl						
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off						
Visible sidewalls and liner Visible sidewalls only Other						
Liner Type: Thickness mil HDPE PVC Other						
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.						
Form C-144 Oil Conservation Division Page 1 of 5						



Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3.103 NMAC				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		***************************************		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site	☐ Yes	□ No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ NA	No		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image  Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes NA	□No		
<ul> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes	□No		
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division  Within an unstable area.	Yes Yes	□No □No □No		
<ul> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> <li>Within a 100-year floodplain</li> <li>FEMA map</li> </ul>	Yes	□No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API or Permit				
12 Charles Suntan B. With the Mark Mark Charles Charle				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.  Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System  Alternative				
Proposed Closure Method: Waste Excavation and Removal				
X Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
West Formation of Description (1997)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Wasta Ramayal Chausa Fan Classel Ious Systems That Utiling About Croums	bd Stool Tanks on Haul off Pins Only: (10 15 17 13 D NMAC)			
Waste Removal Closure For Closed-loop Systems That Utilize Above Groun Instructions: Please identify the facility or facilities for the disposal of liquids, d	rilling fluids and drill cuttings. Use attachment if more than two			
facilities are required.	Disposal Facility Poppit # NIM 0100011 / NIM 01	201015		
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #: NM-0109911 / NM 01-0	001013		
Disposal Facility Name: Basin Disposal Facility  Will any of the proposed closed-loop system operations and associated ac	Disposal Facility Permit #: NM-01-005  divities occur on or in areas that will not be used for future			
Yes (If yes, please provide the information No	at			
Required for impacted areas which will not be used for future service and opera  Soil Backfill and Cover Design Specification - based upon the app		AC		
Re-vegetation Plan - based upon the appropriate requirements of S	Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropraite requirements of	of Subsection G of 19.15.17.13 NMAC			
17 Siting Criteria (Regarding on-site closure methods only: 19.15.17.10) Instructions: Each siting criteria requires a demonstration of compliance in the closure	e plan. Recommendations of acceptable source material are provided			
certain siting criteria may require administrative approval from the appropriate distric office for consideration of approval. Justifications and/or demonstrations of equivalen		o the Santa Fe Environmental Bureau		
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - (WATERS database search; USGS: Da	ta obtained from nearby wells	N/A		
Ground water is between 50 and 100 feet below the bottom of the buried		Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	N/A		
Ground water is more than 100 feet below the bottom of the buried waste	<b>.</b>	Yes No		
- NM Office of the State Engineer - iWATERS database search; USGS; Dat	a obtained from nearby wells	∐N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other s (measured from the ordinary high-water mark).	ignificant watercourse or lakebed, sinkhole, or playa lake	Yes No		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or churd - Visual inspection (certification) of the proposed site; Aerial photo; satellite	• •	Yes No		
Within 500 horizontal fact of a minute demostic first and a major that he	and then five bayesholds use for demonts on stock watering	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that le purposes, or within 1000 horizontal fee of any other fresh water well or spring, in - NM Office of the State Engineer - iWATERS database; Visual inspection (or	existence at the time of the initial application.			
Within incorporated municipal boundaries or within a defined municipal fresh wa pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No			
- Written confirmation or verification from the municipality; Written approva	al obtained from the municipality			
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visua	al inspection (certification) of the proposed site	Yes No		
Within the area overlying a subsurface mine.		Yes No		
- Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology	& Mineral Resources: USGS: NM Geological Society:	Yes No		
Topographic map	· · · · · · · · · · · · · · · · · · ·			
Within a 100-year floodplain. - FEMA map		Yes No		
18				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: by a check mark in the box, that the documents are attached.	Each of the following items must bee attached to the clos	ure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the appro	opriate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requi	rements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of		19.15.17.11 NMAC		
Protocols and Procedures - based upon the appropriate requirement		3		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of	of Subsection G of 19.15.17.13 NMAC	Í		

19 Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print): Title:					
Signature: Date:					
e-mail address: Telephone:					
# OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)  OCD Representative Signature: Approval Date: 1/7/2014  Title: OCD Permit Number:					
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.    X   Closure Completion Date:   7/17/2008					
22 Closure Method:  Waste Excavation and Removal On-site Closure Method Alternative Closure Method X Waste Removal (Closed-loop systems only)  If different from approved plan, please explain.					
#  Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.					
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI Disposal Facility Permit Number: NM-01-0011 / NM-01-0010B  Basin Disposal Facility  Disposal Facility Permit Number: NM-01-005					
Disposal Facility Name: Basin Disposal Facility Disposal Facility Permit Number: NM-01-005  Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?					
Yes (If yes, please demonstrate compliane to the items below)					
Required for impacted areas which will not be used for future service and operations:					
Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude:  36.75279 Longitude: 108.09057 NAD X 1927 1983					
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print):  Arleen White Title: Staff Regulatory Tech.					
Signature: Oulen White Date: 12/20/13					
e-mail address: <u>arleen.r.white@conocophillips.com</u> Telephone: 505-326-9517					