<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240	State of New Mexico Energy Minerals and Natural Resources	Form C-144 July 21, 2008				
<u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210 District III	Department Oil Conservation Division	For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.				
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u>	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office				
1220 S. St. Francis Dr., Santa Fe, NM 87505	D'4 Classification Datase Com					
) Dua	Pit, Closed-Loop System, Below-Grad	<u>de lank, or</u>				
A Proj	posed Alternative Method Permit or Clo	sure Plan Application				
50 Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method						
Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method						
	\mathbf{X} Modification to an existing permit					
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Instructions: Please submit one	application (Form C-144) per individual pit, closed-lo	op system, below-grade tank or alternative request				
Please be advised that approval environment. Nor does approval re	l of this request does not relieve the operator of liability should operations elieve the operator of its responsibility to comply with any other applicabl	result in pollution of surface water, ground water or the e governmental authority's rules, regulations or ordinances.				
1 Operator: Burlington Resources O Address: PO Box 4289 Farmington	on NM 87499	OGRID#: <u>14538</u>				
Facility or well name: San Juan 32	0 Unit 2618					
ADIN A		······································				
API Number:3	00-045-32775 OCD Permit Number	rr:				
U/L or Qtr/Qtr: C(NE/NW) Secti	ion: <u>10</u> Township: <u>31N</u> Range:	9W County: San Juan				
Center of Proposed Design: Latitude	e: <u>36.917153</u> °N Longitude:	107.770845 °W NAD: X 1927 [1983				
Surface Owner: X Federal	State Private Iribal Irust or India	n Alloiment				
² Pit: Subsection F or G of 19.15.1	17.11 NMAC	JAN @ 9 2014				
Temporary: Drilling Wo	rkover					
Permanent Emergency	Cavitation P&A					
	Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other					
I IString Doinforced						
	_					
Liner Scams: Welded F	Factory Other Volume:	bbl Dimensions Lx Wx D				
Liner Scams: Welded F 3 X Closed-Joop System: Subsec Type of Operation: P&A	Tactory Other Volume:	bbl Dimensions L x W x D &A was cancelled				
Liner Seams: Welded F 3 X Closed-Joop System: Subsec Type of Operation: P&A Drying Pad X Above Grou X Lined Unlined Line Liner Seams: X Welded X F	Factory Other Volume: Stion H of 19.15.17.11 NMAC Drilling a new well X Drilling a new well X Cancel existing permit 10562: Permit 1056	hDPE PVC Other				
Liner Seams: Welded F X Closed-Joop System: Subsec Type of Operation: P&A C Drying Pad X Above Grou X Lined Unlined Line Liner Seams: X Welded X F Below-grade tank: Subsection Volume: I Tank Construction material:	Factory Other Volume: ction H of 19.15.17.11 NMAC Drilling a new well X Cancel existing permit 10562: Paund Steel Tanks Haul-off Bins Other er type: Thickness 20 mil Yactory Other 1 of 19.15.17.11 NMAC bbl Type of fluid:	hDPE PVC Other				
Liner Seams: Welded F 3 X Closed-loop System: Subsec Type of Operation: P&A [Drying Pad X Above Grou X Lined Unlined Line Liner Seams: X Welded X F 4 Below-grade tank: Subsection Volume: I Tank Construction material: Secondary containment with leak d	Factory Other Volume: Stion H of 19.15.17.11 NMAC Drilling a new well X Cancel existing permit 10562: Pe	hDPE PVC Other				
Liner Seams: Welded F X Closed-Joop System: Subsec Type of Operation: P&A Drying Pad X Above Grou X Lined Unlined Line Liner Seams: X Welded X F Below-grade tank: Subsection Volume: I Tank Construction material: Secondary containment with leak d Visible sidewalls and liner	Factory Other Volume: vision H of 19.15.17.11 NMAC Drilling a new well X Cancel existing permit 10562: Pound Steel Tanks Haul-off Bins Other Other er type: Thickness 20 mil Y ULDPE Pactory Other 1 of 19.15.17.11 NMAC bbl Type of fluid: Visible sidewalls, liner, 6-inch lift and autor Visible sidewalls only Other	bbl Dimensions L x W x D &A was cancelled HDPE PVD Other Other Other				
Liner Seams: Welded F 3 X Closed-loop System: Subsec Type of Operation: P&A Drying Pad X Above Grou X Lined Unlined Line Liner Seams: X Welded X F 4 Below-grade tank: Subsection Volume: I Tank Construction material: Secondary containment with leak d - Visible sidewalls and liner Liner Type: Thickness	Factory Other Volume: Stion H of 19.15.17.11 NMAC Drilling a new well X Cancel existing permit 10562: Permit 1	hDPE PVC Other				
Liner Seams: Welded F 3 X Closed-Joop System: Subsec Type of Operation: P&A Drying Pad X Above Grou X Lined Unlined Line Liner Seams: X Welded X F 4 Below-grade tank: Subsection Volume: I Tank Construction material: Secondary containment with leak d - Visible sidewalls and liner Liner Type: Thickness	Factory Other Volume: Stion H of 19.15.17.11 NMAC Drilling a new well X Cancel existing permit 10562: Permit 1	hDPE PVC Other bbl Dimensions Lx W &A was cancelled HDPE PVD Other Other pmatic overflow shut-off				
Liner Seams: Welded F 3 X Closed-Joop System: Subsec Type of Operation: P&A [Drying Pad X Above Grou X Lined Unlined Line Liner Seams: X Welded X F 4 Below-grade tank: Subsection Volume: I Tank Construction material: Secondary containment with leak d - Visible sidewalls and liner [Liner Type: Thickness	Factory Other Volume: ction H of 19.15.17.11 NMAC Drilling a new well X Cancel existing permit 10562: Paund Steel Tanks und Steel Tanks Haul-off Bins Other Other actory Other I of 19.15.17.11 NMAC bbl Type of fluid: Visible sidewalls, liner, 6-inch lift and auto Visible sidewalls only Other	bbl Dimensions L &A was cancelled HDPE PVD Other Other Other				
Liner Seams: Welded F 3 X Closed-loop System: Subsec Type of Operation: P&A [Drying Pad X Above Grou X Lined Unlined Line Liner Seams: X Welded X F Below-grade tank: Subsection Volume: I Tank Construction material: Secondary containment with leak d - Visible sidewalls and liner Liner Type: Thickness Alternative Method: Submittal of an averantice regulation	Factory Other Volume: Stion H of 19.15.17.11 NMAC Drilling a new well X Cancel existing permit 10562: Permit 1	hDPE PVC Other				
Liner Seams: Welded F X <u>Closed-Joop System:</u> Subsec Type of Operation: P&A [Drying Pad X Above Grou X Lined Unlined Line Liner Seams: X Welded X F <u>Below-grade tank:</u> Subsection Volume: D Tank Construction material: Secondary containment with leak d - Visible sidewalls and liner Liner Type: Thickness <u>Alternative Method:</u> Submittal of an exception request is re	Factory Other Volume: Stion H of 19.15.17.11 NMAC Drilling a new well X Cancel existing permit 10562:	hDPE PVC Other				

		society, i opographic map		
o _N sə		Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological		
		Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		
oN sə	иЦ			
on sə		Within 500 feet of a wethand.		
au 🗖 🚥		adopted pursuant to NAISA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality		
^o N sə		Within incorporated municipal boundaries or within a defined municipal fresh water well field covered municipal ordinance		
	Í	- " MM Office of the start of the second		
oN sə	лП	Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.		
		- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
VI av[] m		(sija juauduu.sa oj psijaat/)		
SN SJ		- visual inspection (certificance ecool located are, Acria priore, Salence in existence at the time of initial application		
٧I	и 🗌 🛛	(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (settle proposal site: Astisl photo Satallite image		
oN sə		Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.		
		- Topographic map; Visual inspection (certification) of the proposed site		
oN∐ sə`		Within 300 feet of a continnualy flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).		
		- NM Office of the State Engineer - iWATEAS search; USOS; Data obtained from nearby wells		
Sal 22	^	And the second s		
		Diting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each stiting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attack fustification for request. Please refer to 19.15.17.10 NMAC for guidance. Sitting criteria consideration of approval. Applicant must attack fustification for request. Please refer to 19.15.17.10 NMAC for guidance. Sitting criteria consideration of approval. Applicant must attack associated with a closed-loop system.		
		Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
		(Fencing/BGT Liner)		
.levorqqa to	noiteration	A rease event a new of one of more of most be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for con-		
		Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 MMAC for guidance.		
		Administrative Approvals and Exceptions:		
		X Signed in compliance with 19.15.3.103 MMAC		
		12. X 24", 2." lettering, providing Operator's name, site location, and emergency telephone numbers		
		SAMN 11.71.21.91 DO DI DE SUBSECTION CONTRACTORIS SE SUBSECTION CONTRACTORI		
Vetting: Subsection E of 12.1.21 NMAC (Applies to permanent pits and permanent open top tanks)				
Chain link, six feet in height, two strands of barbed wire at top (Required if focuted within 1000 feet of a permanent residence, school, hospital, institution or church)				
		[stant above unled have still unservice the transmort of solidary DAMID II FI 21 01 to C mologodu 2 . milenag		

Page 2 of 5

°N

səY 🗌

144 C-144

nisiqboofi 1894-001 s nidtiW qsm AMEFi -

01

6

8

L

9

noisivid noitevration Division

Temporar	y Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC					
Instructions.	Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC						
	Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9					
	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
	 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC 					
Clos						
Previou	sly Approved Design (attach copy of design) API or Permit					
12 Closed-loo Instructions	op Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC x: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Geo Geo	logic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9					
🗌 Sitir	ng Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC					
Desi	ign Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dec Dec	erating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
	sure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9					
Previou	isly Annroved Design (attach conv of design) API					
	isly Approved Design (attach copy of design) API					
13 Bormonon	at Pite Parmit Application Charliett Subsection D of 10,15,17,0 NMAC					
Instructions	<u>A FILS PERMIT APPLICATION CHECKINS</u> : SUBSECTION B 01-19,13,17,9 INMAC s: Fach of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached					
	s. Each of the following news must be anached to the approximation. Please marcare, by a check mark in the box, that the abcuments are anached.					
П нуа	rogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC					
	ag Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
	natological factors Assessment					
	a Bratestian and Structural Integrity. Design: based upon the appropriate requirements of 19,15,17,11 NMAC					
	k Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
	ar Specifications and Compatibility Accessment based upon the appropriate requirements of 10.15.17.11 NMAC					
	st Spectroalisis and Compatibility Assessment - based upon the appropriate requirements of 19719.17.11 MMAC					
	erating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Free	cboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
	sance or Hazardous Odors, including H2S, Prevention Plan					
Eme	ergency Response Plan					
	Field Waste Stream Characterization					
Mor	nitoring and Inspection Plan					
Eros	sion Control Plan					
Clos	sure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
14						
Proposed (<u>Closure:</u> 19.15.17.13 NMAC					
Instructions	s: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.					
Туре:	Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System					
Proposed C	JAllemative					
r toposeu e	Nosite Method. Waste Removal (Closed-loop systems only)					
	Con-site Closure Method (only for temporary pits and closed-loop systems)					
	In-nlace Burial On-site Trench					
	\square Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
15						
Waste Exc	<u>cavation and Removal Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure pla acta by a closel work in the boy, that the documents are attached					
Prease main	sale, by a check mark in the bax, that the appropriate requirements of 10,15,17,13 NMAC					
	seeds and receases - based upon the appropriate requirements of $12.12.17.15$ (where 10.15 and $10.$					
	nosal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)					
5வ்	Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
	Zastan and Gold SeeBa Spectreations - cased upon the uppropriate requirements of Subsection in or Prior Allo Printio					
Ro-1	vegetation Plan - based upon the appropriate requirements of Subsection L of 19 15 17 13 NMAC					
Re-v	vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					

...

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee	el Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC)					
facilities are required.	guitas ana artii cuttings. Ose attachment ij more than two	,				
Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit #: NM-0109911 / NM 01-0	0010B				
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and Yes (If yes, please provide the information No						
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC						
17 <u>Siting Criteria (Regarding on-site closure methods only:</u> 19.15.17.10 NMAG Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. certain siting criteria may require administrative approval from the appropriate district office office for consideration of approval. Justifications and/or demonstrations of equivalency are	C Recommendations of acceptable source material are provided e or may be considered an exception which must be submitted t required. Please refer to 19.15.17.10 NMAC for guidance.	l below. Requests regarding changes to o the Santa Fe Environmental Burcau				
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No				
 NM Office of the State Engineer - iWATERS database search; USGS: Data obtained 	ained from nearby wells	N/A				
Ground water is between 50 and 100 feet below the bottom of the buried waster	2	Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obta	ined from nearby wells	N/A				
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obta	ined from nearby wells	N/A				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signific (measured from the ordinary high-water mark).	ant watercourse or lakebed, sinkhole, or playa lake	Yes No				
- Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in e - Visual inspection (certification) of the proposed site; Aerial photo; satellite image	existence at the time of initial application.	Yes No				
Within 500 horizontal fcet of a private, domestic fresh water well or spring that less that purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist - NM Office of the State Engineer - iWATERS database; Visual inspection (certific	in five households use for domestic or stock watering ence at the time of the initial application. cation) of the proposed site	Yes No				
Within incorporated municipal boundaries or within a defined municipal fresh water we pursuant to NMSA 1978, Section 3-27-3, as amended.	ell field covered under a municipal ordinance adopted	Yes No				
Within 500 feet of a wetland	med nom ne manopany	Tyes No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual insp	ection (certification) of the proposed site					
Within the area overlying a subsurface mine.		Yes No				
 Written confirmation or verification or map from the NM EMNRD-Mining and M Within on unstable area 	fineral Division					
- Engineering measures incomporated into the design: NM Bureau of Geology & M	ineral Resources: USGS: NM Geological Society:					
Topographic map Within a 100-year floodplain.		Yes No				
- FEMA map	۰					
¹⁸ <u>On-Site Closure Plan Checklist:</u> (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must bee attached to the clos	sure plan. Please indicate,				
Siting Criteria Compliance Demonstrations - based upon the appropriat	e requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requireme	nts of Subsection F of 19.15.17.13 NMAC					
Construction/Design Plan of Burial Trench (if applicable) based upon t	he appropriate requirements of 19.15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
Confirmation Sampling Plan (if applicable) - based upon the appropriat	e requirements of Subsection F of 19.15.17.13 NMA	c				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
U Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)						
Soll Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC						

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

...

••

19 Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurat	e and complete to the best	t of my knowledge and belief.		
Signature:	Date:			
e-mail address:	Telephone:			
# <u>OCD Approval:</u> Permit Application (including closure plan) OCD Representative Signature: <u>Title:</u> <u>GMDIance</u> <u>Office</u>	Closyre Plan (only)	OCD Conditions (see attachment)Approval Date:		
21 <u>Closure Report (required within 60 days of closure completion):</u> Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. X Closure Completion Date: N/A Cancel Permit				
22 Closure Method: Waste Excavation and Removal If different from approved plan, please explain.	Alternative Closure Me	ethod X Waste Removal (Closed-loop systems only)		
# Closure Report Regarding Waste Removal Closure For Closed-loop Systems? Instructions: Please identify the facility or facilities for where the liquids, drillin, were utilized. Disposal Facility Name: Basin Disposal Facility Were the closed-loop system operations and associated activities performed on Yes (If yes, please demonstrate compliane to the items below) X Required for impacted areas which will not be used for future service and oper Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	That Utilize Above Groun g fluids and drill cuttings Disposal Facility Per Disposal Facility Per or in areas that will not be No vations:	and Steel Tanks or Haul-off Bins Only: a were disposed. Use attachment if more than two facilities ermit Number: <u>NM-01-0011 / NM-01-0010B</u> ermit Number: <u>NM-01-005</u> e used for future service and opeartions?		
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (if applicable) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude: 36.917153 Longitude: 107.770845 NAD X 1927 1983				
25 <u>Operator Closure Certification:</u> I hereby certify that the information and attachments submitted with this closure r the closure complies with all applicable closure requirements and conditions spec	eport is ture, accurate and ified in the approved closu	d complete to the best of my knowledge and belief. I also certify that ure plan.		
Name (Print): Kenny Davis	Title:	Staff Regulatory Tech.		
Signature:	Date:	1/8/2014		
e-mail address: <u>kenny.r.davis@conocophillips.com</u>	Telephone:	505-599-4045		
	·			

Oil Conservation Division

...